

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America

NEWS 2 Jan 25 BLAST(R) searching in REGISTRY available in STN on the Web

NEWS 3 Jan 29 FSTA has been reloaded and moves to weekly updates

NEWS 4 Feb 01 DKILIT now produced by FIZ Karlsruhe and has a new update

frequency
NEWS 5 Feb 19 Access via Tymnet and SprintNet Eliminated Effective 3/31/02

NEWS 6 Mar 08 Gene Names now available in BIOSIS

NEWS 7 Mar 22 TOXLIT no longer available

NEWS 8 Mar 22 TRCTHERMO no longer available

NEWS 9 Mar 28 US Provisional Priorities searched with P in CA/Caplus

and USPATFULL
NEWS 10 Mar 28 LIPINSKI/CALC added for property searching in REGISTRY

NEWS 11 Apr 02 PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead.

NEWS 12 Apr 08 "Ask CAS" for self-help around the clock

NEWS 13 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area

NEWS 14 Apr 09 ZDB will be removed from STN

NEWS 15 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB

NEWS 16 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS

NEWS 17 Apr 22 BIOSIS Gene Names now available in TOXCENTER

NEWS 18 Apr 22 Federal Research in Progress (FEDRIP) now available

NEWS 19 Jun 03 New e-mail delivery for search results now available

NEWS 20 Jun 10 MEDLINE Reload

NEWS 21 Jun 10 PCTFULL has been reloaded

NEWS EXPRESS February 1 CURRENT WINDOWS VERSION IS V6.0d,

CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),

AND CURRENT DISCOVER FILE IS DATED 05

FEBRUARY 2002

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS INTER General Internet Information

NEWS LOGIN Welcome Banner and News Items

NEWS PHONE Direct Dial and Telecommunication Network Access to STN

NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 15:16:46 ON 16 JUN 2002

=> file medline biosis caplus
COST IN U.S. DOLLARS
ENTRY SINCE FILE TOTAL
FULL ESTIMATED COST 0.21 0.21

FILE 'MEDLINE' ENTERED AT 15:17:03 ON 16 JUN 2002

FILE 'BIOSIS' ENTERED AT 15:17:03 ON 16 JUN 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'CAPLUS' ENTERED AT 15:17:03 ON 16 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

=> e raav
E1 1 RAAUMES/BI
E2 3 RAAUU/BI
E3 1040 --> RAAV/BI
E4 2 RAAV01/BI
E5 2 RAAV02/BI
E6 4 RAAV1/BI
E7 33 RAAV2/BI
E8 2 RAAV2BETAGAL/BI
E9 3 RAAV3/BI
E10 3 RAAV4/BI
E11 2 RAAV4BETAGAL/BI
E12 9 RAAV5/BI

=> s raav
L1 1040 RAAV

=> s recombinant aav
L2 622 RECOMBINANT AAV

=> adeno!associated virus
ADENO!ASSOCIATED IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> s adeno!associated virus
L3 0 ADENO!ASSOCIATED VIRUS

=> s adeno-associated
L4 5747 ADENO-ASSOCIATED

=> e adeno-associated
E1 1 ADENNOVIRUS/BI
E2 25936 ADENO/BI
E3 0 --> ADENO-ASSOCIATED/BI
E4 3 ADENO12/BI
E5 5 ADENO2/BI
E6 1 ADENO29/BI
E7 1 ADENO3/BI
E8 1 ADENO40/BI
E9 3 ADENO5/BI
E10 2 ADENO/BI
E11 1 ADENOACACANTHOMA/BI
E12 2 ADENOACANTHOCARCINOMA/BI

=> d his

(FILE 'HOME' ENTERED AT 15:16:46 ON 16 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 15:17:03 ON

16 JUN 2002

E RAAV

L1 1040 S RAAV

L2 622 S RECOMBINANT AAV

L3 0 S ADENO!ASSOCIATED VIRUS

L4 5747 S ADENO-ASSOCIATED
E ADENO-ASSOCIATED

=> d protease inhibitor

'PROTEASE' IS NOT A VALID FORMAT

'INHIBITOR' IS NOT A VALID FORMAT

In a multifile environment, a format can only be used if it is valid
in at least one of the files. Refer to file specific help messages
or the STNGUIDE file for information on formats available in
individual files.

REENTER DISPLAY FORMAT FOR ALL FILES

(FILEDEFAULT):end

=> s protease inhibitor

L5 56882 PROTEASE INHIBITOR

=> e proteinase inh

E1 1 PROTEINASCs/BI

E2 95886 PROTEINASE/BI

E3 0 --> PROTEINASE INH/BI

E4 3 PROTEINASE1/BI

E5 10 PROTEINASE3/BI

E6 2 PROTEINASEAKTIVITAT/BI

E7 1 PROTEINASEAND/BI

E8 1 PROTEINASEBOUND/BI

E9 3 PROTEINASEE/BI

E10 2 PROTEINASEES/BI

E11 1 PROTEINASEGENE/BI

E12 2 PROTEINASEHEMMER/BI

=> s proteinase inhibitor

L6 30433 PROTEINASE INHIBITOR

=> d his

(FILE 'HOME' ENTERED AT 15:16:46 ON 16 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 15:17:03 ON
16 JUN 2002

E RAAV

L1 1040 S RAAV

L2 622 S RECOMBINANT AAV

L3 0 S ADENO!ASSOCIATED VIRUS

L4 5747 S ADENO-ASSOCIATED
E ADENO-ASSOCIATED

L5 56882 S PROTEASE INHIBITOR
E PROTEINASE INH

L6 30433 S PROTEINASE INHIBITOR

=> s l5 or l6

L7 81516 L5 OR L6

=> s l1(s)l6

L8 1 L1(S) L6

=> d ti so

L8 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS

TI Compounds and methods to enhance recombinant adeno-associated
virus (rAAV)

transduction for gene therapy

SO PCT Int. Appl., 127 pp.

CODEN: PIXXD2

=> s l2(s)l6

L9 0 L2(S) L6

=> s l4(s)l6

L10 1 L4(S) L6

=> d ti so

L10 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS

TI Compounds and methods to enhance recombinant adeno-associated
virus (rAAV)

transduction for gene therapy

SO PCT Int. Appl., 127 pp.

CODEN: PIXXD2

=> s l1 and l6

L11 1 L1 AND L6

=> s l2 and l6

L12 0 L2 AND L6

=> s l4 and l6

L13 9 L4 AND L6

=> dup rem l13

PROCESSING COMPLETED FOR L13

L14 9 DUP REM L13 (0 DUPLICATES REMOVED)

=> d ti so 1-9

L14 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2002 ACS

TI Synthetic internal ribosome entry sites and other sequences

improving the

efficiency of translation and their identification in random
oligonucleotide libraries

SO PCT Int. Appl., 168 pp.

CODEN: PIXXD2

L14 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2002 ACS

TI Gene transfer vectors for treating autoimmune diseases and diseases
with

immunopathogenesis

SO PCT Int. Appl., 82 pp.

CODEN: PIXXD2

L14 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2002 ACS

TI Human serine protease inhibitor headpin and its gene and diagnostic
and

therapeutic uses

SO PCT Int. Appl., 213 pp.

CODEN: PIXXD2

L14 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2002 ACS

TI Gene transfer to intervertebral disc cells, and use in the treatment of
degenerative disk disorders, and animal model for degenerative disk
disease

SO U.S. Pat. Appl. Publ., 16 pp.

CODEN: USXXCO

L14 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2002 ACS

TI Compounds and methods to enhance recombinant adeno-
associated virus (rAAV) transduction for gene therapy

SO PCT Int. Appl., 127 pp.

CODEN: PIXXD2

L14 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2002 ACS

TI Novel methods for in vivo identification of enzyme inhibitors from
random

peptide-chymotrypsin inhibitor 2A (CI-2A) fusion library and their
use in

drug screening

SO PCT Int. Appl., 136 pp.

CODEN: PIXXD2

L14 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2002 ACS

TI Viral vectors to inhibit leukocyte infiltration or cartilage degradation
of joints

SO U.S., 72 pp., Cont.-in-part of U.S. Ser. No. 685,212.
CODEN: USXXAM

L14 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2002 ACS
TI Preparation of transgenic birds by gene transfer with p95-specific
gene
techniques
SO Ger. Offen., 8 pp.
CODEN: GWXXBX

L14 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2002 ACS
TI Polynucleotide constructs with cis-acting regulatory sequence and
effector
gene in therapies for infection and hyperproliferative disorders
SO PCT Int. Appl., 61 pp.
CODEN: PIXXD2

=> d ibib ab 5,3,2

L14 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2000:881351 CAPLUS
DOCUMENT NUMBER: 134:46764
TITLE: Compounds and methods to enhance recombinant
adeno-associated virus (rAAV)
transduction for gene therapy
INVENTOR(S): Engelhardt, John F.; Duan, Dongsheng
PATENT ASSIGNEE(S): University of Iowa Research Foundation,
USA
SOURCE: PCT Int. Appl., 127 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000075365	A2	20001214	WO 2000-US15700	
20000608				
WO 2000075365	A3	20010301		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
EP 1190249	A2	20020327	EP 2000-944624	20000608
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO			
PRIORITY APPLN. INFO.:	US 1999-138188P	P 19990608	US 2000-201089P	P 20000502
	WO 2000-US15700	W 20000608		
OTHER SOURCE(S):	MARPAT 134:46764			
AB	Agents and methods to alter rAAV transduction are provided.			

L14 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2001:168148 CAPLUS
DOCUMENT NUMBER: 134:218930
TITLE: Human serine protease inhibitor headpin and its gene
and diagnostic and therapeutic uses
INVENTOR(S): Clayman, Gary L.; Nakashima, Torahiko;
Spring, Paul M.

PATENT ASSIGNEE(S): Board of Regents, the University of Texas
System, USA
SOURCE: PCT Int. Appl., 213 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001016324	A2	20010308	WO 2000-US24214	
20000831				
WO 2001016324	A3	20020307		
W:	CA, JP			
RW:	AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE			
EP 1210433	A2	20020605	EP 2000-959826	20000831
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY			
PRIORITY APPLN. INFO.:	US 1999-151776P	P 19990831	WO 2000-US24214	W 20000831
AB	The present invention describes a novel gene encoding a novel protein termed headpin (for head and neck serpin) that is homologous to known serine protease inhibitors. Headpin is a differentially expressed, novel serine proteinase inhibitor that belongs to the ov-serpin family and demonstrates a hinge region consensus sequence that predicts an inhibitory function. Headpin was cloned from a keratinocyte cDNA library, and its expression pattern by Northern blot anal. indicates that it is most likely produced by keratinizing epithelium. The endogenous expression headpin in normal oral keratinocytes, and its absence or down-regulation in squamous cell carcinoma of the oral cavity, supports the involvement of headpin as a marker for squamous differentiation or a gene disadvantageous to tumor function. Headpin has been grouped into the cluster of serpins located at chromosome 18q21.3/18q22. This region is a known area for loss of heterozygosity and other deletional events often assocd. with head and neck cancer. The invention describes methods and compns. of the nucleic acids, encoded proteins, antibodies, pharmaceuticals, cancer treatments, diagnostics and screens for modulators of headpin.			

L14 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2001:284082 CAPLUS
DOCUMENT NUMBER: 134:306211
TITLE: Gene transfer vectors for treating autoimmune
diseases
and diseases with immunopathogenesis
INVENTOR(S): Schwarzmann, Fritz
PATENT ASSIGNEE(S): Germany
SOURCE: PCT Int. Appl., 82 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001027254	A2	20010419	WO 2000-DE3608	
20001012				
WO 2001027254	A3	20020228		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ,
CA, CH, CN,
CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH,
GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS,
LT,
LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL,
PT, RO, RU,
SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US,
UZ, VN,
YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT,
BE, CH, CY,
DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF,
BJ,
CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
PRIORITY APPLN. INFO.: DE 1999-19948983 A
19991012
AB The invention relates to a gene transfer vector comprising a first
nucleic
acid sequence which codes for one or more ligands that trigger
apoptosis,
a second nucleic acid sequence which codes for one or more antigens,
and,
optionally, a third nucleic acid sequence which codes for one or more
anti-apoptosis mols., and optionally, a fourth nucleic acid sequence
which
codes for one or more suicide enzymes.

=> s transduction
L15 281838 TRANSDUCTION

=> d his

(FILE 'HOME' ENTERED AT 15:16:46 ON 16 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 15:17:03 ON
16 JUN 2002

E RAAV
L1 1040 S RAAV
L2 622 S RECOMBINANT AAV
L3 0 S ADENO!ASSOCIATED VIRUS
L4 5747 S ADENO-ASSOCIATED
E ADENO-ASSOCIATED
L5 56882 S PROTEASE INHIBITOR
E PROTEINASE INH
L6 30433 S PROTEINASE INHIBITOR
L7 81516 S L5 OR L6
L8 1 S L1(S)L6
L9 0 S L2(S)L6
L10 1 S L4(S)L6
L11 1 S L1 AND L6
L12 0 S L2 AND L6
L13 9 S L4 AND L6
L14 9 DUP REM L13 (0 DUPLICATES REMOVED)
L15 281838 S TRANSDUCTION

=> s l7(s)l15
L16 324 L7(S) L15

=> s adeno?
L17 677499 ADENO?

=> s l16 and l17
L18 7 L16 AND L17

=> dup rem l18
PROCESSING COMPLETED FOR L18
L19 7 DUP REM L18 (0 DUPLICATES REMOVED)

=> d ti so 1-7

L19 ANSWER 1 OF 7 BIOSIS COPYRIGHT 2002 BIOLOGICAL

ABSTRACTS INC.

TI Intercellular transfer of functional CD40-ligand on B cells.
SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 23a.
<http://www.bloodjournal.org/>. print.
Meeting Info.: 43rd Annual Meeting of the American Society of
Hematology.
Part 1 Orlando, Florida, USA December 07-11, 2001
ISSN: 0006-4971.

L19 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2002 ACS
TI Compounds and methods to enhance recombinant adeno-associated
virus (rAAV) transduction for gene therapy
SO PCT Int. Appl., 127 pp.
CODEN: PIXXD2

L19 ANSWER 3 OF 7 MEDLINE
TI The serine proteinase inhibitor (serpin) plasminogen activation
inhibitor
type 2 protects against viral cytopathic effects by constitutive
interferon alpha/beta priming.
SO JOURNAL OF EXPERIMENTAL MEDICINE, (1998 Jun 1) 187
(11) 1799-811.
Journal code: 2985109R. ISSN: 0022-1007.

L19 ANSWER 4 OF 7 MEDLINE
TI Multiple intracellular pathways interfere with the activation of a
CPP32-like protease induced by serum deprivation of AKR-2B cells.
SO EXPERIMENTAL CELL RESEARCH, (1998 Apr 10) 240 (1) 28-
39.
Journal code: 0373226. ISSN: 0014-4827.

L19 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2002 ACS
TI Apoptosis signaling pathways in normal T cells. Differential activity
of
Bcl-2 and IL-1.beta.-converting enzyme family protease inhibitors on
glucocorticoid- and Fas-mediated cytotoxicity
SO J. Immunol. (1996), 157(9), 3845-3849
CODEN: JOIMA3; ISSN: 0022-1767

L19 ANSWER 6 OF 7 MEDLINE
TI Chronic oral administration of synthetic trypsin inhibitor camostate
reduces amylase release from isolated rat pancreatic acini.
SO INTERNATIONAL JOURNAL OF PANCREATOLOGY, (1995
Oct) 18 (2) 135-43.
Journal code: 8703511. ISSN: 0169-4197.

L19 ANSWER 7 OF 7 MEDLINE
TI Oligosaccharide signaling in plants. Specificity of oligouronide-
enhanced
plasma membrane protein phosphorylation.
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1991 Feb 15) 266
(5) 3140-5.
Journal code: 2985121R. ISSN: 0021-9258.

=> d ibib ab 3,4

L19 ANSWER 3 OF 7 MEDLINE
ACCESSION NUMBER: 1998270910 MEDLINE
DOCUMENT NUMBER: 98270910 PubMed ID: 9607921
TITLE: The serine proteinase inhibitor (serpin) plasminogen
activation inhibitor type 2 protects against viral
cytopathic effects by constitutive interferon alpha/beta
priming.
AUTHOR: Antalis T M; La Linn M; Donnan K; Mateo L;
Gardner J;
Dickinson J L; Buttigieg K; Suhrbier A
CORPORATE SOURCE: Queensland Cancer Fund Experimental
Oncology Unit, The
Queensland Institute of Medical Research, Brisbane 4029,
Australia.. toniA@qimr.edu.au
SOURCE: JOURNAL OF EXPERIMENTAL MEDICINE,
(1998 Jun 1) 187 (11)
1799-811.

Journal code: 2985109R. ISSN: 0022-1007.
PUB. COUNTRY: United States
Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199807
ENTRY DATE: Entered STN: 19980713
Last Updated on STN: 19980713
Entered Medline: 19980701

AB The serine **proteinase inhibitor** (serpin) plasminogen activator inhibitor type 2 (PAI-2) is well characterized as an inhibitor of extracellular urokinase-type plasminogen activator. Here we show that intracellular, but not extracellular, PAI-2 protected cells from the rapid cytopathic effects of alphavirus infection. This protection did not appear to be related to an effect on apoptosis but was associated with a PAI-2-mediated induction of constitutive low-level interferon (IFN)-alpha/beta production and IFN-stimulated gene factor 3 (ISGF3) activation, which primed the cells for rapid induction of antiviral genes. This primed phenotype was associated with a rapid development of resistance to infection by the PAI-2 transfected cells and the establishment of a persistent productive infection. PAI-2 was also induced in macrophages in response to viral RNA suggesting that PAI-2 is a virus response gene. These observations, together with the recently demonstrated PAI-2-mediated inhibition of tumor necrosis factor-alpha induced apoptosis, (a) illustrate that PAI-2 has an additional and distinct function as an intracellular regulator of signal **transduction** pathway(s) and (b) demonstrate a novel activity for a eukaryotic serpin.

L19 ANSWER 4 OF 7 MEDLINE
ACCESSION NUMBER: 1998233454 MEDLINE
DOCUMENT NUMBER: 98233454 PubMed ID: 9570918
TITLE: Multiple intracellular pathways interfere with the activation of a CPP32-like protease induced by serum deprivation of AKR-2B cells.
AUTHOR: Schafer R; Karbach D; Hoppe J
CORPORATE SOURCE: Theodor-Boveri-Institut, Department of Physiological Chemistry II, Wurzburg, Germany.
SOURCE: EXPERIMENTAL CELL RESEARCH, (1998 Apr 10) 240 (1) 28-39.
Journal code: 0373226. ISSN: 0014-4827.
PUB. COUNTRY: United States
Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199805
ENTRY DATE: Entered STN: 19980520
Last Updated on STN: 20000303
Entered Medline: 19980514

AB As previously described, confluent AKR-2B fibroblasts rapidly disintegrate upon removal of serum. Platelet-derived growth factor isoforms AB or BB (PDGF-AB, -BB) added immediately after serum deprivation caused complete survival of the cells without initiating proliferation (Simm et al., 1994, J. Cell. Physiol. 160, 295). Here the role of cAMP as a protective agent was investigated by using forskolin or 8-Br-cAMP. Both reagents afforded high cellular protection. The phorbol ester TPA, an activator of protein kinase C isoforms, also exerted a high protection against cell death (ED50

= 7 nM). Unexpectedly colchicine (ED50 = 1.5 microM) an inhibitor of tubulin polymerization also protected cells from death. The protective effects of PDGF-BB and TPA were dependent on protein synthesis as indicated by their complete suppression by cycloheximide (CHx). Surprisingly, forskolin and 8-Br-cAMP remained effective even in the presence of CHx. Detailed studies of several signalling pathways were performed. These investigations showed no interference between PDGF-BB and cAMP-dependent pathways at the early stage of signal **transduction**. As previously described, the ICE-like **protease inhibitor** tyr-val-ala-asg-chloromethylketone (YVAD-cmk) protected cells from death (Simm et al., 1997, J. Cell Sci. 110, 819-828). As shown here, a substantial protection was also achieved by the addition of two other caspase inhibitors: asp-glu-val-asp-aldehyde (DEVD-cho; ED50 = 100 microM) and benzoylcarbonyl-asp-glu-val-asp-chloromethylketone (Z-DEVD-cmk; ED50 = 100 microM). The activity of caspases was studied using either tyr-val-ala-asg-aminomethylcoumarine (YVAD-amc) or asp-glu-val-asp-aminomethylcoumarine (DEVD-amc) as substrates. There was no activation of a YVADase, whereas a pronounced increase in DEVDase activity was found with a maximum 3 h after serum removal. Cross competition experiments in vitro showed that the latter activity is inhibited also by low concentrations of YVAD-cmk (300-600 nM), suggesting that both inhibitors inactivated the same target protease. Remarkably all tested protective reagents lead to an inhibition of the DEVDase activity in intact cells. Since these reagents act via distinct intracellular pathways, the existence of a regulatory element upstream of the DEVDase is proposed which integrates signals from a variety of pathways.

=> I7(p)I15
L7(P)L15 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> s I7(p)I15
L20 435 L7(P) L15
=> s I20 and I17
L21 10 L20 AND L17
=> dup rem I21
PROCESSING COMPLETED FOR L21
L22 9 DUP REM L21 (1 DUPLICATE REMOVED)

=> s I22 not I19
L23 2 L22 NOT L19

=> d ti so I23

L23 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS
TI **Adenoviral** vectors having nucleic acids encoding immunomodulatory molecules
SO PCT Int. Appl., 49 pp.
CODEN: PIXXD2

=> d ti so I-2

L23 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS

TI **Adenoviral** vectors having nucleic acids encoding immunomodulatory molecules
SO PCT Int. Appl., 49 pp.
CODEN: PIXXD2

L23 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2002 ACS
TI Fusion proteins of receptor ligand-binding domains and proteinase inhibitors for inhibition of cell migration
SO PCT Int. Appl., 30 pp.
CODEN: PIXXD2

=> d ibib ab l

L23 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2000:756888 CAPLUS
DOCUMENT NUMBER: 133:292012
TITLE: **Adenoviral** vectors having nucleic acids encoding immunomodulatory molecules
INVENTOR(S): Scaria, Abraham; Wadsworth, Samuel C.
PATENT ASSIGNEE(S): Genzyme Corp., USA
SOURCE: PCT Int. Appl., 49 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000063406	A2	20001026	WO 2000-US10530	20000419
WO 2000063406	A3	20010208		
W: AU, CA, JP				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
EP 1210447	A2	20020605	EP 2000-922301	20000419
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
PRIORITY APPLN. INFO.: US 1999-130415P P 19990421				
WO 2000-US10530 W 20000419				
AB The invention relates to recombinant adenoviral vectors for use in delivering a nucleic acid(s) encoding an immunomodulatory mol.(s) to the cells of an individual that allows the vector to reduce or evade the host immune response from the cells of said individual. These vectors could be used to induce tolerance to an adenovirus antigen or transgenic products by transduction of antigen-presenting cells of an individual and/or increase the half-life of antigen-presenting cells in order to enhance immune response against tumor antigens. The invention further relates to recombinant adenoviral vectors for use in delivering desired therapeutic transgenes to cells in patients, said vectors contg. at least one nucleic acid encoding an immunomodulatory mol. that allow the vectors contg. said nucleic acid(s) to reduce or evade the host antiviral immune response to the adenovirus and one or more transgenes. The adenovirus vectors expressing baculovirus protein p35, or lymphocyte proteinase inhibitor baculovirus P-I-9, and a FasL/p35 vector are constructed to prolong the half-life of dendritic cells by protecting them from the gp100-specific cytotoxic T lymphocyte attack for cancer vaccine purpose. These vectors are capable of increased persistence in the individual to whom they are administered, thereby facilitating longer term administration of transgenes and reduced immunol. response upon administration. The invention also relates to methods for the use of such vectors in				

delivering transgenes to patients for therapeutic uses.

=> d his

(FILE 'HOME' ENTERED AT 15:16:46 ON 16 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 15:17:03 ON 16 JUN 2002
E RAAV
L1 1040 S RAAV
L2 622 S RECOMBINANT AAV
L3 0 S ADENO!ASSOCIATED VIRUS
L4 5747 S ADENO-ASSOCIATED E ADENO-ASSOCIATED
L5 56882 S PROTEASE INHIBITOR E PROTEINASE INH
L6 30433 S PROTEINASE INHIBITOR
L7 81516 S L5 OR L6
L8 1 S L1(S)L6
L9 0 S L2(S)L6
L10 1 S L4(S)L6
L11 1 S L1 AND L6
L12 0 S L2 AND L6
L13 9 S L4 AND L6
L14 9 DUP REM L13 (0 DUPLICATES REMOVED)
L15 281838 S TRANSDUCTION
L16 324 S L7(S)L15
L17 677499 S ADENO?
L18 7 S L16 AND L17
L19 7 DUP REM L18 (0 DUPLICATES REMOVED)
L20 435 S L7(P)L15
L21 10 S L20 AND L17
L22 9 DUP REM L21 (1 DUPLICATE REMOVED)
L23 2 S L22 NOT L19

=> (improv? or enhanc? or increas? or decreas? or augment? or potentiat? or inhibit?)(s)(transduct? or infect? or gene transfer) (IMPROV? IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> s (improv? or enhanc? or increas? or decreas? or augment? or potentiat? or inhibit?)(s)(transduct? or infect? or gene transfer) 2 FILES SEARCHED...
L24 454934 (IMPROV? OR ENHANC? OR INCREAS? OR DECREAS? OR AUGMENT? OR POTEN TIAT? OR INHIBIT?)(S)(TRANSDUCT? OR INFECT? OR GENE TRANSFER)

=> s l24(p)(l1 or l2 or l4)
L25 1086 L24(P)(L1 OR L2 OR L4)

=> s l7 and l25
L26 3 L7 AND L25
=> dup rem l26
PROCESSING COMPLETED FOR L26
L27 3 DUP REM L26 (0 DUPLICATES REMOVED)

=> d ti so 1-3

L27 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2002 ACS
TI Compounds and methods to **enhance** recombinant **adeno-associated virus (rAAV) transduction** for gene therapy
SO PCT Int. Appl., 127 pp.
CODEN: PIXXD2
L27 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2002 ACS
TI Controlling immune response to specific antigens
SO PCT Int. Appl., 93 pp.
CODEN: PIXXD2

L27 ANSWER 3 OF 3 MEDLINE
 TI Ribozyme gene therapy for hepatitis C virus infection.
 SO CLINICAL AND DIAGNOSTIC VIROLOGY, (1998 Jul 15) 10
 (2-3) 163-71.
 Journal code: 9309653. ISSN: 0928-0197.

=> d his

(FILE 'HOME' ENTERED AT 15:16:46 ON 16 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 15:17:03 ON
 16 JUN 2002

E RAAV
 L1 1040 S RAAV
 L2 622 S RECOMBINANT AAV
 L3 0 S ADENO!ASSOCIATED VIRUS
 L4 5747 S ADENO-ASSOCIATED
 E ADENO-ASSOCIATED
 L5 56882 S PROTEASE INHIBITOR
 E PROTEINASE INH
 L6 30433 S PROTEINASE INHIBITOR
 L7 81516 S L5 OR L6
 L8 1 S L1(S)L6
 L9 0 S L2(S)L6
 L10 1 S L4(S)L6
 L11 1 S L1 AND L6
 L12 0 S L2 AND L6
 L13 9 S L4 AND L6
 L14 9 DUP REM L13 (0 DUPLICATES REMOVED)
 L15 281838 S TRANSDUCTION
 L16 324 S L7(S)L15
 L17 677499 S ADENO?
 L18 7 S L16 AND L17
 L19 7 DUP REM L18 (0 DUPLICATES REMOVED)
 L20 435 S L7(P)L15
 L21 10 S L20 AND L17
 L22 9 DUP REM L21 (1 DUPLICATE REMOVED)
 L23 2 S L22 NOT L19
 L24 454934 S (IMPROV? OR ENHANC? OR INCREAS? OR
 DECREAS? OR AUGMENT? OR PO
 L25 1086 S L24(P)(L1 OR L2 OR L4)
 L26 3 S L7 AND L25
 L27 3 DUP REM L26 (0 DUPLICATES REMOVED)

=> s l24(s)(l1 or l2)
 L28 410 L24(S)(L1 OR L2)

=> s recombinant adeno-associated
 L29 1279 RECOMBINANT ADENO-ASSOCIATED

=> s l1 or l2 or l29
 L30 1809 L1 OR L2 OR L29

=> s l24(s)l30
 L31 464 L24(S) L30

=> dup rem l31
 PROCESSING COMPLETED FOR L31
 L32 244 DUP REM L31 (220 DUPLICATES REMOVED)

=> d ti so 1-100

L32 ANSWER 1 OF 244 MEDLINE
 TI Cardiomyocyte-specific gene expression following recombinant
 adeno-associated viral vector transduction.
 SO JOURNAL OF BIOLOGICAL CHEMISTRY, (2002 May 24) 277
 (21) 18979-85.
 Journal code: 2985121R. ISSN: 0021-9258.

L32 ANSWER 2 OF 244 MEDLINE DUPLICATE 1
 TI Efficient integration of recombinant adeno-associated virus DNA
 vectors

requires a p5-rep sequence in cis.
 SO JOURNAL OF VIROLOGY, (2002 Jun) 76 (11) 5411-21.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 3 OF 244 MEDLINE DUPLICATE 2
 TI Reversal of motor impairments in parkinsonian rats by continuous
 intrastratial delivery of L-dopa using rAAV-mediated gene transfer.
 SO PROCEEDINGS OF THE NATIONAL ACADEMY OF
 SCIENCES OF THE UNITED STATES OF
 AMERICA, (2002 Apr 2) 99 (7) 4708-13.
 Journal code: 7505876. ISSN: 0027-8424.

L32 ANSWER 4 OF 244 MEDLINE DUPLICATE 3
 TI Ubiquitination of both adeno-associated virus type 2 and 5 capsid
 proteins
 affects the transduction efficiency of recombinant vectors.
 SO JOURNAL OF VIROLOGY, (2002 Mar) 76 (5) 2043-53.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 5 OF 244 MEDLINE DUPLICATE 4
 TI Rescue of hereditary form of dilated cardiomyopathy by rAAV-
 mediated
 somatic gene therapy: amelioration of morphological findings,
 sarcolemmal
 permeability, cardiac performances, and the prognosis of TO-2
 hamsters.
 SO PROCEEDINGS OF THE NATIONAL ACADEMY OF
 SCIENCES OF THE UNITED STATES OF
 AMERICA, (2002 Jan 22) 99 (2) 901-6.
 Journal code: 7505876. ISSN: 0027-8424.

L32 ANSWER 6 OF 244 MEDLINE DUPLICATE 5
 TI Inducible adeno-associated virus vector-delivered transgene
 expression in
 corneal endothelium.
 SO INVESTIGATIVE OPHTHALMOLOGY AND VISUAL
 SCIENCE, (2002 Mar) 43 (3) 751-7.
 Journal code: 7703701. ISSN: 0146-0404.

L32 ANSWER 7 OF 244 MEDLINE DUPLICATE 6
 TI Gene therapy strategy for long-term myocardial protection using
 adeno-associated virus-mediated delivery of heme oxygenase gene.
 SO CIRCULATION, (2002 Feb 5) 105 (5) 602-7.
 Journal code: 0147763. ISSN: 1524-4539.

L32 ANSWER 8 OF 244 MEDLINE DUPLICATE 7
 TI Adeno-associated virus-mediated transfer of human acid maltase
 gene
 results in a transient reduction of glycogen accumulation in muscle of
 Japanese quail with acid maltase deficiency.
 SO GENE THERAPY, (2002 May) 9 (9) 554-63.
 Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 9 OF 244 MEDLINE DUPLICATE 8
 TI Kinetics of transgene expression in mouse retina following sub-
 retinal
 injection of recombinant adeno-associated virus.
 SO VISION RESEARCH, (2002 Feb) 42 (4) 541-9.
 Journal code: 0417402. ISSN: 0042-6989.

L32 ANSWER 10 OF 244 MEDLINE
 TI Recombinant Adeno-associated Virus Serotypes 2- and 5-Mediated
 Gene
 Transfer in the Mammalian Brain: Quantitative Analysis of Heparin
 Co-infusion.
 SO MOLECULAR THERAPY, (2002 Apr) 5 (4) 371-80.
 Journal code: 100890581. ISSN: 1525-0016.

L32 ANSWER 11 OF 244 MEDLINE DUPLICATE 9
 TI Transduction of human neural progenitor cells using recombinant
 adeno-associated viral vectors.
 SO GENE THERAPY, (2002 Feb) 9 (4) 245-55.
 Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 12 OF 244 MEDLINE DUPLICATE 10
 TI Neuropathological and behavioral consequences of adeno-associated viral
 vector-mediated continuous intrastriatal neurotrophin delivery in a
 focal
 ischemia model in rats.
 SO NEUROBIOLOGY OF DISEASE, (2002 Mar) 9 (2) 187-204.
 Journal code: 9500169. ISSN: 0969-9961.

L32 ANSWER 13 OF 244 MEDLINE DUPLICATE 11
 TI Transduction of human and mouse pancreatic islet cells using a
 bicistronic
 recombinant adeno-associated viral vector.
 SO MOLECULAR THERAPY, (2002 Feb) 5 (2) 154-60.
 Journal code: 100890581. ISSN: 1525-0016.

L32 ANSWER 14 OF 244 BIOSIS COPYRIGHT 2002
 BIOLOGICAL ABSTRACTS INC.
 TI Inactivation of VEGF in skeletal muscle results in decreased
 capillary
 number and apoptosis.
 SO FASEB Journal, (March 20, 2002) Vol. 16, No. 4, pp. A91.
<http://www.fasebj.org/>. print.
 Meeting Info.: Annual Meeting of the Professional Research
 Scientists on
 Experimental Biology New Orleans, Louisiana, USA April 20-24,
 2002
 ISSN: 0892-6638.

L32 ANSWER 15 OF 244 MEDLINE
 TI FGF-4 gene therapy GENERX--Collateral Therapeutics.
 SO BioDrugs, (2002) 16 (1) 75-6.
 Journal code: 9705305. ISSN: 1173-8804.

L32 ANSWER 16 OF 244 MEDLINE DUPLICATE 12
 TI Somatic gene therapy of dilated cardiomyopathy.
 SO NIPPON YAKURIGAKU ZASSHI. FOLIA
 PHARMACOLOGICA JAPONICA, (2002 Jan) 119
 (1) 37-44.
 Journal code: 0420550. ISSN: 0015-5691.

L32 ANSWER 17 OF 244 MEDLINE DUPLICATE 13
 TI Efficient generation of cytotoxic T lymphocytes against cervical
 cancer
 cells by adeno-associated virus/human papillomavirus type 16 E7
 antigen
 gene transduction into dendritic cells.
 SO EUROPEAN JOURNAL OF IMMUNOLOGY, (2002 Jan) 32 (1)
 30-8.
 Journal code: 1273201. ISSN: 0014-2980.

L32 ANSWER 18 OF 244 MEDLINE DUPLICATE 14
 TI Inhibition of atherosclerosis in apolipoprotein-E-deficient mice
 following
 muscle transduction with adeno-associated virus vectors encoding
 human
 apolipoprotein-E.
 SO GENE THERAPY, (2002 Jan) 9 (1) 21-9.
 Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 19 OF 244 BIOSIS COPYRIGHT 2002
 BIOLOGICAL ABSTRACTS INC.
 TI Recombinant adenovirus and adeno-associated virus, cell lines and
 methods
 of production and use thereof.
 SO Official Gazette of the United States Patent and Trademark Office
 Patents,
 (Aug. 7, 2001) Vol. 1249, No. 1, pp. No Pagination. e-file.
 ISSN: 0098-1133.
 L32 ANSWER 20 OF 244 BIOSIS COPYRIGHT 2002
 BIOLOGICAL ABSTRACTS INC.
 TI Recombinant adenovirus and adeno-associated virus, cell lines, and
 methods

of production and use thereof.
 SO Official Gazette of the United States Patent and Trademark Office
 Patents,
 (July 17, 2001) Vol. 1248, No. 3, pp. No Pagination. e-file.
 ISSN: 0098-1133.

L32 ANSWER 21 OF 244 MEDLINE DUPLICATE 15
 TI Binding of adeno-associated virus type 5 to 2,3-linked sialic acid is
 required for gene transfer.
 SO JOURNAL OF BIOLOGICAL CHEMISTRY, (2001 Jun 8) 276
 (23) 20610-6.
 Journal code: 2985121R. ISSN: 0021-9258.

L32 ANSWER 22 OF 244 MEDLINE DUPLICATE 16
 TI Involvement of cellular double-stranded DNA break binding
 proteins in
 processing of the recombinant adeno-associated virus genome.
 SO JOURNAL OF VIROLOGY, (2001 Dec) 75 (24) 12279-87.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 23 OF 244 MEDLINE DUPLICATE 17
 TI Adeno-associated virus type 2-mediated transduction of human
 monocyte-derived dendritic cells: implications for ex vivo
 immunotherapy.
 SO JOURNAL OF VIROLOGY, (2001 Oct) 75 (19) 9493-501.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 24 OF 244 MEDLINE DUPLICATE 18
 TI Enhancement of muscle gene delivery with pseudotyped adeno-
 associated
 virus type 5 correlates with myoblast differentiation.
 SO JOURNAL OF VIROLOGY, (2001 Aug) 75 (16) 7662-71.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 25 OF 244 MEDLINE DUPLICATE 19
 TI Induction of tolerance to human factor VIII in mice.
 SO BLOOD, (2001 May 15) 97 (10) 3311-2.
 Journal code: 7603509. ISSN: 0006-4971.

L32 ANSWER 26 OF 244 BIOSIS COPYRIGHT 2002
 BIOLOGICAL ABSTRACTS INC.
 TI Differential neuronal gene expression from two non-specific
 promoters
 after recombinant adeno-associated virus (rAAV) 2 transduction in
 vivo.
 SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 2, pp.
 2345.
 print.
 Meeting Info.: 31st Annual Meeting of the Society for Neuroscience
 San
 Diego, California, USA November 10-15, 2001
 ISSN: 0190-5295.

L32 ANSWER 27 OF 244 BIOSIS COPYRIGHT 2002
 BIOLOGICAL ABSTRACTS INC.
 TI Efficient and sustained transduction of human and rat fetal ventral
 mesencephalon mediated by adeno-associated virus vectors.
 SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 2, pp.
 2294.
 print.
 Meeting Info.: 31st Annual Meeting of the Society for Neuroscience
 San
 Diego, California, USA November 10-15, 2001
 ISSN: 0190-5295.

L32 ANSWER 28 OF 244 MEDLINE DUPLICATE 20
 TI A novel method using baculovirus-mediated gene transfer for
 production of
 recombinant adeno-associated virus vectors.
 SO JOURNAL OF GENERAL VIROLOGY, (2001 Sep) 82 (Pt 9)
 2051-60.
 Journal code: 0077340. ISSN: 0022-1317.

L32 ANSWER 29 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Effects of rAAV-mediated NPY and galanin overexpression in rat hippocampus

on rat behaviour and seizure modulation.

SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 2, pp. 2014.

print.

Meeting Info.: 31st Annual Meeting of the Society for Neuroscience

San

Diego, California, USA November 10-15, 2001

ISSN: 0190-5295.

L32 ANSWER 30 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Effects of constitutive Homer 1a expression in the rat kainate seizure model.

SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 2, pp. 2014.

print.

Meeting Info.: 31st Annual Meeting of the Society for Neuroscience

San

Diego, California, USA November 10-15, 2001

ISSN: 0190-5295.

L32 ANSWER 31 OF 244 MEDLINE

DUPLICATE 21

TI Intracellular trafficking of adeno-associated virus vectors: routing to the late endosomal compartment and proteasome degradation.

SO JOURNAL OF VIROLOGY, (2001 Feb) 75 (4) 1824-33.

Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 32 OF 244 MEDLINE

DUPLICATE 22

TI Insertional mutagenesis of the adeno-associated virus type 2

(AAV2) capsid

gene and generation of AAV2 vectors targeted to alternative cell-surface

receptors.

SO HUMAN GENE THERAPY, (2001 Sep 20) 12 (14) 1697-711.

Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 33 OF 244 MEDLINE

DUPLICATE 23

TI Recombinant adeno-associated virus vector-transduced vascular endothelial

cells express the thrombomodulin transgene under the regulation of enhanced plasminogen activator inhibitor-1 promoter.

SO GENE THERAPY, (2001 Nov) 8 (22) 1690-7.

Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 34 OF 244 MEDLINE

DUPLICATE 24

TI Transduction of ovarian cancer cells: a recombinant adeno-associated viral

vector compared to an adenoviral vector.

SO BRITISH JOURNAL OF CANCER, (2001 Nov 16) 85 (10) 1592-9.

Journal code: 0370635. ISSN: 0007-0920.

L32 ANSWER 35 OF 244 MEDLINE

TI Subthalamic GAD gene transfer in Parkinson disease patients who are

candidates for deep brain stimulation.

SO HUMAN GENE THERAPY, (2001 Aug 10) 12 (12) 1589-91.

Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 36 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI rAAV-delivered ribozyme mediated reduction of huntingtin mRNA in adult

striatum.

SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 1, pp. 1508.

print.

Meeting Info.: 31st Annual Meeting of the Society for Neuroscience

San

Diego, California, USA November 10-15, 2001

ISSN: 0190-5295.

L32 ANSWER 37 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI rAAV mediated gene transfer of GAD65 into the rat hippocampus decreases KA-induced seizure activity.

SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 1, pp. 1461.

print.

Meeting Info.: 31st Annual Meeting of the Society for Neuroscience

San

Diego, California, USA November 10-15, 2001

ISSN: 0190-5295.

L32 ANSWER 38 OF 244 MEDLINE

DUPLICATE 25

TI Prevention of systemic clinical disease in MPS VII mice following AAV-mediated neonatal gene transfer.

SO GENE THERAPY, (2001 Sep) 8 (17) 1291-8.

Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 39 OF 244 CAPLUS COPYRIGHT 2002 ACS

TI Factors influencing in vivo transduction by recombinant adeno-associated

viral vectors expressing the human factor IX cDNA

SO Blood (2001), 97(5), 1258-1265

CODEN: BLOOAW; ISSN: 0006-4971

L32 ANSWER 40 OF 244 MEDLINE

DUPLICATE 26

TI Self-complementary recombinant adeno-associated virus (scAAV) vectors

promote efficient transduction independently of DNA synthesis.

SO GENE THERAPY, (2001 Aug) 8 (16) 1248-54.

Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 41 OF 244 MEDLINE

DUPLICATE 27

TI Standard heparin, low molecular weight heparin, low molecular weight

heparinoid, and recombinant hirudin differ in their ability to

inhibit transduction by recombinant

adeno-associated virus type 2 vectors.

SO GENE THERAPY, (2001 Jun) 8 (12) 966-8.

Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 42 OF 244 MEDLINE

TI Rapid induction of cytotoxic T-cell response against cervical cancer cells

by human papillomavirus type 16 E6 antigen gene delivery into

human

dendritic cells by an adeno-associated virus vector.

SO CANCER GENE THERAPY, (2001 Dec) 8 (12) 948-57.

Journal code: 9432230. ISSN: 0929-1903.

L32 ANSWER 43 OF 244 MEDLINE

DUPLICATE 28

TI Protamine sulfate enhances the transduction efficiency of recombinant adeno-associated

virus-mediated gene delivery.

SO PHARMACEUTICAL RESEARCH, (2001 Jul) 18 (7) 922-7.

Journal code: 8406521. ISSN: 0724-8741.

L32 ANSWER 44 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Sustained high level expression of human FIX following liver targeted

delivery of recombinant adeno-associated virus encoding the human FIX gene

in rhesus macaques.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 782a.

<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001

ISSN: 0006-4971.

L32 ANSWER 45 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Alternate AAV serotypes result in enhanced factor IX expression in murine

and canine models of hemophilia B.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 745a.

<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001

ISSN: 0006-4971.

L32 ANSWER 46 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Long-term expression of activated FVII in vivo following AAV-mediated

liver gene transfer: Implications for treatment with continuous infusion

of recombinant activated FVII.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 696a.

<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001

ISSN: 0006-4971.

L32 ANSWER 47 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Tightly regulated rAAV-mediated gene expression driven by a bidirectional

tetracycline-dependent promoter.

SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 1, pp. 668. print.

Meeting Info.: 31st Annual Meeting of the Society for Neuroscience

San

Diego, California, USA November 10-15, 2001

ISSN: 0190-5295.

L32 ANSWER 48 OF 244 MEDLINE DUPLICATE 29

TI Glial cell line derived neurotrophic factor delays photoreceptor degeneration in a transgenic rat model of retinitis pigmentosa.

SO MOLECULAR THERAPY, (2001 Dec) 4 (6) 622-9.

Journal code: 100890581. ISSN: 1525-0016.

L32 ANSWER 49 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Long-term expression of the exogenous gene in EB virus transformed B

lymphocytes transduced by recombinant adeno-associated virus.

SO Zhonghua Weishengwuxue He Mianyixue Zazhi, (November, 2001) Vol. 21, No.

6, pp. 594-599. print.

ISSN: 0254-5101.

L32 ANSWER 50 OF 244 MEDLINE

TI Lack of germline transmission of vector sequences following systemic

administration of recombinant AAV-2 vector in males.

SO MOLECULAR THERAPY, (2001 Dec) 4 (6) 586-92.

Journal code: 100890581. ISSN: 1525-0016.

L32 ANSWER 51 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

DUPLICATE 30

TI Gene therapy for hemophilia B mediated by recombinant adeno-associated

viral vector with hFIXR338A, a high catalytic activity mutation of human

coagulation factor IX.

SO Science in China Series C Life Sciences, (December, 2001) Vol. 44, No. 6,

pp. 585-592. print.

ISSN: 1006-9305.

L32 ANSWER 52 OF 244 MEDLINE

DUPLICATE 31

TI Gene therapy for hypertension: the preclinical data.

SO HYPERTENSION, (2001 Sep) 38 (3 Pt 2) 543-8. Ref: 46

Journal code: 7906255. ISSN: 1524-4563.

L32 ANSWER 53 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Characterization and time course of a novel adeno-associated virus (AAV)

transduction system in brain.

SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 1, pp. 534. print.

Meeting Info.: 31st Annual Meeting of the Society for Neuroscience

San

Diego, California, USA November 10-15, 2001

ISSN: 0190-5295.

L32 ANSWER 54 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI GAD65 transduction of the subthalamic nucleus changes the action of

excitatory projections to the substantia nigra.

SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 1, pp. 521. print.

Meeting Info.: 31st Annual Meeting of the Society for Neuroscience

San

Diego, California, USA November 10-15, 2001

ISSN: 0190-5295.

L32 ANSWER 55 OF 244 MEDLINE DUPLICATE 32

TI Efficient ex vivo transduction of pancreatic islet cells with recombinant

adeno-associated virus vectors.

SO DIABETES, (2001 Mar) 50 (3) 515-20.

Journal code: 0372763. ISSN: 0012-1797.

L32 ANSWER 56 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI BJAB cells undergo an oncosis-like cell death after transduction with an

antisense DNA to human 6A8 alpha-mannosidase gene.

SO Zhonghua Weishengwuxue He Mianyixue Zazhi, (September, 2001) Vol. 21, No.

5, pp. 480-485. print.

ISSN: 0254-5101.

L32 ANSWER 57 OF 244 MEDLINE DUPLICATE 33

TI Tissue-specific gene expression in medullary thyroid carcinoma cells

employing calcitonin regulatory elements and AAV vectors.

SO CANCER GENE THERAPY, (2001 Jul) 8 (7) 469-72.

Journal code: 9432230. ISSN: 0929-1903.

L32 ANSWER 58 OF 244 MEDLINE

TI Protection from experimental endotoxemia by a recombinant adeno-associated

virus encoding interleukin 10.

SO JOURNAL OF GENE MEDICINE, (2001 Sep-Oct) 3 (5) 450-7.

Journal code: 9815764. ISSN: 1099-498X.

L32 ANSWER 59 OF 244 MEDLINE DUPLICATE 34

TI Adeno-associated virus-mediated delivery of glial cell line-derived neurotrophic factor protects motor neuron-like cells from apoptosis.

SO JOURNAL OF NEUROVIROLOGY, (2001 Oct) 7 (5) 437-46.

Journal code: 9508123. ISSN: 1355-0284.

L32 ANSWER 60 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Recombinant adeno-associated viral vector mediated transduction of murine

liver but not skeletal muscle is heavily influenced by gender.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 425a.

<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001
ISSN: 0006-4971.

L32 ANSWER 61 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.

TI New strategies for the therapy of sarcomas and other solid tumors using

recombinant adeno-associated virus 2 vectors that contain a suicide gene.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 2, pp. 408b.
<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of Hematology,

Part 2 Orlando, Florida, USA December 07-11, 2001
ISSN: 0006-4971.

L32 ANSWER 62 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.

TI Studies on transferring variant DHFR-GFP gene into human hematopoietic

cells by adeno-associated virus.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 2, pp. 404b.
<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of Hematology,

Part 2 Orlando, Florida, USA December 07-11, 2001
ISSN: 0006-4971.

L32 ANSWER 63 OF 244 MEDLINE DUPLICATE 35

TI Characterization of adenovirus-induced inverted terminal repeat-independent amplification of integrated adeno-associated virus rep-cap sequences.

SO JOURNAL OF VIROLOGY, (2001 Jan) 75 (1) 375-83.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 64 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.

TI Resistance of SKW6 cell to apoptosis induction with anti-Fas antibody upon

transduction of a reverse fragment to a cDNA encoding human 6A8 alpha-mannosidase.

SO Science in China Series C Life Sciences, (August, 2001) Vol. 44, No. 4,
pp. 365-372. print.
ISSN: 1006-9305.

L32 ANSWER 65 OF 244 MEDLINE DUPLICATE 36

TI Long-term expression of a transferred gene in Epstein-Barr virus transformed human B cells.

SO SCANDINAVIAN JOURNAL OF IMMUNOLOGY, (2001 Sep) 54 (3) 265-72.

Journal code: 0323767. ISSN: 0300-9475.

L32 ANSWER 66 OF 244 MEDLINE DUPLICATE 37

TI Adeno-associated virus (AAV) as a vehicle for therapeutic gene delivery:

improvements in vector design and viral production enhance potential to

prolong graft survival in pancreatic islet cell transplantation for the reversal of type 1 diabetes.

SO Curr Mol Med, (2001 May) 1 (2) 245-58.
Journal code: 101093076. ISSN: 1566-5240.

L32 ANSWER 67 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.

TI Development of a P210BCR-ABL fusion domain candidate dendritic cell DNA vaccine.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 236a.
<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001
ISSN: 0006-4971.

L32 ANSWER 68 OF 244 MEDLINE

TI Combined injection of rAAV with mannitol enhances gene expression in the rat brain.

SO MOLECULAR THERAPY, (2001 Feb) 3 (2) 225-32.
Journal code: 100890581. ISSN: 1525-0016.

L32 ANSWER 69 OF 244 MEDLINE DUPLICATE 38

TI Kinetics of efficient recombinant adeno-associated virus transduction in

retinal pigment epithelial cells.

SO EXPERIMENTAL CELL RESEARCH, (2001 Jul 15) 267 (2) 184-92.

Journal code: 0373226. ISSN: 0014-4827.

L32 ANSWER 70 OF 244 MEDLINE DUPLICATE 39

TI Regulated secretion of proinsulin/insulin from human hepatoma cells

transduced by recombinant adeno-associated virus.

SO BIOTECHNOLOGY AND APPLIED BIOCHEMISTRY, (2001 Apr) 33 (Pt 2) 133-40.

Journal code: 8609465. ISSN: 0885-4513.

L32 ANSWER 71 OF 244 CAPLUS COPYRIGHT 2002 ACS

TI Research on recombinant adeno-associated virus as a vector for gene

therapy of liver cancer

SO Zhongguo Puwai Jichu Yu Linchuang Zazhi (2001), 8(3), 133-134
CODEN: ZJLZFX; ISSN: 1007-9424

L32 ANSWER 72 OF 244 MEDLINE DUPLICATE 40

TI Gamma-rays enhance rAAV-mediated transgene expression and cytotoxic effect

of AAV-HSVtk/ganciclovir on cancer cells.

SO CANCER GENE THERAPY, (2001 Feb) 8 (2) 99-106.
Journal code: 9432230. ISSN: 0929-1903.

L32 ANSWER 73 OF 244 MEDLINE DUPLICATE 41

TI Optimization of recombinant adeno-associated virus production using an

herpes simplex virus amplicon system.

SO JOURNAL OF VIROLOGICAL METHODS, (2001 Aug) 96 (2) 97-105.

Journal code: 8005839. ISSN: 0166-0934.

L32 ANSWER 74 OF 244 MEDLINE DUPLICATE 42

TI Development and characterization of an antisense-mediated prepackaging

cell line for adeno-associated virus vector production.

SO BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, (2001 Oct 19) 288 (1) 62-8.

Journal code: 0372516. ISSN: 0006-291X.

L32 ANSWER 75 OF 244 MEDLINE DUPLICATE 43

TI Selective repopulation of normal mouse liver by hepatocytes transduced in

vivo with recombinant adeno-associated virus.

SO HUMAN GENE THERAPY, (2001 Jan 1) 12 (1) 45-50.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 76 OF 244 MEDLINE

TI Gene therapy: recombinant adeno-associated virus vectors.

SO CURRENT CARDIOLOGY REPORTS, (2001 Jan) 3 (1) 43-9.
Ref: 62

Journal code: 100888969. ISSN: 1523-3782.

L32 ANSWER 77 OF 244 CAPLUS COPYRIGHT 2002 ACS

TI Compounds and methods to enhance recombinant adeno-associated virus (rAAV)

transduction for gene therapy

SO PCT Int. Appl., 127 pp.
CODEN: PIXXD2

- L32 ANSWER 78 OF 244 MEDLINE DUPLICATE 44
 TI Use of the NADH-quinone oxidoreductase (ND11) gene of
 Saccharomyces
 cerevisiae as a possible cure for complex I defects in human cells.
 SO JOURNAL OF BIOLOGICAL CHEMISTRY, (2000 Dec 1) 275
 (48) 37774-8.
 Journal code: 2985121R. ISSN: 0021-9258.
- L32 ANSWER 79 OF 244 MEDLINE
 TI High-titer, wild-type free recombinant adeno-associated virus vector
 production using intron-containing helper plasmids.
 SO JOURNAL OF VIROLOGY, (2000 Dec) 74 (24) 11456-63.
 Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 80 OF 244 MEDLINE DUPLICATE 45
 TI Recruitment of single-stranded recombinant adeno-associated virus
 vector
 genomes and intermolecular recombination are responsible for stable
 transduction of liver in vivo.
 SO JOURNAL OF VIROLOGY, (2000 Oct) 74 (20) 9451-63.
 Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 81 OF 244 MEDLINE DUPLICATE 46
 TI Adeno-associated virus type 5 (AAV5) but not AAV2 binds to the
 apical
 surfaces of airway epithelia and facilitates gene transfer.
 SO JOURNAL OF VIROLOGY, (2000 Apr) 74 (8) 3852-8.
 Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 82 OF 244 MEDLINE DUPLICATE 47
 TI Nonrandom transduction of recombinant adeno-associated virus
 vectors in
 mouse hepatocytes in vivo: cell cycling does not influence hepatocyte
 transduction.
 SO JOURNAL OF VIROLOGY, (2000 Apr) 74 (8) 3793-803.
 Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 83 OF 244 MEDLINE DUPLICATE 48
 TI Retinal degeneration is slowed in transgenic rats by AAV-mediated
 delivery
 of FGF-2.
 SO INVESTIGATIVE OPHTHALMOLOGY AND VISUAL
 SCIENCE, (2000 Oct) 41 (11)
 3622-33.
 Journal code: 7703701. ISSN: 0146-0404.
- L32 ANSWER 84 OF 244 MEDLINE DUPLICATE 49
 TI Kinetics of recombinant adeno-associated virus-mediated gene
 transfer.
 SO JOURNAL OF VIROLOGY, (2000 Apr) 74 (8) 3555-65.
 Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 85 OF 244 MEDLINE DUPLICATE 50
 TI Recombinant adeno-associated virus type 2, 4, and 5 vectors:
 transduction
 of variant cell types and regions in the mammalian central nervous
 system.
 SO PROCEEDINGS OF THE NATIONAL ACADEMY OF
 SCIENCES OF THE UNITED STATES OF
 AMERICA, (2000 Mar 28) 97 (7) 3428-32.
 Journal code: 7505876. ISSN: 0027-8424.
- L32 ANSWER 86 OF 244 MEDLINE DUPLICATE 51
 TI The adenovirus E4 ORF6 and E1b 55 kDa proteins cooperate in a
 p53-independent manner to **enhance transduction by**
recombinant adeno-associated virus vectors.
 SO JOURNAL OF GENERAL VIROLOGY, (2000 Dec) 81 (Pt 12)
 2983-91.
 Journal code: 0077340. ISSN: 0022-1317.
- L32 ANSWER 87 OF 244 MEDLINE DUPLICATE 52
 TI Adeno-associated virus production of soluble tumor necrosis factor
 receptor neutralizes tumor necrosis factor alpha and reduces arthritis.
- SO HUMAN GENE THERAPY, (2000 Nov 20) 11 (17) 2431-42.
 Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 88 OF 244 MEDLINE DUPLICATE 53
 TI Tropism of AAV-2 vectors for neurons of the globus pallidus.
 SO NEUROREPORT, (2000 Jul 14) 11 (10) 2277-83.
 Journal code: 9100935. ISSN: 0959-4965.
- L32 ANSWER 89 OF 244 MEDLINE DUPLICATE 54
 TI Purification of recombinant adeno-associated virus vectors by
 column
 chromatography and its performance in vivo.
 SO HUMAN GENE THERAPY, (2000 Oct 10) 11 (15) 2079-91.
 Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 90 OF 244 MEDLINE DUPLICATE 55
 TI **Inhibition of recombinant adeno-**
associated virus (rAAV) transduction by
 bronchial secretions from cystic fibrosis patients.
 SO GENE THERAPY, (2000 Oct) 7 (20) 1783-9.
 Journal code: 9421525. ISSN: 0969-7128.
- L32 ANSWER 91 OF 244 MEDLINE DUPLICATE 56
 TI Sustained expression of human factor VIII in mice using a
 parvovirus-based
 vector.
 SO BLOOD, (2000 Mar 1) 95 (5) 1594-9.
 Journal code: 7603509. ISSN: 0006-4971.
- L32 ANSWER 92 OF 244 MEDLINE DUPLICATE 57
 TI Endosomal processing limits gene transfer to polarized airway
 epithelia by
 adeno-associated virus.
 SO JOURNAL OF CLINICAL INVESTIGATION, (2000 Jun) 105
 (11) 1573-87.
 Journal code: 7802877. ISSN: 0021-9738.
- L32 ANSWER 93 OF 244 MEDLINE DUPLICATE 58
 TI Hyaluronidase **enhances recombinant adeno-**
associated virus (rAAV)-mediated gene
transfer in the rat skeletal muscle.
 SO GENE THERAPY, (2000 Aug) 7 (16) 1417-20.
 Journal code: 9421525. ISSN: 0969-7128.
- L32 ANSWER 94 OF 244 MEDLINE DUPLICATE 59
 TI Glucose-responsive gene delivery in pancreatic Islet cells via
 recombinant
 adeno-associated viral vectors.
 SO PHARMACEUTICAL RESEARCH, (2000 Sep) 17 (9) 1056-61.
 Journal code: 8406521. ISSN: 0724-8741.
- L32 ANSWER 95 OF 244 MEDLINE DUPLICATE 60
 TI Chronic ethanol increases adeno-associated viral transgene
 expression in
 rat liver via oxidant and NFkappaB-dependent mechanisms.
 SO HEPATOLOGY, (2000 Nov) 32 (5) 1050-9.
 Journal code: 8302946. ISSN: 0270-9139.
- L32 ANSWER 96 OF 244 MEDLINE DUPLICATE 61
 TI Empirical advantages of adeno associated viral vectors in vivo gene
 therapy for arthritis.
 SO JOURNAL OF RHEUMATOLOGY, (2000 Apr) 27 (4) 983-9.
 Journal code: 7501984. ISSN: 0315-162X.
- L32 ANSWER 97 OF 244 MEDLINE DUPLICATE 62
 TI Transduction of hepatocellular carcinoma (HCC) using recombinant
 adeno-associated virus (rAAV): in vitro and in vivo effects of
 genotoxic
 agents.
 SO JOURNAL OF HEPATOLOGY, (2000 Jun) 32 (6) 975-85.
 Journal code: 8503886. ISSN: 0168-8278.
- L32 ANSWER 98 OF 244 MEDLINE DUPLICATE 63
 TI Increased motoneuron survival and improved neuromuscular

function in
transgenic ALS mice after intraspinal injection of an adeno-
associated
virus encoding Bcl-2.
SO HUMAN MOLECULAR GENETICS, (2000 Mar 22) 9 (5) 803-11.
Journal code: 9208958. ISSN: 0964-6906.

L32 ANSWER 99 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.
TI Therapeutic levels of human fix in rhesus macaques following liver
targeted delivery of recombinant adeno-associated virus encoding the
human
fix gene.
SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 801a.
print.
Meeting Info.: 42nd Annual Meeting of the American Society of
Hematology
San Francisco, California, USA December 01-05, 2000 American
Society of
Hematology
. ISSN: 0006-4971.

L32 ANSWER 100 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.
TI A proposed rAAV-liver directed clinical trial for hemophilia B.
SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 798a-799a.
print.
Meeting Info.: 42nd Annual Meeting of the American Society of
Hematology
San Francisco, California, USA December 01-05, 2000 American
Society of
Hematology
. ISSN: 0006-4971.

=> d ti so 101-200

L32 ANSWER 101 OF 244 MEDLINE DUPLICATE
64
TI Preclinical study on gene therapy of cervical carcinoma using
adeno-associated virus vectors.
SO CANCER GENE THERAPY, (2000 May) 7 (5) 766-77.
Journal code: 9432230. ISSN: 0929-1903.

L32 ANSWER 102 OF 244 MEDLINE DUPLICATE
65
TI Adeno-associated virus vectors show variable dependence on
divalent
cations for thermostability: implications for purification and
handling.
SO HUMAN GENE THERAPY, (2000 Mar 1) 11 (4) 629-35.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 103 OF 244 MEDLINE
TI Several log increase in therapeutic transgene delivery by distinct
adeno-associated viral serotype vectors.
SO MOLECULAR THERAPY, (2000 Dec) 2 (6) 619-23.
Journal code: 100890581. ISSN: 1525-0016.

L32 ANSWER 104 OF 244 MEDLINE DUPLICATE
66
TI Differential expression of a recombinant adeno-associated virus 2
vector
in human CD34+ cells and breast cancer cells.
SO CANCER GENE THERAPY, (2000 Apr) 7 (4) 597-604.
Journal code: 9432230. ISSN: 0929-1903.

L32 ANSWER 105 OF 244 MEDLINE DUPLICATE
67
TI Increasing the size of rAAV-mediated expression cassettes in vivo by
intermolecular joining of two complementary vectors.
SO NATURE BIOTECHNOLOGY, (2000 May) 18 (5) 527-32.
Journal code: 9604648. ISSN: 1087-0156.

L32 ANSWER 106 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.
TI Stability of recombinant adeno-associated virus vectors permits
delivery
on implantable matrices.
SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 525a.
print.
Meeting Info.: 42nd Annual Meeting of the American Society of
Hematology
San Francisco, California, USA December 01-05, 2000 American
Society of
Hematology
. ISSN: 0006-4971.

L32 ANSWER 107 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.
TI Recombinant adeno-associated virus (rAAV) serotyped vectors:
Effects on
the expression of factor IX in mice.
SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 525a.
print.
Meeting Info.: 42nd Annual Meeting of the American Society of
Hematology
San Francisco, California, USA December 01-05, 2000 American
Society of
Hematology
. ISSN: 0006-4971.

L32 ANSWER 108 OF 244 MEDLINE DUPLICATE
68
TI Recombinant adeno-associated virus-mediated correction of
lysosomal
storage within the central nervous system of the adult
mucopolysaccharidosis type VII mouse.
SO HUMAN GENE THERAPY, (2000 Mar 1) 11 (4) 507-19.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 109 OF 244 MEDLINE DUPLICATE
69
TI Site-specific integration of a transgene mediated by a hybrid
adenovirus/adeno-associated virus vector using the Cre/loxP-
expression-
switching system.
SO BIOCHEMICAL AND BIOPHYSICAL RESEARCH
COMMUNICATIONS, (2000 Jul 5) 273 (2)
473-8.
Journal code: 0372516. ISSN: 0006-291X.

L32 ANSWER 110 OF 244 MEDLINE DUPLICATE
70
TI Additional transduction events after subretinal readministration of
recombinant adeno-associated virus.
SO HUMAN GENE THERAPY, (2000 Feb 10) 11 (3) 449-57.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 111 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.
TI Efficient gene transfer into primary B-CLL cells using highly
purified,
helper virus-free recombinant adeno-associated virus (rAAV)
vectors.
SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 433a.
print.
Meeting Info.: 42nd Annual Meeting of the American Society of
Hematology
San Francisco, California, USA December 01-05, 2000 American
Society of
Hematology
. ISSN: 0006-4971.

L32 ANSWER 112 OF 244 BIOSIS COPYRIGHT 2002
BIOLOGICAL ABSTRACTS INC.
DUPLICATE 71

TI Retargeting of adeno-associated virus type 2 to haematopoietic stem cells

by genetic modification of the viral capsid.

SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 431a. print.

Meeting Info.: 42nd Annual Meeting of the American Society of Hematology

San Francisco, California, USA December 01-05, 2000 American Society of

Hematology

. ISSN: 0006-4971.

L32 ANSWER 113 OF 244 MEDLINE

TI Selective Rep-Cap gene amplification as a mechanism for high-titer recombinant AAV production from stable cell lines.

SO MOLECULAR THERAPY, (2000 Oct) 2 (4) 394-403.

Journal code: 100890581. ISSN: 1525-0016.

L32 ANSWER 114 OF 244 MEDLINE

TI Long-term real-time monitoring of adeno-associated virus-mediated gene

expression in the rat retina.

SO CLINICAL & EXPERIMENTAL OPHTHALMOLOGY, (2000 Oct) 28 (5) 382-6.

Journal code: 100896531. ISSN: 1442-6404.

L32 ANSWER 115 OF 244 MEDLINE

TI Adeno-associated and herpes simplex viruses as vectors for gene transfer

to the corneal endothelium.

SO CORNEA, (2000 May) 19 (3) 369-73.

Journal code: 8216186. ISSN: 0277-3740.

L32 ANSWER 116 OF 244 MEDLINE

DUPLICATE

72

TI Construction of a recombinant adeno-associated virus (rAAV) vector

expressing murine interleukin-12 (IL-12).

SO CANCER GENE THERAPY, (2000 Feb) 7 (2) 308-15.

Journal code: 9432230. ISSN: 0929-1903.

L32 ANSWER 117 OF 244 MEDLINE

TI Efficient recombinant adeno-associated virus production by a stable rep-cap HeLa cell line correlates with adenovirus-induced amplification of

the integrated rep-cap genome.

SO JOURNAL OF GENE MEDICINE, (2000 Jul-Aug) 2 (4) 260-8.

Journal code: 9815764. ISSN: 1099-498X.

L32 ANSWER 118 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Coupling of antibodies to adeno-associated virus vectors displaying immunoglobulin binding-domains allows retargeting to specific hematopoietic cells.

SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 217a. print.

Meeting Info.: 42nd Annual Meeting of the American Society of Hematology

San Francisco, California, USA December 01-05, 2000 American Society of

Hematology

. ISSN: 0006-4971.

L32 ANSWER 119 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Novel method for human factor VIII packaging and expression: Dimerization

of rAAV vectors.

SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 216a-217a. print.

Meeting Info.: 42nd Annual Meeting of the American Society of Hematology

San Francisco, California, USA December 01-05, 2000 American Society of

Hematology

. ISSN: 0006-4971.

L32 ANSWER 120 OF 244 MEDLINE

DUPLICATE

73

TI Efficient gene transfer into human cord blood CD34+ cells and the CD34+CD38- subset using highly purified recombinant adeno-associated viral

vector preparations that are free of helper virus and wild-type AAV.

SO GENE THERAPY, (2000 Feb) 7 (3) 183-95.

Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 121 OF 244 MEDLINE

DUPLICATE

74

TI Adeno-associated virus vector transduction of vascular smooth muscle cells

in vivo.

SO PHYSIOLOGICAL GENOMICS, (2000 Apr 27) 2 (3) 117-27.

Journal code: 100894125. ISSN: 1094-8341.

L32 ANSWER 122 OF 244 MEDLINE

DUPLICATE

75

TI Loss of ATM function **enhances recombinant**

adeno-associated virus transduction and

integration through pathways similar to UV irradiation.

SO VIROLOGY, (2000 Mar 1) 268 (1) 68-78.

Journal code: 0110674. ISSN: 0042-6822.

L32 ANSWER 123 OF 244 MEDLINE

DUPLICATE

76

TI AAV vectors: is clinical success on the horizon?

SO GENE THERAPY, (2000 Jan) 7 (1) 24-30. Ref: 48

Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 124 OF 244 MEDLINE

DUPLICATE

77

TI A method for the preparation of highly purified adeno-associated virus

using affinity column chromatography, protease digestion and solvent extraction.

SO JOURNAL OF VIROLOGICAL METHODS, (2000 Mar) 85 (1-2) 23-34.

Journal code: 8005839. ISSN: 0166-0934.

L32 ANSWER 125 OF 244 MEDLINE

TI Size does matter: overcoming the adeno-associated virus packaging limit.

SO Respir Res, (2000) 1 (1) 16-8. Ref: 17

Journal code: 101090633. ISSN: 1465-9921.

L32 ANSWER 126 OF 244 CAPLUS COPYRIGHT 2002 ACS

TI Construction of a series of adeno-associated virus vectors and their expression of .beta.-galactosidase gene

SO Bingdu Xuebao (2000), 16(1), 1-6

CODEN: BIXUEA; ISSN: 1000-8721

L32 ANSWER 127 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Direct gene transfer of CREB promotes survival of nigrostriatal neurons in

a rat model of Parkinson disease.

SO Society for Neuroscience Abstracts, (2000) Vol. 26, No. 1-2, pp. Abstract

No.-700.5. print.

Meeting Info.: 30th Annual Meeting of the Society of Neuroscience New

Orleans, LA, USA November 04-09, 2000 Society for Neuroscience . ISSN: 0190-5295.

L32 ANSWER 128 OF 244 BIOSIS COPYRIGHT 2002

BIOLOGICAL ABSTRACTS INC.

TI Central leptin therapy reveals differential dose-dependent effects on body

weight gain, energy intake and expenditure, and POMC gene

expression.
 SO Society for Neuroscience Abstracts, (2000) Vol. 26, No. 1-2, pp.
 Abstract
 No.-102.6. print.
 Meeting Info.: 30th Annual Meeting of the Society of Neuroscience
 New
 Orleans, LA, USA November 04-09, 2000 Society for Neuroscience
 . ISSN: 0190-5295.

L32 ANSWER 129 OF 244 BIOSIS COPYRIGHT 2002
 BIOLOGICAL ABSTRACTS INC.
 TI Reduction of NMDA receptor function both in vitro and in vivo
 using
 recombinant adeno-associated virus containing an NMDAR1
 antisense
 fragment.
 SO Society for Neuroscience Abstracts, (2000) Vol. 26, No. 1-2, pp.
 Abstract
 No.-617.16. print.
 Meeting Info.: 30th Annual Meeting of the Society of Neuroscience
 New
 Orleans, LA, USA November 04-09, 2000 Society for Neuroscience
 . ISSN: 0190-5295.

L32 ANSWER 130 OF 244 BIOSIS COPYRIGHT 2002
 BIOLOGICAL ABSTRACTS INC.
 TI Amelioration of chronic neuropathic pain by adeno-associated viral
 (AAV)
 vector-mediated overexpression of BDNF in the rat spinal cord.
 SO Society for Neuroscience Abstracts, (2000) Vol. 26, No. 1-2, pp.
 Abstract
 No.-633.11. print.
 Meeting Info.: 30th Annual Meeting of the Society of Neuroscience
 New
 Orleans, LA, USA November 04-09, 2000 Society for Neuroscience
 . ISSN: 0190-5295.

L32 ANSWER 131 OF 244 MEDLINE DUPLICATE
 78
 TI Dynamin is required for recombinant adeno-associated virus type 2
 infection.
 SO JOURNAL OF VIROLOGY, (1999 Dec) 73 (12) 10371-6.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 132 OF 244 MEDLINE DUPLICATE
 79
 TI Overexpression of cyclin A **inhibits augmentation of**
recombinant adeno-associated virus
transduction by the adenovirus E4orf6 protein.
 SO JOURNAL OF VIROLOGY, (1999 Dec) 73 (12) 10010-9.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 133 OF 244 MEDLINE DUPLICATE
 80
 TI Concatamerization of adeno-associated virus circular genomes
 occurs
 through intermolecular recombination.
 SO JOURNAL OF VIROLOGY, (1999 Nov) 73 (11) 9468-77.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 134 OF 244 MEDLINE DUPLICATE
 81
 TI Integrating adenovirus-adeno-associated virus hybrid vectors devoid
 of all
 viral genes.
 SO JOURNAL OF VIROLOGY, (1999 Nov) 73 (11) 9314-24.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 135 OF 244 MEDLINE DUPLICATE
 82
 TI High-titer recombinant adeno-associated virus production from
 replicating
 amplicons and herpes vectors deleted for glycoprotein H.
 SO HUMAN GENE THERAPY, (1999 Oct 10) 10 (15) 2527-37.

Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 136 OF 244 MEDLINE DUPLICATE
 83
 TI Gene transfer to the nigrostriatal system by hybrid herpes simplex
 virus/adeno-associated virus amplicon vectors.
 SO HUMAN GENE THERAPY, (1999 Oct 10) 10 (15) 2481-94.
 Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 137 OF 244 MEDLINE DUPLICATE
 84
 TI Enhanced expression of transgenes from adeno-associated virus
 vectors with
 the woodchuck hepatitis virus posttranscriptional regulatory element:
 implications for gene therapy.
 SO HUMAN GENE THERAPY, (1999 Sep 20) 10 (14) 2295-305.
 Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 138 OF 244 MEDLINE DUPLICATE
 85
 TI Structure of adeno-associated virus vector DNA following
 transduction of
 the skeletal muscle.
 SO JOURNAL OF VIROLOGY, (1999 Mar) 73 (3) 1949-55.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 139 OF 244 MEDLINE DUPLICATE
 86
 TI Transduction of renal cells in vitro and in vivo by adeno-associated
 virus
 gene therapy vectors.
 SO JOURNAL OF THE AMERICAN SOCIETY OF NEPHROLOGY,
 (1999 Sep) 10 (9) 1908-15.
 Journal code: 9013836. ISSN: 1046-6673.

L32 ANSWER 140 OF 244 MEDLINE DUPLICATE
 87
 TI Purification of recombinant adeno-associated virus by iodixanol
 gradient
 ultracentrifugation allows rapid and reproducible preparation of
 vector
 stocks for gene transfer in the nervous system.
 SO HUMAN GENE THERAPY, (1999 Jul 20) 10 (11) 1885-91.
 Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 141 OF 244 MEDLINE DUPLICATE
 88
 TI Adenoviral gene therapy with catalase suppresses experimental
 optic
 neuritis.
 SO ARCHIVES OF OPHTHALMOLOGY, (1999 Nov) 117 (11) 1533-
 9.
 Journal code: 7706534. ISSN: 0003-9950.

L32 ANSWER 142 OF 244 MEDLINE DUPLICATE
 89
 TI Cellular redox state alters recombinant adeno-associated virus
 transduction through tyrosine phosphatase pathways.
 SO GENE THERAPY, (1999 Aug) 6 (8) 1427-37.
 Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 143 OF 244 MEDLINE DUPLICATE
 90
 TI Titration of AAV-2 particles via a novel capsid ELISA: packaging
 of
 genomes can limit production of recombinant AAV-2.
 SO GENE THERAPY, (1999 Jul) 6 (7) 1322-30.
 Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 144 OF 244 MEDLINE DUPLICATE
 91
 TI Cloning and characterization of adeno-associated virus type 5.
 SO JOURNAL OF VIROLOGY, (1999 Feb) 73 (2) 1309-19.
 Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 145 OF 244 MEDLINE DUPLICATE
92
TI Recombinant AAV-2 harboring gfp-antisense/ribozyme fusion sequences
monitor transduction, gene expression, and show anti-HIV-1 efficacy.
SO GENE THERAPY, (1999 Jul) 6 (7) 1231-8.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 146 OF 244 MEDLINE DUPLICATE
93
TI Cellular contaminants of adeno-associated virus vector stocks can enhance transduction.
SO GENE THERAPY, (1999 Jun) 6 (6) 1045-53.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 147 OF 244 MEDLINE DUPLICATE
94
TI High-titer recombinant adeno-associated virus production utilizing a recombinant herpes simplex virus type I vector expressing AAV-2 Rep and Cap.
SO GENE THERAPY, (1999 Jun) 6 (6) 986-93.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 148 OF 244 MEDLINE DUPLICATE
95
TI **Recombinant adeno-associated virus** purification using novel methods **improves infectious** titer and yield.
SO GENE THERAPY, (1999 Jun) 6 (6) 973-85.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 149 OF 244 MEDLINE DUPLICATE
96
TI Modulation of the cytotoxicity of 3'-azido-3'-deoxythymidine and methotrexate after transduction of folate receptor cDNA into human cervical carcinoma: identification of a correlation between folate receptor expression and thymidine kinase activity.
SO CANCER RESEARCH, (1999 Feb 15) 59 (4) 940-6.
Journal code: 2984705R. ISSN: 0008-5472.

L32 ANSWER 150 OF 244 MEDLINE DUPLICATE
97
TI Long-term actions of vector-derived nerve growth factor or brain-derived neurotrophic factor on choline acetyltransferase and Trk receptor levels in the adult rat basal forebrain.
SO NEUROSCIENCE, (1999 Mar) 90 (3) 815-21.
Journal code: 7605074. ISSN: 0306-4522.

L32 ANSWER 151 OF 244 MEDLINE DUPLICATE
98
TI Evaluation of adeno-associated virus-mediated gene transfer into the rat retina by clinical fluorescence photography.
SO HUMAN GENE THERAPY, (1999 Mar 1) 10 (4) 641-8.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 152 OF 244 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Skeletal muscle-specific expression of human blood coagulation factor IX rescues factor IX deficiency mouse by AAV-mediated gene transfer.
SO Science in China Series C Life Sciences, (Dec., 1999) Vol. 42, No. 6, pp. 628-634. print.
ISSN: 1006-9305.

L32 ANSWER 153 OF 244 MEDLINE DUPLICATE
99
TI Two independent molecular pathways for **recombinant adeno**

-associated virus genome conversion occur after UV-C and E4orf6 augmentation of transduction.

SO HUMAN GENE THERAPY, (1999 Mar 1) 10 (4) 591-602.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 154 OF 244 MEDLINE
TI Adeno-associated virus 2-mediated transduction and erythroid lineage-restricted expression from parvovirus B19p6 promoter in primary human hematopoietic progenitor cells.
SO J Hematother Stem Cell Res, (1999 Dec) 8 (6) 585-92.
Journal code: 100892915. ISSN: 1525-8165.

L32 ANSWER 155 OF 244 MEDLINE DUPLICATE
100
TI A helper virus-free packaging system for recombinant adeno-associated virus vectors.
SO GENE, (1999 Oct 1) 238 (2) 397-405.
Journal code: 7706761. ISSN: 0378-1119.

L32 ANSWER 156 OF 244 MEDLINE DUPLICATE
101
TI Antisense inhibition of AT1 receptor in vascular smooth muscle cells using adeno-associated virus-based vector.
SO HYPERTENSION, (1999 Jan) 33 (1 Pt 2) 354-9.
Journal code: 7906255. ISSN: 0194-911X.

L32 ANSWER 157 OF 244 MEDLINE
TI Gene transfer into the CNS using recombinant adeno-associated virus: analysis of vector DNA forms resulting in sustained expression.
SO JOURNAL OF DRUG TARGETING, (1999 Dec) 7 (4) 269-83.
Journal code: 9312476. ISSN: 1061-186X.

L32 ANSWER 158 OF 244 MEDLINE DUPLICATE
102
TI Delayed expression of adeno-associated virus vector DNA.
SO INTERVIROLOGY, (1999) 42 (4) 213-20.
Journal code: 0364265. ISSN: 0300-5526.

L32 ANSWER 159 OF 244 MEDLINE DUPLICATE
103
TI Adeno-associated virus-mediated gene transfer to the brain: duration and modulation of expression.
SO HUMAN GENE THERAPY, (1999 Jan 20) 10 (2) 201-13.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 160 OF 244 MEDLINE DUPLICATE
104
TI Long-term restoration of striatal L-aromatic amino acid decarboxylase activity using recombinant adeno-associated viral vector gene transfer in a rodent model of Parkinson's disease.
SO NEUROSCIENCE, (1999) 92 (1) 185-96.
Journal code: 7605074. ISSN: 0306-4522.

L32 ANSWER 161 OF 244 MEDLINE DUPLICATE
105
TI Transfer of activation-dependent gene expression into T cell lines by recombinant adeno-associated virus.
SO GENE THERAPY, (1999 Feb) 6 (2) 182-9.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 162 OF 244 MEDLINE DUPLICATE
106
TI Formation of adeno-associated virus circular genomes is differentially regulated by adenovirus E4 ORF6 and E2a gene expression.
SO JOURNAL OF VIROLOGY, (1999 Jan) 73 (1) 161-9.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 163 OF 244 MEDLINE DUPLICATE
107

TI Recombinant adeno-associated virus (AAV) drives constitutive production of glutamate decarboxylase in neural cell lines.
SO JOURNAL OF NEUROSCIENCE RESEARCH, (1999 Jul 1) 57 (1) 137-48.
Journal code: 7600111. ISSN: 0360-4012.

L32 ANSWER 164 OF 244 MEDLINE DUPLICATE
108

TI Generation of aberrant sprouting in the adult rat brain by GAP-43 somatic gene transfer.
SO BRAIN RESEARCH, (1999 Jun 19) 832 (1-2) 136-44.
Journal code: 0045503. ISSN: 0006-8993.

L32 ANSWER 165 OF 244 CAPLUS COPYRIGHT 2002 ACS
TI Adeno-associated viral vectors
SO Cold Spring Harbor Monograph Series (1999), 36(Development of Human Gene Therapy), 131-172
CODEN: CHMSDK; ISSN: 0270-1847

L32 ANSWER 166 OF 244 MEDLINE DUPLICATE
109

TI Induction of immunity to antigens expressed by recombinant adeno-associated virus depends on the route of administration.
SO CLINICAL IMMUNOLOGY, (1999 Jul) 92 (1) 67-75.
Journal code: 100883537. ISSN: 1521-6616.

L32 ANSWER 167 OF 244 MEDLINE
TI Selective uptake and sustained expression of AAV vectors following subcutaneous delivery.
SO JOURNAL OF GENE MEDICINE, (1999 Jan-Feb) 1 (1) 31-42.
Journal code: 9815764. ISSN: 1099-498X.

L32 ANSWER 168 OF 244 CAPLUS COPYRIGHT 2002 ACS
TI Increasing transduction of cells by adeno-associated virus vectors by using DNA metabolism-altering agents
SO U.S., 12 pp., Cont.-in-part of U.S. 5,604,090.
CODEN: USXXAM

L32 ANSWER 169 OF 244 MEDLINE DUPLICATE
110

TI Viral mediated expression of insulin-like growth factor I blocks the aging-related loss of skeletal muscle function.
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1998 Dec 22) 95 (26) 15603-7.
Journal code: 7505876. ISSN: 0027-8424.

L32 ANSWER 170 OF 244 MEDLINE DUPLICATE
111

TI Factors influencing adeno-associated virus-mediated gene transfer to human cystic fibrosis airway epithelial cells: comparison with adenovirus vectors.
SO JOURNAL OF VIROLOGY, (1998 Nov) 72 (11) 8904-12.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 171 OF 244 MEDLINE DUPLICATE
112

TI Adeno-associated virus-mediated delivery of antiangiogenic factors as an antitumor strategy.
SO CANCER RESEARCH, (1998 Dec 15) 58 (24) 5673-7.
Journal code: 2984705R. ISSN: 0008-5472.

L32 ANSWER 172 OF 244 MEDLINE DUPLICATE
113

TI Recombinant human parvovirus B19 vectors: erythroid cell-specific delivery

and expression of transduced genes.
SO JOURNAL OF VIROLOGY, (1998 Jun) 72 (6) 5224-30.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 173 OF 244 MEDLINE DUPLICATE
114

TI Rescue and autonomous replication of adeno-associated virus type 2 genomes containing Rep-binding site mutations in the viral p5 promoter.
SO JOURNAL OF VIROLOGY, (1998 Jun) 72 (6) 4811-8.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 174 OF 244 MEDLINE DUPLICATE
115

TI Adeno-associated viral vector-mediated gene transfer of human blood coagulation factor IX into mouse liver.
SO BLOOD, (1998 Jun 15) 91 (12) 4600-7.
Journal code: 7603509. ISSN: 0006-4971.

L32 ANSWER 175 OF 244 MEDLINE DUPLICATE
116

TI Characterization of intrastriatal recombinant adeno-associated virus-mediated gene transfer of human tyrosine hydroxylase and human GTP-cyclohydrolase I in a rat model of Parkinson's disease.
SO JOURNAL OF NEUROSCIENCE, (1998 Jun 1) 18 (11) 4271-84.
Journal code: 8102140. ISSN: 0270-6474.

L32 ANSWER 176 OF 244 MEDLINE DUPLICATE
117

TI Adenoassociated virus-mediated transfer of a functional water channel into salivary epithelial cells in vitro and in vivo.
SO HUMAN GENE THERAPY, (1998 Dec 10) 9 (18) 2777-85.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 177 OF 244 MEDLINE DUPLICATE
118

TI Polarity influences the efficiency of recombinant adenoassociated virus infection in differentiated airway epithelia.
SO HUMAN GENE THERAPY, (1998 Dec 10) 9 (18) 2761-76.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 178 OF 244 MEDLINE DUPLICATE
119

TI Novel tools for production and purification of recombinant adenoassociated virus vectors.
SO HUMAN GENE THERAPY, (1998 Dec 10) 9 (18) 2745-60.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 179 OF 244 MEDLINE DUPLICATE
120

TI Long-term genetic modification of rhesus monkey hematopoietic cells following transplantation of adenoassociated virus vector-transduced CD34+ cells.
SO HUMAN GENE THERAPY, (1998 Dec 10) 9 (18) 2727-34.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 180 OF 244 MEDLINE DUPLICATE
121

TI Production of high-titer recombinant adeno-associated virus vectors in the absence of helper adenovirus.
SO JOURNAL OF VIROLOGY, (1998 Mar) 72 (3) 2224-32.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 181 OF 244 MEDLINE DUPLICATE
122

TI Development of novel cell surface CD34-targeted recombinant

- adenoassociated virus vectors for gene therapy.
SO HUMAN GENE THERAPY, (1998 Sep 1) 9 (13) 1929-37.
Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 182 OF 244 MEDLINE DUPLICATE
123
TI Recombinant adeno-associated virus for the generation of autologous, gene-modified tumor vaccines: evidence for a high transduction efficiency into primary epithelial cancer cells.
SO HUMAN GENE THERAPY, (1998 May 1) 9 (7) 1049-59.
Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 183 OF 244 MEDLINE DUPLICATE
124
TI Factors influencing recombinant adeno-associated virus production.
SO HUMAN GENE THERAPY, (1998 Mar 20) 9 (5) 695-706.
Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 184 OF 244 MEDLINE
TI Reconstitution of NADPH oxidase activity in human X-linked chronic granulomatous disease myeloid cells after stable gene transfer using a recombinant adeno-associated virus 2 vector.
SO BLOOD CELLS, MOLECULES, AND DISEASES, (1998 Dec) 24 (4) 522-38.
Journal code: 9509932. ISSN: 1079-9796.
- L32 ANSWER 185 OF 244 MEDLINE DUPLICATE
125
TI Expression of adeno-associated virus integrated transgene within the mammalian vestibular organs.
SO AMERICAN JOURNAL OF OTOLOGY, (1998 May) 19 (3) 390-5.
Journal code: 7909513. ISSN: 0192-9763.
- L32 ANSWER 186 OF 244 MEDLINE
TI Hepatic gene therapy for haemophilia B.
SO HAEMOPHILIA, (1998 Jul) 4 (4) 389-92. Ref: 20
Journal code: 9442916. ISSN: 1351-8216.
- L32 ANSWER 187 OF 244 MEDLINE DUPLICATE
126
TI **Improvement of transduction efficiency of recombinant adeno-associated virus vector by entrapment in multilamellar liposomes.**
SO JAPANESE JOURNAL OF CANCER RESEARCH, (1998 Apr) 89 (4) 352-4.
Journal code: 8509412. ISSN: 0910-5050.
- L32 ANSWER 188 OF 244 CAPLUS COPYRIGHT 2002 ACS
TI Adeno-associated virus vector mediated gene transfer of HSV1- TK and its effect on killing cancer cell
SO Zhonghua Shiyan He Linchuang Bingduxue Zazhi (1998), 12(3), 207-212
CODEN: ZSLZFS; ISSN: 1003-9279
- L32 ANSWER 189 OF 244 MEDLINE DUPLICATE
127
TI Neuron-specific transduction in the rat septohippocampal or nigrostriatal pathway by recombinant adeno-associated virus vectors.
SO EXPERIMENTAL NEUROLOGY, (1998 Apr) 150 (2) 183-94.
Journal code: 0370712. ISSN: 0014-4886.
- L32 ANSWER 190 OF 244 MEDLINE
TI Targeted integration of a recombinant globin gene adeno-associated viral vector into human chromosome 19.
SO ANNALS OF THE NEW YORK ACADEMY OF SCIENCES, (1998 Jun 30) 850 163-77.
Journal code: 7506858. ISSN: 0077-8923.
- L32 ANSWER 191 OF 244 MEDLINE DUPLICATE
128
TI Adeno-associated virus gene transfer to mouse retina.
SO HUMAN GENE THERAPY, (1998 Jan 1) 9 (1) 81-6.
Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 192 OF 244 MEDLINE DUPLICATE
129
TI Tissue-specific expression of herpes simplex virus thymidine kinase gene delivered by adeno-associated virus inhibits the growth of human hepatocellular carcinoma in athymic mice.
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1997 Dec 9) 94 (25) 13891-6.
Journal code: 7505876. ISSN: 0027-8424.
- L32 ANSWER 193 OF 244 MEDLINE DUPLICATE
130
TI Role of tyrosine phosphorylation of a cellular protein in adeno-associated virus 2-mediated transgene expression.
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1997 Sep 30) 94 (20) 10879-84.
Journal code: 7505876. ISSN: 0027-8424.
- L32 ANSWER 194 OF 244 MEDLINE DUPLICATE
131
TI Recombinant adeno-associated virus type 2 replication and packaging is entirely supported by a herpes simplex virus type 1 amplicon expressing Rep and Cap.
SO JOURNAL OF VIROLOGY, (1997 Nov) 71 (11) 8780-9.
Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 195 OF 244 MEDLINE DUPLICATE
132
TI Adeno-associated virus type 2-mediated transduction in primary human bone marrow-derived CD34+ hematopoietic progenitor cells: donor variation and correlation of transgene expression with cellular differentiation.
SO JOURNAL OF VIROLOGY, (1997 Nov) 71 (11) 8262-7.
Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 196 OF 244 MEDLINE DUPLICATE
133
TI Encapsidation of adeno-associated virus type 2 Rep proteins in wild-type and recombinant progeny virions: Rep-mediated growth inhibition of primary human cells.
SO JOURNAL OF VIROLOGY, (1997 Oct) 71 (10) 7361-71.
Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 197 OF 244 MEDLINE DUPLICATE
134
TI Transduction by adeno-associated virus vectors in the rabbit airway: efficiency, persistence, and readministration.
SO JOURNAL OF VIROLOGY, (1997 Aug) 71 (8) 5932-41.
Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 198 OF 244 MEDLINE DUPLICATE
135
TI Reactivation of silenced, virally transduced genes by inhibitors of histone deacetylase.
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1997 May 27) 94 (11) 5798-803.
Journal code: 7505876. ISSN: 0027-8424.

L32 ANSWER 199 OF 244 MEDLINE DUPLICATE
136

TI Role for highly regulated rep gene expression in adeno-associated virus vector production.

SO JOURNAL OF VIROLOGY, (1997 Jul) 71 (7) 5236-43.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 200 OF 244 MEDLINE DUPLICATE
137

TI Real-time, noninvasive in vivo assessment of adeno-associated virus-mediated retinal transduction.

SO INVESTIGATIVE OPHTHALMOLOGY AND VISUAL SCIENCE, (1997 Dec) 38 (13) 2857-63.
Journal code: 7703701. ISSN: 0146-0404.

=> d ti so 201-244

L32 ANSWER 201 OF 244 MEDLINE DUPLICATE
138

TI Analysis of recombinant adeno-associated virus packaging and requirements for rep and cap gene products.

SO JOURNAL OF VIROLOGY, (1997 Mar) 71 (3) 1897-905.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 202 OF 244 MEDLINE DUPLICATE
139

TI Efficient and stable adeno-associated virus-mediated transduction in the skeletal muscle of adult immunocompetent mice.

SO HUMAN GENE THERAPY, (1997 Nov 1) 8 (16) 1891-900.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 203 OF 244 MEDLINE DUPLICATE
140

TI Recombinant adeno-associated virus mediates a high level of gene transfer

but less efficient integration in the K562 human hematopoietic cell line.

SO JOURNAL OF VIROLOGY, (1997 Mar) 71 (3) 1776-83.
Journal code: 0113724. ISSN: 0022-538X.

L32 ANSWER 204 OF 244 MEDLINE

TI Construction and biological characterization of an interleukin-12 fusion

protein (Flexi-12): delivery to acute myeloid leukemic blasts using adeno-associated virus.

SO HUMAN GENE THERAPY, (1997 Jun 10) 8 (9) 1125-35.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 205 OF 244 MEDLINE

TI Evaluation of recombinant adeno-associated virus as a gene transfer vector for the retina.

SO CURRENT EYE RESEARCH, (1997 Sep) 16 (9) 949-56.
Journal code: 8104312. ISSN: 0271-3683.

L32 ANSWER 206 OF 244 MEDLINE DUPLICATE
141

TI **Gene transfer** of the costimulatory molecules B7-1 and B7-2 into human multiple myeloma cells by **recombinant adeno-associated virus enhances** the cytolytic T cell response.

SO GENE THERAPY, (1997 Jul) 4 (7) 726-35.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 207 OF 244 MEDLINE DUPLICATE
142

TI Cancer gene therapy using a novel adeno-associated virus vector expressing human wild-type p53.

SO GENE THERAPY, (1997 Jul) 4 (7) 675-82.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 208 OF 244 MEDLINE DUPLICATE
143

TI Adeno-associated virus vectors for vascular gene delivery.

SO CIRCULATION RESEARCH, (1997 Apr) 80 (4) 497-505.
Journal code: 0047103. ISSN: 0009-7330.

L32 ANSWER 209 OF 244 MEDLINE DUPLICATE
144

TI Recombinant adeno-associated virus for muscle directed gene therapy.

SO NATURE MEDICINE, (1997 Mar) 3 (3) 306-12.
Journal code: 9502015. ISSN: 1078-8956.

L32 ANSWER 210 OF 244 MEDLINE DUPLICATE
145

TI Improved production of recombinant AAV by transient transfection of NB324K cells using electroporation.

SO JOURNAL OF VIROLOGICAL METHODS, (1997 Jan) 63 (1-2) 129-36.
Journal code: 8005839. ISSN: 0166-0934.

L32 ANSWER 211 OF 244 MEDLINE DUPLICATE
146

TI Gene transfer by adeno-associated virus vectors into the central nervous system.

SO EXPERIMENTAL NEUROLOGY, (1997 Mar) 144 (1) 113-24.
Ref: 81
Journal code: 0370712. ISSN: 0014-4886.

L32 ANSWER 212 OF 244 MEDLINE DUPLICATE
147

TI Characterization of recombinant adeno-associated virus-2 as a vehicle for gene delivery and expression into vascular cells.

SO JOURNAL OF INVESTIGATIVE MEDICINE, (1997 Feb) 45 (2) 87-98.
Journal code: 9501229. ISSN: 1081-5589.

L32 ANSWER 213 OF 244 MEDLINE

TI Replication of rep-cap genes is essential for the high-efficiency production of recombinant AAV.

SO HUMAN GENE THERAPY, (1997 Jan 1) 8 (1) 87-98.
Journal code: 9008950. ISSN: 1043-0342.

L32 ANSWER 214 OF 244 MEDLINE DUPLICATE
148

TI The packaging capacity of adeno-associated virus (AAV) and the potential for wild-type-plus AAV gene therapy vectors.

SO FEBS LETTERS, (1997 Apr 21) 407 (1) 78-84.
Journal code: 0155157. ISSN: 0014-5793.

L32 ANSWER 215 OF 244 MEDLINE DUPLICATE
149

TI Mechanisms of trophoblast-virus interaction.

SO JOURNAL OF REPRODUCTIVE IMMUNOLOGY, (1997 Dec 15) 37 (1) 25-34. Ref: 26
Journal code: 8001906. ISSN: 0165-0378.

L32 ANSWER 216 OF 244 MEDLINE DUPLICATE
150

TI Efficient transduction of green fluorescent protein in spinal cord neurons using adeno-associated virus vectors containing cell type-specific promoters.

SO GENE THERAPY, (1997 Jan) 4 (1) 16-24.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 217 OF 244 CAPLUS COPYRIGHT 2002 ACS

- TI **Recombinant adeno-associated virus, method for enhancing transduction** of target cells with these viruses and pharmaceutical compositions containing the viruses
SO PCT Int. Appl., 131 pp.
CODEN: PIXXD2
- L32 ANSWER 218 OF 244 MEDLINE DUPLICATE
151
TI Recombinant adeno-associated virus-mediated high-efficiency, transient expression of the murine cationic amino acid transporter (ecotropic retroviral receptor) permits stable transduction of human HeLa cells by ecotropic retroviral vectors.
SO JOURNAL OF VIROLOGY, (1996 Oct) 70 (10) 6759-66.
Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 219 OF 244 MEDLINE DUPLICATE
152
TI Second-strand synthesis is a rate-limiting step for efficient transduction by recombinant adeno-associated virus vectors.
SO JOURNAL OF VIROLOGY, (1996 May) 70 (5) 3227-34.
Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 220 OF 244 MEDLINE
TI Quantitative analysis of the packaging capacity of recombinant adeno-associated virus.
SO HUMAN GENE THERAPY, (1996 Nov 10) 7 (17) 2101-12.
Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 221 OF 244 MEDLINE DUPLICATE
153
TI Recruitment of wild-type and recombinant adeno-associated virus into adenovirus replication centers.
SO JOURNAL OF VIROLOGY, (1996 Mar) 70 (3) 1845-54.
Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 222 OF 244 MEDLINE
TI Intra- and extracellular immunization against HIV-1 infection with lymphocytes transduced with an AAV vector expressing a human anti-gp120 antibody.
SO HUMAN GENE THERAPY, (1996 Aug 20) 7 (13) 1515-25.
Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 223 OF 244 MEDLINE DUPLICATE
154
TI Transduction with recombinant adeno-associated virus for gene therapy is limited by leading-strand synthesis.
SO JOURNAL OF VIROLOGY, (1996 Jan) 70 (1) 520-32.
Journal code: 0113724. ISSN: 0022-538X.
- L32 ANSWER 224 OF 244 MEDLINE
TI Selective killing of AFP-positive hepatocellular carcinoma cells by adeno-associated virus transfer of the herpes simplex virus thymidine kinase gene.
SO HUMAN GENE THERAPY, (1996 Mar 1) 7 (4) 463-70.
Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 225 OF 244 MEDLINE DUPLICATE
155
TI Comparison of promoter strengths on gene delivery into mammalian brain cells using AAV vectors.
SO GENE THERAPY, (1996 May) 3 (5) 437-47.
Journal code: 9421525. ISSN: 0969-7128.
- L32 ANSWER 226 OF 244 MEDLINE DUPLICATE
156
TI Synthesis of human globin polypeptides mediated by recombinant adeno-associated virus vectors.
- SO JOURNAL OF PHARMACEUTICAL SCIENCES, (1996 Mar) 85 (3) 274-81.
Journal code: 2985195R. ISSN: 0022-3549.
- L32 ANSWER 227 OF 244 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Highly efficient ex vivo-gene transfer into primary human tumor cells using improved recombinant adeno-associated virus (rAAV) vectors.
SO Blood, (1996) Vol. 88, No. 10 SUPPL. 1 PART 1-2, pp. 134A.
Meeting Info.: Thirty-eighth Annual Meeting of the American Society of Hematology Orlando, Florida, USA December 6-10, 1996
ISSN: 0006-4971.
- L32 ANSWER 228 OF 244 MEDLINE
TI Recombinant adeno-associated virus (rAAV) vectors for somatic gene therapy: recent advances and potential clinical applications.
SO CYTOKINES AND MOLECULAR THERAPY, (1996 Jun) 2 (2) 69-79. Ref: 83
Journal code: 9509183. ISSN: 1355-6568.
- L32 ANSWER 229 OF 244 CAPLUS COPYRIGHT 2002 ACS
TI Increasing transduction of cells by adeno-associated virus vectors by using DNA metabolism-altering agents
SO PCT Int. Appl., 29 pp.
CODEN: PIXXD2
- L32 ANSWER 230 OF 244 MEDLINE DUPLICATE
157
TI Transduction of folate receptor cDNA into cervical carcinoma cells using recombinant adeno-associated virions delays cell proliferation in vitro and in vivo.
SO JOURNAL OF CLINICAL INVESTIGATION, (1995 Sep) 96 (3) 1535-47.
Journal code: 7802877. ISSN: 0021-9738.
- L32 ANSWER 231 OF 244 MEDLINE
TI High-efficiency transfer of the T cell co-stimulatory molecule B7-2 to lymphoid cells using high-titer recombinant adeno-associated virus vectors.
SO HUMAN GENE THERAPY, (1995 Dec) 6 (12) 1531-41.
Journal code: 9008950. ISSN: 1043-0342.
- L32 ANSWER 232 OF 244 MEDLINE DUPLICATE
158
TI Adeno-associated virus 2-mediated gene transfer and functional expression of the human granulocyte-macrophage colony-stimulating factor.
SO EXPERIMENTAL HEMATOLOGY, (1995 Nov) 23 (12) 1261-7.
Journal code: 0402313. ISSN: 0301-472X.
- L32 ANSWER 233 OF 244 CAPLUS COPYRIGHT 2002 ACS
TI Single-copy transduction and expression of human .gamma.-globin in K562 erythroleukemia cells using recombinant adeno-associated virus-vectors; the effect of mutations in NF-E2 and GATA-1 binding motifs within the hypersensitivity site 2 enhancer . [Erratum to document cited in CA119:267278]
SO Blood (1995), 85(3), 862
CODEN: BLOOAW; ISSN: 0006-4971
- L32 ANSWER 234 OF 244 MEDLINE DUPLICATE
159
TI Generation of recombinant adeno-associated virus (rAAV) from an adenoviral vector and functional reconstitution of the NADPH-oxidase.
SO GENE THERAPY, (1995 Sep) 2 (7) 481-5.
Journal code: 9421525. ISSN: 0969-7128.
- L32 ANSWER 235 OF 244 MEDLINE DUPLICATE

160

TI **Increased titer of recombinant AAV vectors by gene transfer with adenovirus coupled to DNA-polylysine complexes.**

SO GENE THERAPY, (1995 Aug) 2 (6) 429-32.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 236 OF 244 MEDLINE DUPLICATE
161

TI **An improved system for packaging recombinant adeno-associated virus vectors capable of in vivo transduction.**

SO GENE THERAPY, (1995 Jan) 2 (1) 29-37.
Journal code: 9421525. ISSN: 0969-7128.

L32 ANSWER 237 OF 244 MEDLINE DUPLICATE
162

TI Recombinant adeno-associated virus (rAAV)-mediated expression of a human

gamma-globin gene in human progenitor-derived erythroid cells.

SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1994 Oct 11) 91 (21) 10183-7.
Journal code: 7505876. ISSN: 0027-8424.

L32 ANSWER 238 OF 244 MEDLINE DUPLICATE
163

TI Adeno-associated virus 2-mediated high efficiency gene transfer into immature and mature subsets of hematopoietic progenitor cells in human umbilical cord blood.

SO JOURNAL OF EXPERIMENTAL MEDICINE, (1994 Jun 1) 179 (6) 1867-75.
Journal code: 2985109R. ISSN: 0022-1007.

L32 ANSWER 239 OF 244 MEDLINE DUPLICATE
164

TI Suppression of human alpha-globin gene expression mediated by the recombinant adeno-associated virus 2-based antisense vectors.

SO JOURNAL OF EXPERIMENTAL MEDICINE, (1994 Feb 1) 179 (2) 733-8.
Journal code: 2985109R. ISSN: 0022-1007.

L32 ANSWER 240 OF 244 MEDLINE DUPLICATE
165

TI Parvovirus-based vectors for human gene therapy.

SO BLOOD CELLS, (1994) 20 (2-3) 531-6; discussion 536-8. Ref: 20
Journal code: 7513567. ISSN: 0340-4684.

L32 ANSWER 241 OF 244 MEDLINE DUPLICATE
166

TI Single-copy **transduction** and expression of human gamma-globin in

K562 erythroleukemia cells using **recombinant adeno-associated virus** vectors: the effect of mutations in NF-E2 and GATA-1 binding motifs within the hypersensitivity site 2 **enhancer**

SO BLOOD, (1993 Sep 15) 82 (6) 1900-6.
Journal code: 7603509. ISSN: 0006-4971.

L32 ANSWER 242 OF 244 MEDLINE

TI Adeno-associated virus 2-mediated gene transfer in murine hematopoietic progenitor cells.

SO EXPERIMENTAL HEMATOLOGY, (1993 Jul) 21 (7) 928-33.
Journal code: 0402313. ISSN: 0301-472X.

L32 ANSWER 243 OF 244 MEDLINE DUPLICATE
167

TI Parvovirus B19-induced perturbation of human megakaryocytopoiesis in vitro.

SO BLOOD, (1990 Nov 15) 76 (10) 1997-2004.

Journal code: 7603509. ISSN: 0006-4971.

L32 ANSWER 244 OF 244 MEDLINE DUPLICATE
168

TI A human parvovirus, adeno-associated virus, as a eucaryotic vector: transient expression and encapsidation of the procaryotic gene for chloramphenicol acetyltransferase.

SO MOLECULAR AND CELLULAR BIOLOGY, (1984 Oct) 4 (10) 2072-81.

Journal code: 8109087. ISSN: 0270-7306.

=> d ibib ab

43,68,76,92,93,95,97,142,146,153,165,168,169,183,217,223,228,229

L32 ANSWER 43 OF 244 MEDLINE DUPLICATE 28
ACCESSION NUMBER: 2001451080 MEDLINE

DOCUMENT NUMBER: 21387900 PubMed ID: 11496950

TITLE: Protamine sulfate **enhances the transduction efficiency of recombinant adeno-associated virus-mediated gene delivery.**

AUTHOR: Yang Y W; Hsieh Y C

CORPORATE SOURCE: School of Pharmacy, College of Medicine, National Taiwan

University, Taipei.. ywyang@ha.mc.ntu.edu.tw

SOURCE: PHARMACEUTICAL RESEARCH, (2001 Jul) 18 (7) 922-7.

Journal code: 8406521. ISSN: 0724-8741.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200201

ENTRY DATE: Entered STN: 20010813

Last Updated on STN: 20020125

Entered Medline: 20020103

AB PURPOSE: The purpose of this study was to evaluate glucose responsiveness

in HepG2 human hepatoma cells transduced by a **recombinant adeno-associated virus (rAAV)** vector containing the insulin gene promoter. and to investigate the effect of protamine sulfate on rAAV-mediated gene delivery. METHODS: **Recombinant AAV** vector, AAV.Ins.Luc.delta EGFP, was employed to transduce HepG2 hepatoma cells. Virus **infection** was carried out either in the absence or presence of protamine sulfate, followed by fluorescence microscopic examination, luciferase

activity assay, and flow cytometric analysis. Electrokinetic measurements were

carried out to determine the effect of protamine sulfate on zeta potential of the cells and the virus. RESULTS: Glucose-responsive luciferase gene

expression was obtained in rAAV-transduced HepG2 cells. Addition of 5 microg/ml protamine reversed the zeta potential of the cells and the

virus particles, leading to **enhanced** transgene expression in rAAV-transduced HepG2 cells. **Enhancement** of protamine sulfate on rAAV-mediated **gene transfer** was dose-dependent. Addition of more than 5 microg/ml protamine resulted in a

reduction of **infectability** of the virus. CONCLUSIONS: Glucose responsiveness in the millimolar concentration range can be obtained in

rAAV-transduced HepG2 cells. Protamine sulfate, up to 5 microg/ml, **enhanced the rAAV transduction efficiency** in HepG2 cells. The **enhancement** was correlated with zeta potential of the cells and the virus.

L32 ANSWER 68 OF 244 MEDLINE

ACCESSION NUMBER: 2001302405 MEDLINE

DOCUMENT NUMBER: 21138550 PubMed ID: 11237679

TITLE: Combined injection of rAAV with mannitol enhances

gene

expression in the rat brain.

AUTHOR: Mastakov M Y; Baer K; Xu R; Fitzsimons H; During M J

CORPORATE SOURCE: Functional Genomics and Translational Neuroscience

Laboratory, Division of Molecular Medicine, Faculty of Medical and Health Sciences, University of Auckland, Auckland, New Zealand.

CONTRACT NUMBER: RO1 NS39144 (NINDS)

SOURCE: MOLECULAR THERAPY, (2001 Feb) 3 (2) 225-32.

Journal code: 100890581. ISSN: 1525-0016.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200105

ENTRY DATE: Entered STN: 20010604

Last Updated on STN: 20010604

Entered Medline: 20010531

AB Recombinant adeno-associated viruses (

rAAV) are highly efficient vectors for gene

transfer into the central nervous system (CNS). However, a major hurdle for gene delivery to the mammalian brain is to achieve high-

level

transduction in target cells beyond the immediate injection site.

Therefore, in addition to improvements in expression cassettes and viral titers, optimal injection parameters need to be defined.

Here,

we show that previous studies of somatic cell gene transfer to the mammalian brain have used suboptimal injection parameters, with even the lowest reported perfusion rates still excessively fast. Moreover, we evaluated the effect of local administration of mannitol to further enhance transgene expression and vector spread. Ultraslow microperfusion of rAAV, i.e., <33 nl/min, resulted in significantly higher gene expression and less injury of surrounding tissue than the previously reported rates of 100 nl/min or faster. Co-infusion of mannitol facilitated gene transfer to neurons, increasing both the total number and the distribution of transduced cells by 200-300%. Gene transfer studies in the CNS using rAAV should use very slow infusion rates and combined injection with mannitol to

maximize

transduction efficiency and spread.

L32 ANSWER 76 OF 244 MEDLINE

ACCESSION NUMBER: 2001321400 MEDLINE

DOCUMENT NUMBER: 21066306 PubMed ID: 11139798

TITLE: Gene therapy: recombinant adeno-associated virus vectors.

AUTHOR: Smith-Arica J R; Bartlett J S

CORPORATE SOURCE: Children's Research Institute, W531, 700 Children's Drive,

Columbus, OH, 43205-2696, USA..

SmithJ@pediatrics.ohio-state.edu

SOURCE: CURRENT CARDIOLOGY REPORTS, (2001 Jan) 3 (1) 43-9. Ref: 62

Journal code: 100888969. ISSN: 1523-3782.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

General Review; (REVIEW)

(REVIEW, TUTORIAL)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200106

ENTRY DATE: Entered STN: 20010611

Last Updated on STN: 20010611

Entered Medline: 20010607

AB Gene transfer using recombinant

adeno-associated virus (rAAV) vectors shows

great promise for human gene therapy. The broad host range, low level of

immune response, and longevity of gene expression observed with

these

vectors in numerous disease paradigms has enabled the initiation of a number of clinical trials using this gene delivery system. This review presents an overview of the current developments in the field of AAV-mediated gene delivery. Such developments include the establishment of

new production methods allowing the generation of high titer preparations,

improved purification methods, the use of alternative AAV serotypes, and the generation of trans-splicing rAAV genomes.

Together, these developments have improved results interpretation, host range, and the coding capacity of rAAV vectors. Furthermore, the recent identification of regions within the viral capsid that are amenable to modification has begun to address

the

issue of direct rAAV vector targeting, which could potentially allow targeted gene delivery to specific cell populations. The

versatility

shown by this vector has enabled new diseases to be realistically considered for therapeutic intervention and considerably broadened

the

scope of gene therapy.

L32 ANSWER 92 OF 244 MEDLINE DUPLICATE 57

ACCESSION NUMBER: 2000404826 MEDLINE

DOCUMENT NUMBER: 20300766 PubMed ID: 10841516

TITLE: Endosomal processing limits gene transfer to polarized airway epithelia by adeno-associated virus.

AUTHOR: Duan D; Yue Y; Yan Z; Yang J; Engelhardt J F

CORPORATE SOURCE: Department of Anatomy and Cell Biology, Center for Gene

Therapy, College of Medicine, University of Iowa, Iowa City, Iowa, USA.

CONTRACT NUMBER: DK54759 (NIDDK)

RO1 HL58340 (NHLBI)

SOURCE: JOURNAL OF CLINICAL INVESTIGATION, (2000 Jun) 105 (11) 1573-87.

Journal code: 7802877. ISSN: 0021-9738.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Abridged Index Medicus Journals; Priority Journals

ENTRY MONTH: 200008

ENTRY DATE: Entered STN: 20000901

Last Updated on STN: 20000901

Entered Medline: 20000824

AB The restriction of viral receptors and coreceptors to the basolateral surface of airway epithelial cells has been blamed for the inefficient transfer of viral vectors to the apical surface of this tissue. We now report, however, that differentiated human airway epithelia internalize

rAAV type-2 virus efficiently from their apical surfaces, despite the absence of known adeno-associated virus-2 (AAV-2) receptors or coreceptors at these sites. The dramatically lower transduction efficiency of rAAV infection from the apical surface of airway cells appears to result instead from differences in

endosomal

processing and nuclear trafficking of apically or basolaterally internalized virions. AAV capsid proteins are ubiquitinated after endocytosis, and gene transfer can be significantly enhanced by proteasome or ubiquitin ligase inhibitors.

Tripeptide proteasome inhibitors increased persistent rAAV gene delivery from the apical surface >200-fold, to a level nearly equivalent to that achieved with basolateral infection.

In vivo application of proteasome inhibitor in mouse lung augmented rAAV gene transfer from undetectable levels to a mean of 10.4 +/- 1.6% of the epithelial cells

in

large bronchioles. Proteasome inhibitors also increased rAAV-2-mediated gene transfer to the liver tenfold, but they did not affect transduction of skeletal or cardiac muscle. These findings suggest that tissue-specific

ubiquitination
of viral capsid proteins interferes with **rAAV-2**
transduction and provides new approaches to circumvent this
barrier for gene therapy of diseases such as cystic fibrosis.

L32 ANSWER 93 OF 244 MEDLINE DUPLICATE 58
ACCESSION NUMBER: 2000455715 MEDLINE
DOCUMENT NUMBER: 20434548 PubMed ID: 10981669

TITLE: Hyaluronidase **enhances recombinant**
adeno-associated virus (rAAV
)-mediated **gene transfer** in the rat
skeletal muscle.

AUTHOR: Favre D; Cherel Y; Provost N; Blouin V; Ferry N;
Moullier

P; Salvetti A
CORPORATE SOURCE: Laboratoire de Therapie Genique, CHU
Hotel-Dieu, Nantes,
France.

SOURCE: GENE THERAPY, (2000 Aug) 7 (16) 1417-20.
Journal code: 9421525. ISSN: 0969-7128.

PUB. COUNTRY: ENGLAND: United Kingdom
Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200009

ENTRY DATE: Entered STN: 20001005

Last Updated on STN: 20001005

Entered Medline: 20000926

AB Skeletal muscle is a privileged target for long-term **rAAV**
-mediated **gene transfer** in mouse, rat, dog and
non-human primates. Intramuscular injections of **rAAV** encoding
human factor IX in hemophilia B patients have been initiated, based

on
promising results gathered in affected dogs. We found that
intramuscular

rAAV administration in rats resulted in restricted
transduction essentially along the myofibers axis with poor
lateral diffusion. This suggested that the **transduction** rate
might be limited by the ability of the virus to reach sites distant from
the injection point. We tested whether hyaluronidase, an enzyme
which

dissociates the extracellular matrix, could **enhance** vector
diffusion when injected in the rat muscle before administration of
rAAV encoding either nuclear-localized beta-galactosidase
(**rAAVCMVnlsLacZ**) or the human alpha-1-antitrypsin
(**rAAVCMVhAAT**) under the
control of the cytomegalovirus immediate-early promoter (CMV).

The
results showed that pretreatment of the rat anterior tibialis muscle
with
hyaluronidase resulted in: (1) a larger diffusion of the virus indicated
by an **increase** in the area containing LacZ-transduced fibers,
and (2) a two- to three-fold **increase of transduction**
efficiency measured by the number of LacZ-positive fibers or by the
hAAT

serum concentration. We also provide evidence that hyaluronidase
was well

tolerated and was not associated with short- or long-term toxicity
evaluated by morphological studies. Finally, in our experimental
conditions, hyaluronidase did not promote **rAAV** dissemination to
other organs as assessed by PCR to detect vector sequences. We
conclude

that pretreatment of skeletal muscle by hyaluronidase, a clinically
available reagent, was harmless and resulted in a consistent and
significant **increase** in **rAAV** diffusion and
transduction levels.

L32 ANSWER 95 OF 244 MEDLINE DUPLICATE 60
ACCESSION NUMBER: 2001029230 MEDLINE
DOCUMENT NUMBER: 20504261 PubMed ID: 11050056

TITLE: Chronic ethanol increases adeno-associated viral
transgene

expression in rat liver via oxidant and NFkappaB-dependent
mechanisms.

AUTHOR: Wheeler M D; Kono H; Rusyn I; Artele G E;
McCarty D;

Samulski R J; Thurman R G

CORPORATE SOURCE: Laboratory of Hepatobiology and
Toxicology, University of
North Carolina at Chapel Hill, Chapel Hill, NC, USA..
wheelmi@med.unc.edu

SOURCE: HEPATOLOGY, (2000 Nov) 32 (5) 1050-9.
Journal code: 8302946. ISSN: 0270-9139.

PUB. COUNTRY: United States
Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200011

ENTRY DATE: Entered STN: 20010322

Last Updated on STN: 20010322

Entered Medline: 20001121

AB **Recombinant adeno-associated virus (**
rAAV) transduction is limited in vivo, yet can be
enhanced by hydroxyurea, ultraviolet-irradiation, or adenovirus
coinfection, possibly via mechanisms involving stress in the host cell.
Because chronic ethanol induces oxidative stress, it was hypothesized
that

chronic ethanol would **increase rAAV**
transduction in vivo. To test this hypothesis, **rAAV**
encoding beta-galactosidase was given to Wistar rats that later
received

either ethanol diet or high-fat control diet via an enteral-feeding
protocol for 3 weeks. Expression and activity of beta-galactosidase in
the

liver were **increased** nearly 5-fold by ethanol. The
increase in transgene expression was **inhibited** by
antioxidant diphenylene iodonium (DPI), which is consistent with the
hypothesis that ethanol causes an **increase** in **rAAV**
transduction via oxidative stress. Ethanol **increased** DNA
synthesis only slightly; however, it **increased** the nuclear
transcription factor kappaB (NFkappaB) 4-fold, a phenomenon also
sensitive

to DPI. Moreover, a 6-fold **increase** in **rAAV** transgene
expression was observed in an acute ischemia-reperfusion model of
oxidative stress. Transgene expression was transiently **increased**
24 hours after ischemia-reperfusion 3 days and 3 weeks after **rAAV**
infection. Further, adenoviral expression of superoxide dismutase
or IkappaBalpha superrepressor **inhibited rAAV**
transgene expression caused by ischemia-reperfusion. Therefore, it is
concluded that ethanol **increases rAAV** transgene
expression via mechanisms dependent on oxidative stress, and
NFkappaB

likely through **enhancement** of cytomegaloviral (CMV) promoter
elements. Alcoholic liver disease is an attractive target for gene
therapy

because consumption of ethanol could theoretically **increase**
expression of therapeutic genes (e.g., superoxide dismutase).

Moreover,
this study has important implications for **rAAV** gene therapy and
potential **enhancement** and regulation of transgene expression in
liver.

L32 ANSWER 97 OF 244 MEDLINE DUPLICATE 62
ACCESSION NUMBER: 2001023788 MEDLINE
DOCUMENT NUMBER: 20354683 PubMed ID: 10898318

TITLE: Transduction of hepatocellular carcinoma (HCC) using
recombinant adeno-associated virus (rAAV): in vitro and in
vivo effects of genotoxic agents.

COMMENT: Comment in: J Hepatol. 2000 Jun;32(6):1031-4

AUTHOR: Peng D; Qian C; Sun Y; Barajas M A; Prieto J
CORPORATE SOURCE: Department of Internal Medicine, Clinica
Universitaria and

Medical School, University of Navarra, Pamplona, Spain.

SOURCE: JOURNAL OF HEPATOLOGY, (2000 Jun) 32 (6)
975-85.

Journal code: 8503886. ISSN: 0168-8278.

PUB. COUNTRY: Denmark
Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200011
ENTRY DATE: Entered STN: 20010322
Last Updated on STN: 20010702
Entered Medline: 20001116

AB BACKGROUND/AIMS: Adeno-associated virus (AAV) is an attractive tool for gene therapy. Here we investigated the in vitro and in vivo **transduction** of hepatocellular carcinoma (HCC) cells by an AAV vector and the efficacy of different strategies to **enhance the transduction** of the tumor. METHODS: **Transduction** efficiency was determined by analyzing AAV-mediated beta-galactosidase gene (rAAV/lacZ) expression. RESULTS: Adenovirus help or pretreatment of HCC cells with γ -irradiation or with the topoisomerase inhibitor etoposide resulted in marked **enhancement of cell transduction** in vitro. In vivo studies in nude mice with subcutaneous HCC tumors showed that HCC cells were not transduced by AAV vector alone. However, co-infection of the tumor with adenovirus allowed an efficient expression of the reporter gene but only at the sites of vector injection. Previous gamma-irradiation of subcutaneous tumors with 1800 rad was able to **improve transduction** of HCC cells (up to 30%) using **recombinant AAV**. Continuous i.p. infusion of etoposide in buffalo rats harboring HCC tumors in the liver resulted in **transduction** of normal liver tissue and also of very small neoplastic lesions (<2 mm) but no **transduction** was observed in tumors bigger than 2 mm. To analyze this phenomenon we determined etoposide concentration in hepatic tissue. Our results revealed high concentrations of the drug in non-tumoral tissue but almost undetectable levels in big tumor nodules. CONCLUSIONS: Our results indicate that while both radiotherapy and etoposide **enhance transduction** of tumor cells by rAAV in vitro, only radiotherapy **increases tumor transduction** in vivo. Our data suggest the existence of a barrier which limits in vivo the diffusion of chemotherapeutic agents to well-established HCC nodules.

L32 ANSWER 142 OF 244 MEDLINE DUPLICATE
89
ACCESSION NUMBER: 1999398756 MEDLINE
DOCUMENT NUMBER: 99398756 PubMed ID: 10467367
TITLE: Cellular redox state alters recombinant adeno-associated virus transduction through tyrosine phosphatase pathways.
AUTHOR: Sanlioglu S; Engelhardt J F
CORPORATE SOURCE: Department of Anatomy and Cell Biology and Department of Internal Medicine at the University of Iowa College of Medicine, Iowa City, Iowa 52242, USA.
CONTRACT NUMBER: DK54759 (NIDDK)
R01 DK/HL58340 (NIDDK)
SOURCE: GENE THERAPY, (1999 Aug) 6 (8) 1427-37.
Journal code: 9421525. ISSN: 0969-7128.
PUB. COUNTRY: ENGLAND: United Kingdom
Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200003
ENTRY DATE: Entered STN: 20000320
Last Updated on STN: 20000320
Entered Medline: 20000308

AB Several types of environmental damage including UV, hydroxyurea and ionizing irradiation have been shown to **augment rAAV transduction**. Current hypotheses suggest that these environmental stimuli lead to the **enhanced** production and/or activation of cellular factors important in the conversion of single-stranded DNA

genomes to expressible forms. However, the mechanisms of action are currently unknown. We hypothesized that reactive oxygen intermediates (ROI) may play a common role in the **augmentation of rAAV transduction** by these environmental stimuli. Our results demonstrate that treatment with hydrogen peroxide can give equivalent or greater levels of **augmentation in rAAV transduction** as that seen by hydroxyurea or UV irradiation. For all environmental stimuli, pretreatment with the hydroxyl radical (H \cdot small middle dot) scavenger, N-acetyl-L-cysteine (NAC), completely blocked **augmentation of rAAV transduction**. Furthermore, using electron spin resonance spectroscopy (ESR), we demonstrated that both UV and H₂O₂ treatment of cell lines lead to the induction of H \cdot small middle dot radicals. Our results demonstrating that NaOV **inhibits the augmentation of rAAV transduction** following UV and H₂O₂ treatment, implicate H \cdot small middle dot radicals as modulators of tyrosine phosphatase pathways involved in rAAV **transduction**. Alterations in the cellular redox state and subsequent activation of tyrosine phosphatase pathways appear to alter the phosphorylation status of the previously identified single-stranded sequence binding protein (ssD-BP), with reduced phosphorylation correlating with an **enhancement in rAAV transduction**. In summary, we conclude that the cellular redox state may play an important role in regulating rAAV **transduction**.

L32 ANSWER 146 OF 244 MEDLINE DUPLICATE
93
ACCESSION NUMBER: 1999387165 MEDLINE
DOCUMENT NUMBER: 99387165 PubMed ID: 10455407
TITLE: Cellular contaminants of adeno-associated virus vector stocks can enhance transduction.
AUTHOR: Tenenbaum L; Hamdane M; Pouzet M; Avalosse B; Stathopoulos A; Jurysta F; Rosenbaum C; Hanemann C O; Levivier M; Velu T
CORPORATE SOURCE: IRIBHN, Campus Erasme, Universite Libre de Bruxelles, Germany.
SOURCE: GENE THERAPY, (1999 Jun) 6 (6) 1045-53.
Journal code: 9421525. ISSN: 0969-7128.
PUB. COUNTRY: ENGLAND: United Kingdom
Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200002
ENTRY DATE: Entered STN: 20000309
Last Updated on STN: 20000915
Entered Medline: 20000224
AB **Transduction** efficiency of different types of recombinant (r)AAV-2 based vectors preparations markedly differed, with apparently no correlation with the replicative titers. Using HeLa cells as target for **transduction**, 105 and 30 **infectious** units were necessary to observe one **transductant** using respectively cesium-chloride-purified rAAV and crude lysates of producer cells obtained by sonication. The purified vectors were however able to transduce HEK-193 cells efficiently, but transgene expression was detected with some delay compared with crude lysates. The unexpected high **transduction** efficiency of sonicated crude lysates was due to virally mediated **gene transfer**, since similar sonicated crude lysates, but with no AAV rep and cap genes, did not lead to detection of transgene products after incubation with HeLa cells. Furthermore, sonicated cellular extracts of 293 or 293/T cells given in

trans stimulate **transduction** of HeLa cells by purified **rAAV**. In contrast, neither extracts from the adenovirus E1-transformed 911 cell line, nor from other cell lines not harboring any adenovirus gene, had **enhancing** effect on **rAAV-mediated transduction**. These data suggest that 293 sonicated extracts contain factors which stimulate **rAAV-mediated transduction** of cells that are normally poorly transduced and offer a system to identify such factors and to characterize further the steps limiting the transfer of gene by AAV vectors.

L32 ANSWER 153 OF 244 MEDLINE DUPLICATE
99
ACCESSION NUMBER: 1999191990 MEDLINE
DOCUMENT NUMBER: 99191990 PubMed ID: 10094202
TITLE: Two independent molecular pathways for **recombinant adeno-associated virus** genome conversion occur after UV-C and E4orf6 **augmentation of transduction**.

AUTHOR: Sanlioglu S; Duan D; Engelhardt J F
CORPORATE SOURCE: Department of Anatomy and Cell Biology, University of Iowa
School of Medicine, Iowa City 52242, USA.
CONTRACT NUMBER: R01 DK/HL58340 (NIDDK)
SOURCE: HUMAN GENE THERAPY, (1999 Mar 1) 10 (4) 591-602.

Journal code: 9008950. ISSN: 1043-0342.

PUB. COUNTRY: United States
Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199904
ENTRY DATE: Entered STN: 19990517
Last Updated on STN: 19990517
Entered Medline: 19990430

AB Numerous environmental influences have been demonstrated to **enhance recombinant adeno-associated virus (rAAV) transduction**. Such findings are the foundation of developing new and innovative strategies to **improve** the efficiency of **rAAV** as a gene therapy vector. Several of these environmental factors included genotoxic stresses such as UV and y irradiation as well as certain adenoviral gene products such as E4orf6.

The mechanisms by which these environmental stimuli **increase rAAV transduction** are only partially understood but have been suggested to involve both endocytosis and uptake of virus to the nucleus, as well as conversion of single-stranded DNA viral genomes to

double-stranded expressible forms. Two molecular intermediates of **rAAV** genomes, which have been demonstrated to correlate with transgene expression and/or the persistence of **rAAV**, include both replication form (RF) monomers and dimers as well as circular intermediates. In the present study, we demonstrate that **augmentation of rAAV transduction** by UV irradiation and the adenoviral protein E4orf6 correlates with distinct **increases** in either circular or replication form intermediates, respectively. UV irradiation of primary fibroblasts at 15 J/m2 resulted in

a 15-fold induction of head-to-tail circular intermediates, with minimal induction of replication form **rAAV** genomes. In contrast, E4orf6-**augmented rAAV transduction** was correlated with the formation of replication form intermediates, with no alteration in the abundance of circular intermediates. These findings demonstrate that **rAAV transduction** can occur through two independent molecular pathways that convert single-stranded AAV genomes to expressible forms of DNA.

L32 ANSWER 165 OF 244 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 1999:159708 CAPLUS

DOCUMENT NUMBER: 131:1162
TITLE: Adeno-associated viral vectors
AUTHOR(S): Samulski, Richard Jude; Sally, Mitch; Muzyczka, Nicholas
CORPORATE SOURCE: University of North Carolina Gene Therapy Center and

Department of Pharmacology, University of North Carolina at Chapel Hill, Chapel Hill, NC, USA
SOURCE: Cold Spring Harbor Monograph Series (1999), 36(Development of Human Gene Therapy), 131-172
CODEN: CHMSDK; ISSN: 0270-1847

PUBLISHER: Cold Spring Harbor Laboratory Press
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English

AB A review with over 100 refs. Topics include: **recombinant AAV** vectors, **transduction** of nondividing cells, episomal expression, adeno-assocd. virus integration, **recombinant AAV** vector integration, mechanism of AAV integration, **transduction in vivo**, and **enhancement of rAAV transduction in vivo**.

REFERENCE COUNT: 126 THERE ARE 126 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L32 ANSWER 168 OF 244 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 1998:734970 CAPLUS
DOCUMENT NUMBER: 129:340538
TITLE: Increasing transduction of cells by adeno-associated virus vectors by using DNA metabolism-altering agents
INVENTOR(S): Alexander, Ian E.; Russell, David W.; Miller, A. Dusty
PATENT ASSIGNEE(S): Fred Hutchinson Cancer Research Center, USA
SOURCE: U.S., 12 pp., Cont.-in-part of U.S. 5,604,090.

CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5834182	A	19981110	US 1997-750274	19970225
US 5604090	A	19970218	US 1994-254312	19940606
WO 9533824	A1	19951214	WO 1995-US7202	19950605
W: AU, CA, JP, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRIORITY APPLN. INFO.:			US 1994-254312	19940606
			WO 1995-US7202	19950605

AB This invention includes methods for **increasing** the efficiency of **transduction** of cells, including non-dividing cells, by **recombinant adeno-assocd. adenovirus (AAV)** vectors. The methods utilize agents that alter certain aspects of DNA metab., more specifically, that affect DNA synthesis and/or affect repair, that impact on maintenance of chromosomal integrity, and/or that cause damage to the cellular DNA. Agents and vectors can now also be preselected and screened for transducing ability and/or transducing agents for their effect on DNA metab. These agents include tritiated nucleotides such as thymidine, gamma irradiation, UV irradiation, cis-platinum, etoposide, hydroxyurea and aphidicolin.

L32 ANSWER 169 OF 244 MEDLINE DUPLICATE
110
ACCESSION NUMBER: 1999080060 MEDLINE
DOCUMENT NUMBER: 99080060 PubMed ID: 9861016

TITLE: Viral mediated expression of insulin-like growth factor I blocks the aging-related loss of skeletal muscle function.

AUTHOR: Barton-Davis E R; Shoturma D I; Musaro A; Rosenthal N; Sweeney H L

CORPORATE SOURCE: Department of Physiology, A700 Richards Building, University of Pennsylvania School of Medicine, Philadelphia, PA 19104-6085, USA.

CONTRACT NUMBER: P01-AG13329 (NIA) P01-AR/NS43648 (NIAMS)

SOURCE: PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1998 Dec 22) 95 (26) 15603-7.

Journal code: 7505876. ISSN: 0027-8424.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199901

ENTRY DATE: Entered STN: 19990209

Last Updated on STN: 20020212

Entered Medline: 19990128

AB During the aging process, mammals lose up to a third of their skeletal muscle mass and strength. Although the mechanisms underlying this loss are not entirely understood, we attempted to moderate the loss by **increasing** the regenerative capacity of muscle. This involved the injection of a **recombinant adeno-associated virus** directing overexpression of insulin-like growth factor I (IGF-I) in differentiated muscle fibers. We demonstrate that the IGF-I expression promotes an average **increase** of 15% in muscle mass and a 14% **increase** in strength in young adult mice, and remarkably, prevents aging-related muscle changes in old adult mice, resulting in a 27% **increase** in strength as compared with uninjected old muscles. Muscle mass and fiber type distributions were maintained at levels similar to those in young adults. We propose that these effects are primarily due to stimulation of muscle regeneration via the activation of satellite cells by IGF-I. This supports the hypothesis that the primary cause of aging-related impairment of muscle function is a cumulative failure to repair damage sustained during muscle utilization. Our results suggest that **gene transfer** of IGF-I into muscle could form the basis of a human gene therapy for preventing the loss of muscle function associated with aging and may be of benefit in diseases where the rate of damage to skeletal muscle is accelerated.

L32 ANSWER 183 OF 244 MEDLINE DUPLICATE 124

ACCESSION NUMBER: 1998211339 MEDLINE

DOCUMENT NUMBER: 98211339 PubMed ID: 9551617

TITLE: Factors influencing recombinant adeno-associated virus production.

AUTHOR: Salvetti A; Orevé S; Chadeuf G; Favre D; Cherel Y; Champion-Arnaud P; David-Ameline J; Moullier P

CORPORATE SOURCE: Laboratoire de Therapie Genique, CHU Hotel-DIEU, Nantes, France.

SOURCE: HUMAN GENE THERAPY, (1998 Mar 20) 9 (5) 695-706.

Journal code: 9008950. ISSN: 1043-0342.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199805

ENTRY DATE: Entered STN: 19980611

Last Updated on STN: 19980611

Entered Medline: 19980529

AB **Recombinant adeno-associated virus** (rAAV) is produced by transfecting cells with two constructs: the rAAV vector plasmid and the rep-cap plasmid. After subsequent adenoviral **infection**, needed for rAAV replication and assembly, the virus is purified from total cell lysates through CsCl gradients. Because this is a long and complex procedure, the precise titration of rAAV stocks, as well as the measure of the level of contamination with adenovirus and rep-positive AAV, are essential to evaluate the **transduction** efficiency of these vectors in vitro and in vivo. Our vector core is in charge of producing rAAV for outside investigators as part of a national network promoted by the Association Francaise contre les Myopathies/Genethon. We report here the characterization of 18 large-scale rAAV stocks produced during the past year. Three major **improvements** were introduced and combined in the rAAV production procedure: (i) the titration and characterization of rAAV stocks using a stable rep-cap HeLa cell line in a modified Replication Center Assay (RCA); (ii) the use of different rep-cap constructs to provide AAV regulatory and structural proteins; (iii) the use of an adenoviral plasmid to provide helper functions needed for rAAV replication and assembly. Our results indicate that: (i) rAAV yields ranged between 10(11) to 5 x 10(12) total particles; (ii) the physical particle to **infectious** particle (measured by RCA) ratios were consistently below 50 when using a rep-cap plasmid harboring an ITR-deleted AAV genome; the physical particle to transducing particle ratios ranged between 400 and 600; (iii) the use of an adenoviral plasmid instead of an **infectious** virion did not affect the particles or the **infectious** particles yields nor the above ratio. Most of large-scale rAAV stocks (7/9) produced using this plasmid were free of detectable **infectious** adenovirus as determined by RCA; (iv) all the rAAV stocks were contaminated with rep-positive AAV as detected by RCA. In summary, this study describes a general method to titrate rAAV, independently of the transgene and its expression, and to measure the level of contamination with adenovirus and rep-positive AAV. Furthermore, we report a new production procedure using adenoviral plasmids instead of virions and resulting in rAAV stocks with undetectable adenovirus contamination.

L32 ANSWER 217 OF 244 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1997:101610 CAPLUS

DOCUMENT NUMBER: 126:100286

TITLE: **Recombinant adeno-associated virus, method for enhancing transduction** of target cells with these viruses and pharmaceutical compositions containing the viruses

INVENTOR(S): Wilson, James M.; Fisher, Krishna J.; Gao, Guang-Ping

PATENT ASSIGNEE(S): Trustees of the University of Pennsylvania, USA;

SOURCE: PCT Int. Appl., 131 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9639530	A2	19961212	WO 1996-US10245	19960604
WO 9639530	A3	19970605		
W: AL, AM, AU, AZ, BB, BG, BR, BY, CA, CN, CZ, EE, FI, GE, HU, IL,				

IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LV, MD, MG,
MK, MN,
MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, TJ, TM, TR,
TT, UA,
UG, US

RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI,
FR, GB, GR,

IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA,
GN, ML,

MR, NE, SN, TD, TG

US 5756283 A 19980526 US 1995-462014 19950605

US 6281010 B1 20010828 US 1995-549489 19951027

AU 9662779 A1 19961224 AU 1996-62779 19960604

AU 715533 B2 20000203

EP 835321 A2 19980415 EP 1996-921586 19960604

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE,
MC, PT,

IE, FI

JP 11507240 T2 19990629 JP 1996-502258 19960604

US 6261551 B1 20010717 US 1997-973334 19971205

PRIORITY APPLN. INFO.: US 1995-462014 A2 19950605

US 1995-549489 A 19951027

WO 1996-US10245 W 19960604

AB A method for **enhancing** the efficiency of **transduction**
of a **recombinant adeno-assocd. virus (AAV)**
into a target cell is provided. The infected cell is contacted with an
agent which facilitates the conversion of single-stranded recombinant
virus to its double-stranded form. The agent may be an adenovirus
E1

and/or E4 gene, which may be provided by a helper adenovirus, or
which may

be present as an inducible gene(s) in the AAV vector. Expts.
reported

herein indicated that recombinant AAV is a relatively inefficient gene
transfer vehicle and that the rate-limiting step in transduction in
conversion of the virion's single-stranded DNA genome to a
transcriptionally active double-stranded form. Adenovirus, and more
specifically the E1 and E4 genes, enhanced transduction. A

recombinant

AAV contg. a chimeric glucocorticoid-dependent promoter-E4 gene
was

produced. HeLa cells in the presence of dexamethasone expressed
the E4

gene and the transduction efficiency was increased 5-fold (over that
in

the absence of dexamethasone).

L32 ANSWER 223 OF 244 MEDLINE DUPLICATE
154

ACCESSION NUMBER: 96099466 MEDLINE

DOCUMENT NUMBER: 96099466 PubMed ID: 8523565

TITLE: Transduction with recombinant adeno-associated virus
for

gene therapy is limited by leading-strand synthesis.

AUTHOR: Fisher K J; Gao G P; Weitzman M D; DeMatteo R;
Burda J F;

Wilson J M

CORPORATE SOURCE: Institute for Human Gene Therapy,
University of

Pennsylvania Health System, Philadelphia, USA.

SOURCE: JOURNAL OF VIROLOGY, (1996 Jan) 70 (1) 520-
32.

Journal code: 0113724. ISSN: 0022-538X.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199601

ENTRY DATE: Entered STN: 19960219

Last Updated on STN: 19970203

Entered Medline: 19960125

AB Adeno-associated virus is an integrating DNA parvovirus with the
potential

to be an important vehicle for somatic gene therapy. A potential

barrier,

however, is the low **transduction** efficiencies of

recombinant adeno-associated virus (

rAAV) vectors. We show in this report that adenovirus dramatically

enhances rAAV transduction in vitro in a way

that is dependent on expression of early region 1 and 4 (E1 and E4,
respectively) genes and directly proportional to the appearance of

double-stranded replicative forms of the rAAV genome. Expression
of the open reading frame 6 protein from E4 in the absence of E1

accomplished a similar but attenuated effect. The helper activity of
adenovirus E1 and E4 for **rAAV gene transfer**

was similarly demonstrated in vivo by using murine models of liver-
and

lung-directed gene therapy. Our data indicate that conversion of a
single-stranded rAAV genome to a duplex intermediate limits

transduction and usefulness for gene therapy.

L32 ANSWER 228 OF 244 MEDLINE

ACCESSION NUMBER: 1998029516 MEDLINE

DOCUMENT NUMBER: 98029516 PubMed ID: 9384691

TITLE: Recombinant adeno-associated virus (rAAV) vectors for
somatic gene therapy: recent advances and potential
clinical applications.

AUTHOR: Hallek M; Wendtner C M

CORPORATE SOURCE: Laboratorium fur Molekulare Biologie,
Genzentrum,

Ludwig-Maximilians-Universitat, Munchen, Germany..

hallek@lmb.uni-muenchen.de

SOURCE: CYTOKINES AND MOLECULAR THERAPY,
(1996 Jun) 2 (2) 69-79.

Ref: 83

Journal code: 9509183. ISSN: 1355-6568.

PUB. COUNTRY: ENGLAND: United Kingdom

Journal; Article; (JOURNAL ARTICLE)

General Review; (REVIEW)

(REVIEW, TUTORIAL)

LANGUAGE: English

FILE SEGMENT: Priority Journals; AIDS

ENTRY MONTH: 199712

ENTRY DATE: Entered STN: 19980109

Last Updated on STN: 19980109

Entered Medline: 19971208

AB Adeno-associated virus (AAV) is a single-stranded DNA
dependovirus of the

family of Parvoviridae that has promising features as a vector for
somatic

gene therapy. Different recombinant (r) AAV vectors have been
generated

that seem to have some advantages compared with other vector
systems, such

as the **transduction** of terminally differentiated and
non-dividing cells, the lack of any apparent pathogenicity, low
immunogenicity, relatively high stability of transgene expression, and
the

potential of targeted integration. Recent **improvements** in
rAAV packaging should allow the generation of sufficient
quantities of **rAAV** for clinical trials. Preclinical studies with
rAAV are currently being performed for the treatment of a variety
of inherited monogenic defects, such as beta-thalassemia, sickle cell
anemia. Fanconi anemia, chronic granulomatous disease, Gaucher
disease,

metachromatic leukodystrophy and cystic fibrosis, and of acquired
diseases, such as HIV **infection** and non-Hodgkin lymphoma. The
diversity of these studies indicates that **rAAV** might have a
broad range of clinical applications. A first clinical trial with
rAAV vectors has been started for cystic fibrosis. While several
important issues, including safety, tissue tropism and methods to
achieve

site-specific integration, need further clarification, **rAAV**
seems to have a sufficient number of advantages to be seriously
considered

as a future gene therapy vector.

L32 ANSWER 229 OF 244 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1996:87115 CAPLUS
 DOCUMENT NUMBER: 124:108980
 TITLE: Increasing transduction of cells by adeno-associated virus vectors by using DNA metabolism-altering agents
 INVENTOR(S): Alexander, Ian E.; Russell, David W.; Miller, A. Dusty
 PATENT ASSIGNEE(S): Fred Hutchinson Cancer Research Center, USA
 SOURCE: PCT Int. Appl., 29 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9533824	A1	19951214	WO 1995-US7202	19950605
W: AU, CA, JP, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 5604090	A	19970218	US 1994-254312	19940606
CA 2192214	AA	19951214	CA 1995-2192214	19950605
AU 9526994	A1	19960104	AU 1995-26994	19950605
EP 765387	A1	19970402	EP 1995-922237	19950605
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
US 5834182	A	19981110	US 1997-750274	19970225
PRIORITY APPLN. INFO.: US 1994-254312 19940606				
WO 1995-US7202 19950605				

AB Methods are provided for **increasing** the efficiency of **transduction** of cells, including non-dividing cells, by **recombinant AAV** vectors. The methods utilize agents that alter certain aspects of DNA metab., more specifically, that affect DNA synthesis and/or affect repair, that impact on maintenance of chromosomal integrity, and/or that cause damage to the cellular DNA.
 Agents and vectors can now also be preselected and screened for transducing ability and/or transducing agents for their effect on DNA metab. These agents include tritiated nucleotides such as thymidine, gamma irradiation, UV irradiation, cis-platinum, etoposide, hydroxyurea, aphidicolin, and camptothecin.

=> log hold

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	210.77	210.98

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	-4.96 -4.96

SESSION WILL BE HELD FOR 60 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED AT 16:10:04 ON 16 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:
 ***** RECONNECTED TO STN INTERNATIONAL *****
 SESSION RESUMED IN FILE 'MEDLINE, BIOSIS, CAPLUS' AT 16:32:11 ON 16 JUN 2002
 FILE 'MEDLINE' ENTERED AT 16:32:11 ON 16 JUN 2002
 FILE 'BIOSIS' ENTERED AT 16:32:11 ON 16 JUN 2002
 COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'CAPLUS' ENTERED AT 16:32:11 ON 16 JUN 2002
 COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	210.77	210.98

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	-4.96 -4.96

=> d his

(FILE 'HOME' ENTERED AT 15:16:46 ON 16 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 15:17:03 ON 16 JUN 2002

E RAAV

L1 1040 S RAAV

L2 622 S RECOMBINANT AAV

L3 0 S ADENO! ASSOCIATED VIRUS

L4 5747 S ADENO-ASSOCIATED E ADENO-ASSOCIATED

L5 56882 S PROTEASE INHIBITOR E PROTEINASE INH

L6 30433 S PROTEINASE INHIBITOR

L7 81516 S L5 OR L6

L8 1 S L1(S)L6

L9 0 S L2(S)L6

L10 1 S L4(S)L6

L11 1 S L1 AND L6

L12 0 S L2 AND L6

L13 9 S L4 AND L6

L14 9 DUP REM L13 (0 DUPLICATES REMOVED)

L15 281838 S TRANSDUCTION

L16 324 S L7(S)L15

L17 677499 S ADENO?

L18 7 S L16 AND L17

L19 7 DUP REM L18 (0 DUPLICATES REMOVED)

L20 435 S L7(P)L15

L21 10 S L20 AND L17

L22 9 DUP REM L21 (1 DUPLICATE REMOVED)

L23 2 S L22 NOT L19

L24 454934 S (IMPROV? OR ENHANC? OR INCREAS? OR DECREASES? OR AUGMENT? OR PO

L25 1086 S L24(P)(L1 OR L2 OR L4)

L26 3 S L7 AND L25

L27 3 DUP REM L26 (0 DUPLICATES REMOVED)

L28 410 S L24(S)(L1 OR L2)

L29 1279 S RECOMBINANT ADENO-ASSOCIATED

L30 1809 S L1 OR L2 OR L29

L31 464 S L24(S)L30

L32 244 DUP REM L31 (220 DUPLICATES REMOVED)

=> s proteasom?

L33 13739 PROTEASOM?

=> s l33 and l30

L34 10 L33 AND L30

=> dup rem l34

PROCESSING COMPLETED FOR L34

L35 4 DUP REM L34 (6 DUPLICATES REMOVED)

=> d ti so 1-4

L35 ANSWER 1 OF 4 MEDLINE DUPLICATE 1
 TI Ubiquitination of both adeno-associated virus type 2 and 5 capsid proteins affects the transduction efficiency of recombinant vectors.
 SO JOURNAL OF VIROLOGY, (2002 Mar) 76 (5) 2043-53.
 Journal code: 0113724. ISSN: 0022-538X.

L35 ANSWER 2 OF 4 MEDLINE DUPLICATE 2
 TI Intracellular trafficking of adeno-associated virus vectors: routing to the late endosomal compartment and proteasome degradation.
 SO JOURNAL OF VIROLOGY, (2001 Feb) 75 (4) 1824-33.
 Journal code: 0113724. ISSN: 0022-538X.

L35 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2002 ACS
 TI Compounds and methods to enhance recombinant adeno-associated virus (rAAV) transduction for gene therapy
 SO PCT Int. Appl., 127 pp.
 CODEN: PIXXD2

L35 ANSWER 4 OF 4 MEDLINE DUPLICATE 3
 TI Endosomal processing limits gene transfer to polarized airway epithelia by adeno-associated virus.
 SO JOURNAL OF CLINICAL INVESTIGATION, (2000 Jun) 105 (11) 1573-87.
 Journal code: 7802877. ISSN: 0021-9738.

=> s ubiquitin?
 L36 24 UBIQUITIN?

=> s ubiquitin?
 L37 22463 UBIQUITIN?

=> s l37 and l30
 L38 7 L37 AND L30

=> dup rem l38
 PROCESSING COMPLETED FOR L38
 L39 3 DUP REM L38 (4 DUPLICATES REMOVED)

=> d ti so l-3

L39 ANSWER 1 OF 3 MEDLINE DUPLICATE 1
 TI Ubiquitination of both adeno-associated virus type 2 and 5 capsid proteins affects the transduction efficiency of recombinant vectors.
 SO JOURNAL OF VIROLOGY, (2002 Mar) 76 (5) 2043-53.
 Journal code: 0113724. ISSN: 0022-538X.

L39 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2002 ACS
 TI Compounds and methods to enhance recombinant adeno-associated virus (rAAV) transduction for gene therapy
 SO PCT Int. Appl., 127 pp.
 CODEN: PIXXD2

L39 ANSWER 3 OF 3 MEDLINE DUPLICATE 2
 TI Endosomal processing limits gene transfer to polarized airway epithelia by adeno-associated virus.
 SO JOURNAL OF CLINICAL INVESTIGATION, (2000 Jun) 105 (11) 1573-87.
 Journal code: 7802877. ISSN: 0021-9738.

=> s adenovir?
 L40 69449 ADENOVIR?

=> s l37 or l33
 L41 30691 L37 OR L33

=> s l40 and l41
 L42 237 L40 AND L41

=> s l40(s)l41
 L43 145 L40(S) L41

=> dup rem l43
 PROCESSING COMPLETED FOR L43
 L44 75 DUP REM L43 (70 DUPLICATES REMOVED)

=> d ti so l-75

L44 ANSWER 1 OF 75 MEDLINE DUPLICATE 1
 TI Deubiquitinating function of adenovirus proteinase.
 SO JOURNAL OF VIROLOGY, (2002 Jun) 76 (12) 6323-31.
 Journal code: 0113724. ISSN: 0022-538X.

L44 ANSWER 2 OF 75 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI Human p14ARF-mediated cell cycle arrest strictly depends on intact p53 signaling pathways.
 SO Oncogene, (9 May, 2002) Vol. 21, No. 20, pp. 3207-3212.
<http://www.nature.com/onc>. print.
 ISSN: 0950-9232.

L44 ANSWER 3 OF 75 MEDLINE DUPLICATE 2
 TI Notch signaling induces rapid degradation of achaete-scute homolog 1.
 SO MOLECULAR AND CELLULAR BIOLOGY, (2002 May) 22 (9) 3129-39.
 Journal code: 8109087. ISSN: 0270-7306.

L44 ANSWER 4 OF 75 MEDLINE DUPLICATE 3
 TI Carboxyl-terminal transactivation activity of hypoxia-inducible factor 1 alpha is governed by a von Hippel-Lindau protein-independent, hydroxylation-regulated association with p300/CBP.
 SO MOLECULAR AND CELLULAR BIOLOGY, (2002 May) 22 (9) 2984-92.
 Journal code: 8109087. ISSN: 0270-7306.

L44 ANSWER 5 OF 75 MEDLINE DUPLICATE 4
 TI Expression of herpes simplex virus ICP0 inhibits the induction of interferon-stimulated genes by viral infection.
 SO JOURNAL OF VIROLOGY, (2002 Mar) 76 (5) 2180-91.
 Journal code: 0113724. ISSN: 0022-538X.

L44 ANSWER 6 OF 75 MEDLINE
 TI Improved Treatment of Pancreatic Cancer by IL-12 and B7.1 Costimulation: Antitumor Efficacy and Immunoregulation in a Nonimmunogenic Tumor Model.
 SO MOLECULAR THERAPY, (2002 Apr) 5 (4) 405-12.
 Journal code: 100890581. ISSN: 1525-0016.

L44 ANSWER 7 OF 75 MEDLINE
 TI The production of a new MAGE-3 peptide presented to cytolytic T lymphocytes by HLA-B40 requires the immunoproteasome.
 SO JOURNAL OF EXPERIMENTAL MEDICINE, (2002 Feb 18) 195 (4) 391-9.
 Journal code: 2985109R. ISSN: 0022-1007.

L44 ANSWER 8 OF 75 CAPLUS COPYRIGHT 2002 ACS
 TI A proteasome-resistant variant of the tumor suppressor p14 (ARF) and a gene encoding it for cancer gene therapy
 SO PCT Int. Appl., 26 pp.
 CODEN: PIXXD2

L44 ANSWER 9 OF 75 MEDLINE DUPLICATE 5
 TI Mdm2 mutant defective in binding p300 promotes ubiquitination but not degradation of p53: evidence for the role of p300 in integrating ubiquitination and proteolysis.
 SO JOURNAL OF BIOLOGICAL CHEMISTRY, (2001 Aug 10) 276 (32) 29695-701.
 Journal code: 2985121R. ISSN: 0021-9258.

L44 ANSWER 10 OF 75 MEDLINE DUPLICATE 6
 TI SUMO-1 modification required for transformation by adenovirus type 5 early region 1B 55-kDa oncoprotein.
 SO PROCEEDINGS OF THE NATIONAL ACADEMY OF

SCIENCES OF THE UNITED STATES OF
AMERICA, (2001 Sep 25) 98 (20) 11312-7.
Journal code: 7505876. ISSN: 0027-8424.

L44 ANSWER 11 OF 75 MEDLINE DUPLICATE 7
TI An adenovirus expressing mutant p27 showed more potent
antitumor effects
than adenovirus-p27 wild type.
SO CANCER RESEARCH, (2001 Aug 15) 61 (16) 6163-9.
Journal code: 2984705R. ISSN: 0008-5472.

L44 ANSWER 12 OF 75 MEDLINE DUPLICATE 8
TI Evaluation of interactions of human cytomegalovirus immediate-
early IE2
regulatory protein with small ubiquitin-like modifiers and their
conjugation enzyme Ubc9.
SO JOURNAL OF VIROLOGY, (2001 Apr) 75 (8) 3859-72.
Journal code: 0113724. ISSN: 0022-538X.

L44 ANSWER 13 OF 75 MEDLINE DUPLICATE 9
TI Degradation of p53 by adenovirus E4orf6 and E1B55K proteins
occurs via a
novel mechanism involving a Cullin-containing complex.
SO GENES AND DEVELOPMENT, (2001 Dec 1) 15 (23) 3104-17.
Journal code: 8711660. ISSN: 0890-9369.

L44 ANSWER 14 OF 75 MEDLINE DUPLICATE 10
TI Role of NFkappaB in antigen presentation and development of
regulatory T
cells elucidated by treatment of dendritic cells with the proteasome
inhibitor PSI.
SO EUROPEAN JOURNAL OF IMMUNOLOGY, (2001 Jun) 31 (6)
1883-93.
Journal code: 1273201. ISSN: 0014-2980.

L44 ANSWER 15 OF 75 MEDLINE DUPLICATE 11
TI Intracellular trafficking of adeno-associated virus vectors: routing to
the late endosomal compartment and proteasome degradation.
SO JOURNAL OF VIROLOGY, (2001 Feb) 75 (4) 1824-33.
Journal code: 0113724. ISSN: 0022-538X.

L44 ANSWER 16 OF 75 CAPLUS COPYRIGHT 2002 ACS
TI Increased persistence of lung gene expression using plasmids
containing
the ubiquitin C or elongation factor 1.alpha. promoter
SO Gene Therapy (2001), 8(20), 1539-1546
CODEN: GETHEC; ISSN: 0969-7128

L44 ANSWER 17 OF 75 MEDLINE DUPLICATE 12
TI Effect of NF-kappa B Inhibition on TNF-alpha-induced apoptosis
and
downstream pathways in cardiomyocytes.
SO JOURNAL OF MOLECULAR AND CELLULAR
CARDIOLOGY, (2001 Jun) 33 (6) 1223-32.
Journal code: 0262322. ISSN: 0022-2828.

L44 ANSWER 18 OF 75 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.
TI Mutant ubiquitin expressed in Alzheimer's disease causes neuronal
death.
SO Society for Neuroscience Abstracts, (2001) Vol. 27, No. 1, pp.
1143.
print.
Meeting Info.: 31st Annual Meeting of the Society for Neuroscience
San
Diego, California, USA November 10-15, 2001
ISSN: 0190-5295.

L44 ANSWER 19 OF 75 MEDLINE
TI [Monoclonal antibodies against protein Daxx and its localization in
nuclear domains 10].
Monoklonal'nye antitela k belku Daxx i ego lokalizatsiia v iadernykh
domenakh 10.
SO TSITOLOGIIA, (2001) 43 (12) 1123-9.

Journal code: 0417363. ISSN: 0041-3771.

L44 ANSWER 20 OF 75 MEDLINE DUPLICATE 13
TI Evolutionary lines of cysteine peptidases.
SO BIOLOGICAL CHEMISTRY, (2001 May) 382 (5) 727-33. Ref:
25
Journal code: 9700112. ISSN: 1431-6730.

L44 ANSWER 21 OF 75 MEDLINE DUPLICATE 14
TI Identification of three functions of the adenovirus e4orf6 protein
that
mediate p53 degradation by the E4orf6-E1B55K complex.
SO JOURNAL OF VIROLOGY, (2001 Jan) 75 (2) 699-709.
Journal code: 0113724. ISSN: 0022-538X.

L44 ANSWER 22 OF 75 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.
TI Adenoviral E1A protein interacts with the non-ATPase of 26S
proteasomal subunit S2 and this is correlated to the E1A's ability
to sensitize cells to TNFalpha-induced apoptosis.
SO Oncology Research, (2001) Vol. 12, No. 6-7, pp. 298. print.
Meeting Info.: 2001 Millennium International Conference of
Molecular and
Tumor Biology Santorini, Greece September 02-07, 2001
ISSN: 0965-0407.

L44 ANSWER 23 OF 75 MEDLINE DUPLICATE 15
TI Analysis of expression of nuclear factor kappa B (NF-kappa B) in
multiple
myeloma: downregulation of NF-kappa B induces apoptosis.
SO BRITISH JOURNAL OF HAEMATOLOGY, (2001 Nov) 115 (2)
279-86.
Journal code: 0372544. ISSN: 0007-1048.

L44 ANSWER 24 OF 75 MEDLINE DUPLICATE 16
TI Enhancement of radiosensitivity by proteasome inhibition:
implications for
a role of NF-kappaB.
SO INTERNATIONAL JOURNAL OF RADIATION ONCOLOGY,
BIOLOGY, PHYSICS, (2001 May
1) 50 (1) 183-93.
Journal code: 7603616. ISSN: 0360-3016.

L44 ANSWER 25 OF 75 MEDLINE DUPLICATE 17
TI HBV X protein targets HIV Tat-binding protein 1.
SO VIROLOGY, (2001 Apr 25) 283 (1) 110-20.
Journal code: 0110674. ISSN: 0042-6822.

L44 ANSWER 26 OF 75 MEDLINE DUPLICATE 18
TI Promotion of S-phase entry and cell growth under serum starvation
by
SAG/ROC2/Rbx2/Hrt2, an E3 ubiquitin ligase component:
association with
inhibition of p27 accumulation.
SO MOLECULAR CARCINOGENESIS, (2001 Jan) 30 (1) 37-46.
Journal code: 8811105. ISSN: 0899-1987.

L44 ANSWER 27 OF 75 MEDLINE
TI Novel biologically based therapies for myeloma.
SO CANCER JOURNAL, (2001 Jul-Aug) 7 Suppl 1 S19-23. Ref: 31
Journal code: 100931981. ISSN: 1528-9117.

L44 ANSWER 28 OF 75 CAPLUS COPYRIGHT 2002 ACS
TI Polynucleotides (cDNA) and polypeptides of human ubiquitin
conjugating
enzyme (E2)-associated protein Ring C1, sequences, and biol. and
therapeutic uses thereof
SO PCT Int. Appl., 33 pp.
CODEN: PIXXD2

L44 ANSWER 29 OF 75 MEDLINE DUPLICATE 19
TI The mitochondrial permeability transition augments Fas-induced
apoptosis
in mouse hepatocytes.

SO JOURNAL OF BIOLOGICAL CHEMISTRY, (2000 Apr 21) 275 (16) 11814-23.

Journal code: 2985121R. ISSN: 0021-9258.

L44 ANSWER 30 OF 75 MEDLINE DUPLICATE 20
TI Recombinant adenovirus induces maturation of dendritic cells via an NF-kappaB-dependent pathway.

SO JOURNAL OF VIROLOGY, (2000 Oct) 74 (20) 9617-28.

Journal code: 0113724. ISSN: 0022-538X.

L44 ANSWER 31 OF 75 MEDLINE DUPLICATE 21
TI Transcriptional regulation of the major histocompatibility complex (MHC)

class I heavy chain, TAP1 and LMP2 genes by the human papillomavirus (HPV) type 6b, 16 and 18 E7 oncoproteins.

SO ONCOGENE, (2000 Oct 5) 19 (42) 4930-5.

Journal code: 8711562. ISSN: 0950-9232.

L44 ANSWER 32 OF 75 MEDLINE DUPLICATE 22
TI Regulation of the 26S proteasome by adenovirus E1A.

SO EMBO JOURNAL, (2000 Sep 1) 19 (17) 4759-73.

Journal code: 8208664. ISSN: 0261-4189.

L44 ANSWER 33 OF 75 MEDLINE
TI MHC class I antigen processing of an adenovirus CTL epitope is linked to

the levels of immunoproteasomes in infected cells.

SO JOURNAL OF IMMUNOLOGY, (2000 May 1) 164 (9) 4500-6.

Journal code: 2985117R. ISSN: 0022-1767.

L44 ANSWER 34 OF 75 MEDLINE DUPLICATE 23
TI A rapamycin-sensitive pathway down-regulates insulin signaling via phosphorylation and proteasomal degradation of insulin receptor substrate-1.

SO MOLECULAR ENDOCRINOLOGY, (2000 Jun) 14 (6) 783-94.

Journal code: 8801431. ISSN: 0888-8809.

L44 ANSWER 35 OF 75 MEDLINE DUPLICATE 24
TI Protein kinase C-alpha is an upstream activator of the I kappa B kinase

complex in the TPA signal transduction pathway to NF-kappaB in U2OS cells.

SO CELLULAR SIGNALLING, (2000 Dec) 12 (11-12) 759-68.

Journal code: 8904683. ISSN: 0898-6568.

L44 ANSWER 36 OF 75 MEDLINE DUPLICATE 25
TI Consequences of disruption of the interaction between p53 and the larger

adenovirus early region 1B protein in adenovirus E1 transformed human cells.

SO ONCOGENE, (2000 Jan 20) 19 (3) 452-62.

Journal code: 8711562. ISSN: 0950-9232.

L44 ANSWER 37 OF 75 MEDLINE DUPLICATE 26
TI Nitric oxide prevents p21 degradation with the ubiquitin-proteasome pathway in vascular smooth muscle cells.

SO JOURNAL OF VASCULAR SURGERY, (2000 Feb) 31 (2) 364-74.

Journal code: 8407742. ISSN: 0741-5214.

L44 ANSWER 38 OF 75 MEDLINE DUPLICATE 27
TI Bcl-2 intersects the NFkappaB signalling pathway and suppresses apoptosis

in ventricular myocytes.

SO CLINICAL AND INVESTIGATIVE MEDICINE. MEDECINE CLINIQUE ET EXPERIMENTALE, (2000 Oct) 23 (5) 322-30.

Journal code: 7804071. ISSN: 0147-958X.

L44 ANSWER 39 OF 75 MEDLINE DUPLICATE 28
TI NF-kappaB activation is related to the resistance of lung cancer cells to

TNF-alpha-induced apoptosis.

SO BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, (2000 Jun 24) 273 (1) 140-6.

Journal code: 0372516. ISSN: 0006-291X.

L44 ANSWER 40 OF 75 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI The proteasome inhibitor PI31 affects antigen processing and is induced by adenovirus infection.

SO Immunobiology, (November, 2000) Vol. 203, No. 1-2, pp. 57-58. print.

Meeting Info.: Joint Annual Meeting of the German and Dutch Societies of

Immunology Dusseldorf, Germany November 29-December 02, 2000 ISSN: 0171-2985.

L44 ANSWER 41 OF 75 CAPLUS COPYRIGHT 2002 ACS
TI Peptides of frameshift mutants of .beta.-amyloid precursor protein and

ubiquitin-B and their therapeutic use in Alzheimer's disease and Down's syndrome

SO PCT Int. Appl., 33 pp.

CODEN: PIXXD2

L44 ANSWER 42 OF 75 MEDLINE DUPLICATE 29
TI Mechanisms of hypoxia-induced endothelial cell death. Role of p53 in

apoptosis.

SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1999 Mar 19) 274 (12) 8039-45.

Journal code: 2985121R. ISSN: 0021-9258.

L44 ANSWER 43 OF 75 MEDLINE DUPLICATE 30
TI Adenovirus-mediated overexpression of microsomal triglyceride transfer

protein (MTP): mechanistic studies on the role of MTP in apolipoprotein

B-100 biogenesis.

SO BIOCHEMISTRY, (1999 Jun 8) 38 (23) 7532-44.

Journal code: 0370623. ISSN: 0006-2960.

L44 ANSWER 44 OF 75 MEDLINE DUPLICATE 31
TI Viral immediate-early proteins abrogate the modification by SUMO-1 of PML

and Sp100 proteins, correlating with nuclear body disruption.

SO JOURNAL OF VIROLOGY, (1999 Jun) 73 (6) 5137-43.

Journal code: 0113724. ISSN: 0022-538X.

L44 ANSWER 45 OF 75 MEDLINE DUPLICATE 32
TI Cell cycle regulation of PML modification and ND10 composition.

SO JOURNAL OF CELL SCIENCE, (1999 Dec) 112 (Pt 24) 4581-8.

Journal code: 0052457. ISSN: 0021-9533.

L44 ANSWER 46 OF 75 MEDLINE DUPLICATE 33
TI Promoter specificity and stability control of the p53-related protein p73.

SO ONCOGENE, (1999 Jul 22) 18 (29) 4171-81.

Journal code: 8711562. ISSN: 0950-9232.

L44 ANSWER 47 OF 75 MEDLINE DUPLICATE 34
TI The adenovirus type 5 E1b 55K and E4 Orf3 proteins associate in infected

cells and affect ND10 components.

SO JOURNAL OF GENERAL VIROLOGY, (1999 Apr) 80 (Pt 4) 997-1008.

Journal code: 0077340. ISSN: 0022-1317.

L44 ANSWER 48 OF 75 MEDLINE DUPLICATE 35
TI Nuclear factor-kappa B regulates induction of apoptosis and inhibitor of

apoptosis protein-1 expression in vascular smooth muscle cells.

SO CIRCULATION RESEARCH, (1999 Apr 2) 84 (6) 668-77.

Journal code: 0047103. ISSN: 0009-7330.

L44 ANSWER 49 OF 75 MEDLINE DUPLICATE 36
TI **Adenovirus** early region 1A protein binds to mammalian SUG1-a regulatory component of the **proteasome**.
SO ONCOGENE, (1999 Jan 14) 18 (2) 449-58.
Journal code: 8711562. ISSN: 0950-9232.

L44 ANSWER 50 OF 75 MEDLINE DUPLICATE 37
TI Regulation and deregulation of E2F1 in postmitotic neurons differentiated from embryonal carcinoma P19 cells.
SO EXPERIMENTAL CELL RESEARCH, (1999 Sep 15) 251 (2) 442-51.
Journal code: 0373226. ISSN: 0014-4827.

L44 ANSWER 51 OF 75 MEDLINE DUPLICATE 38
TI Isolation and partial characterization of an antiviral, RC-183, from the edible mushroom *Rozites caperata*.
SO ANTIVIRAL RESEARCH, (1999 Sep) 43 (2) 67-78.
Journal code: 8109699. ISSN: 0166-3542.

L44 ANSWER 52 OF 75 CAPLUS COPYRIGHT 2002 ACS
TI Expression vectors with ubiquitin promoter and methods for in vivo expression of therapeutic polypeptides
SO PCT Int. Appl., 29 pp.
CODEN: PIXXD2

L44 ANSWER 53 OF 75 CAPLUS COPYRIGHT 2002 ACS
TI Antiviral *Rozites caperata* mushroom extracts containing a dodecapeptide covalently linked to ubiquitin
SO U.S., 10 pp.
CODEN: USXXAM

L44 ANSWER 54 OF 75 MEDLINE DUPLICATE 39
TI Bcl-2 activates the transcription factor Nfkapab through the degradation of the cytoplasmic inhibitor IkappaBalpha.
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1998 Sep 11) 273 (37) 23946-51.
Journal code: 2985121R. ISSN: 0021-9258.

L44 ANSWER 55 OF 75 MEDLINE DUPLICATE 40
TI Stabilization of p53 by **adenovirus** E1A occurs through its amino-terminal region by modification of the **ubiquitin-proteasome** pathway.
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1998 Aug 7) 273 (32) 20036-45.
Journal code: 2985121R. ISSN: 0021-9258.

L44 ANSWER 56 OF 75 MEDLINE DUPLICATE 41
TI NF-kappaB activation provides the potential link between inflammation and hyperplasia in the arthritic joint.
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1998 Nov 10) 95 (23) 13859-64.
Journal code: 7505876. ISSN: 0027-8424.

L44 ANSWER 57 OF 75 MEDLINE DUPLICATE 42
TI Inhibition of Nfkapab in activated rat hepatic stellate cells by proteasome inhibitors and an IkappaB super-repressor.
SO HEPATOLOGY, (1998 May) 27 (5) 1285-95.
Journal code: 8302946. ISSN: 0270-9139.

L44 ANSWER 58 OF 75 MEDLINE DUPLICATE 43
TI Role of NF-kappaB in immune and inflammatory responses in the gut.
SO GUT, (1998 Dec) 43 (6) 856-60. Ref: 76
Journal code: 2985108R. ISSN: 0017-5749.

L44 ANSWER 59 OF 75 MEDLINE

TI Nuclear domain 10, the site of DNA virus transcription and replication.

SO BIOESSAYS, (1998 Aug) 20 (8) 660-7. Ref: 63
Journal code: 8510851. ISSN: 0265-9247.

L44 ANSWER 60 OF 75 CAPLUS COPYRIGHT 2002 ACS
TI Human adenoviruses: evading detection by cytotoxic T lymphocytes
SO Seminars in Virology (1998), 8(5), 387-397
CODEN: SEVIEL; ISSN: 1044-5773

L44 ANSWER 61 OF 75 MEDLINE DUPLICATE 44
TI Reduced thermotolerance in aged cells results from a loss of an hsp72-mediated control of JNK signaling pathway.
SO CELL STRESS AND CHAPERONES, (1998 Dec) 3 (4) 265-71.
Journal code: 9610925. ISSN: 1355-8145.

L44 ANSWER 62 OF 75 MEDLINE DUPLICATE 45
TI p73beta, unlike p53, suppresses growth and induces apoptosis of human papillomavirus E6-expressing cancer cells.
SO INTERNATIONAL JOURNAL OF ONCOLOGY, (1998 Jul) 13 (1) 5-9.
Journal code: 9306042. ISSN: 1019-6439.

L44 ANSWER 63 OF 75 MEDLINE DUPLICATE 46
TI Differential regulation of the pocket domains of the retinoblastoma family proteins by the HPV16 E7 oncoprotein.
SO CELL GROWTH AND DIFFERENTIATION, (1997 Dec) 8 (12) 1277-86.
Journal code: 9100024. ISSN: 1044-9523.

L44 ANSWER 64 OF 75 MEDLINE DUPLICATE 47
TI Induction of **ubiquitin** conjugating enzyme activity for degradation of topoisomerase II alpha during **adenovirus** E1A-induced apoptosis.
SO BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, (1997 Oct 29) 239 (3) 823-9.
Journal code: 0372516. ISSN: 0006-291X.

L44 ANSWER 65 OF 75 MEDLINE DUPLICATE 48
TI mUBC9, a novel adenovirus E1A-interacting protein that complements a yeast cell cycle defect.
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1996 Oct 18) 271 (42) 25906-11.
Journal code: 2985121R. ISSN: 0021-9258.

L44 ANSWER 66 OF 75 MEDLINE DUPLICATE 49
TI Degradation of topoisomerase IIalpha during **adenovirus** E1A-induced apoptosis is mediated by the activation of the **ubiquitin** proteolysis system.
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1996 Oct 4) 271 (40) 24842-9.
Journal code: 2985121R. ISSN: 0021-9258.

L44 ANSWER 67 OF 75 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Degradation of E2F by the **ubiquitin-proteasome** pathway: Regulation by retinoblastoma family proteins and **adenovirus** transforming proteins.
SO Genes & Development, (1996) Vol. 10, No. 23, pp. 2961-2970. ISSN: 0890-9369.

L44 ANSWER 68 OF 75 MEDLINE DUPLICATE 50
TI Degradation of E2F by the **ubiquitin-proteasome** pathway: regulation by retinoblastoma family proteins and **adenovirus** transforming proteins.
SO GENES AND DEVELOPMENT, (1996 Dec 1) 10 (23) 2960-70.
Journal code: 8711660. ISSN: 0890-9369.

L44 ANSWER 69 OF 75 MEDLINE DUPLICATE 51
TI The SV40 large T antigen and adenovirus E1a oncoproteins interact

with
distinct isoforms of the transcriptional co-activator, p300.
SO EMBO JOURNAL, (1996 May 1) 15 (9) 2236-48.
Journal code: 8208664. ISSN: 0261-4189.

L44 ANSWER 70 OF 75 MEDLINE
TI Degradation of topoisomerase II alpha precedes nuclei degeneration during
adenovirus E1A-induced apoptosis and is mediated by the activation of the ubiquitin dependent proteolysis system.
SO NIPPON RINSHO. JAPANESE JOURNAL OF CLINICAL MEDICINE, (1996 Jul) 54 (7)
1828-35. Ref: 10
Journal code: 0420546. ISSN: 0047-1852.

L44 ANSWER 71 OF 75 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Degradation of topoisomerase II-alpha during adenovirus E1A-induced apoptosis is mediated by the activation of the ubiquitin proteolysis system.
SO Biochemical Society Transactions, (1996) Vol. 24, No. 4, pp. 565S.
Meeting Info.: 4th International Union of Biochemistry and Molecular Biology Conference Edinburgh, Scotland, UK July 14-17, 1996
ISSN: 0300-5127.

L44 ANSWER 72 OF 75 MEDLINE DUPLICATE 52
TI LMP-associated proteolytic activities and TAP-dependent peptide transport for class I MHC molecules are suppressed in cell lines transformed by the highly oncogenic adenovirus 12.
SO JOURNAL OF EXPERIMENTAL MEDICINE, (1996 Feb 1) 183 (2) 499-514.
Journal code: 2985109R. ISSN: 0022-1007.

L44 ANSWER 73 OF 75 MEDLINE DUPLICATE 53
TI Adenovirus E1A-induced apoptosis elicits a steep decrease in the topoisomerase II alpha level during the latent phase.
SO ONCOGENE, (1995 Feb 16) 10 (4) 651-62.
Journal code: 8711562. ISSN: 0950-9232.

L44 ANSWER 74 OF 75 MEDLINE
TI Cellular targets of the oncoproteins encoded by the cancer associated human papillomaviruses.
SO PRINCESS TAKAMATSU SYMPOSIA, (1991) 22 239-48. Ref: 56
Journal code: 9301172.

L44 ANSWER 75 OF 75 MEDLINE DUPLICATE 54
TI Gly-Gly-X, a novel consensus sequence for the proteolytic processing of viral and cellular proteins.
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1989 Jun 5) 264 (16) 9107-10.
Journal code: 2985121R. ISSN: 0021-9258.

=> d his

(FILE 'HOME' ENTERED AT 15:16:46 ON 16 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 15:17:03 ON 16 JUN 2002

E RAAV
L1 1040 S RAAV
L2 622 S RECOMBINANT AAV
L3 0 S ADENO!ASSOCIATED VIRUS
L4 5747 S ADENO-ASSOCIATED E ADENO-ASSOCIATED
L5 56882 S PROTEASE INHIBITOR E PROTEINASE INH
L6 30433 S PROTEINASE INHIBITOR

L7 81516 S L5 OR L6
L8 1 S L1(S)L6
L9 0 S L2(S)L6
L10 1 S L4(S)L6
L11 1 S L1 AND L6
L12 0 S L2 AND L6
L13 9 S L4 AND L6
L14 9 DUP REM L13 (0 DUPLICATES REMOVED)
L15 281838 S TRANSDUCTION
L16 324 S L7(S)L15
L17 677499 S ADENO?
L18 7 S L16 AND L17
L19 7 DUP REM L18 (0 DUPLICATES REMOVED)
L20 435 S L7(P)L15
L21 10 S L20 AND L17
L22 9 DUP REM L21 (1 DUPLICATE REMOVED)
L23 2 S L22 NOT L19
L24 454934 S (IMPROV? OR ENHANC? OR INCREAS? OR DECREASE? OR AUGMENT? OR PO
L25 1086 S L24(P)(L1 OR L2 OR L4)
L26 3 S L7 AND L25
L27 3 DUP REM L26 (0 DUPLICATES REMOVED)
L28 410 S L24(S)(L1 OR L2)
L29 1279 S RECOMBINANT ADENO-ASSOCIATED
L30 1809 S L1 OR L2 OR L29
L31 464 S L24(S)L30
L32 244 DUP REM L31 (220 DUPLICATES REMOVED)
L33 13739 S PROTEASOM?
L34 10 S L33 AND L30
L35 4 DUP REM L34 (6 DUPLICATES REMOVED)
L36 24 S UBIQUITIN?
L37 22463 S UBIQUITIN?
L38 7 S L37 AND L30
L39 3 DUP REM L38 (4 DUPLICATES REMOVED)
L40 69449 S ADENOVIR?
L41 30691 S L37 OR L33
L42 237 S L40 AND L41
L43 145 S L40(S)L41
L44 75 DUP REM L43 (70 DUPLICATES REMOVED)

=> log y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	246.08	246.29
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)		
SINCE FILE	TOTAL	
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-4.96	-4.96

STN INTERNATIONAL LOGOFF AT 16:40:14 ON 16 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Jan 25 BLAST(R) searching in REGISTRY available in STN on the Web
NEWS 3 Jan 29 FSTA has been reloaded and moves to weekly updates

NEWS 4 Feb 01 DKILIT now produced by FIZ Karlsruhe and has a new update

frequency

NEWS 5 Feb 19 Access via Tymnet and SprintNet Eliminated Effective 3/31/02

NEWS 6 Mar 08 Gene Names now available in BIOSIS

NEWS 7 Mar 22 TOXLIT no longer available

NEWS 8 Mar 22 TRCTHERMO no longer available

NEWS 9 Mar 28 US Provisional Priorities searched with P in CA/CAplus

and USPATFULL

NEWS 10 Mar 28 LIPINSKI/CALC added for property searching in REGISTRY

NEWS 11 Apr 02 PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead.

NEWS 12 Apr 08 "Ask CAS" for self-help around the clock

NEWS 13 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area

NEWS 14 Apr 09 ZDB will be removed from STN

NEWS 15 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB

NEWS 16 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS

NEWS 17 Apr 22 BIOSIS Gene Names now available in TOXCENTER

NEWS 18 Apr 22 Federal Research in Progress (FEDRIP) now available

NEWS 19 Jun 03 New e-mail delivery for search results now available

NEWS 20 Jun 10 MEDLINE Reload

NEWS 21 Jun 10 PCTFULL has been reloaded

NEWS EXPRESS February 1 CURRENT WINDOWS VERSION IS V6.0d,

CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),

AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS INTER General Internet Information

NEWS LOGIN Welcome Banner and News Items

NEWS PHONE Direct Dial and Telecommunication Network Access to STN

NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 10:18:18 ON 18 JUN 2002

=> file registry

COST IN U.S. DOLLARS	ENTRY	SINCE FILE	TOTAL
	SESSION		
FULL ESTIMATED COST	0.21		0.21

FILE 'REGISTRY' ENTERED AT 10:18:28 ON 18 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 16 JUN 2002 HIGHEST RN 431035-49-3

DICTIONARY FILE UPDATES: 16 JUN 2002 HIGHEST RN

431035-49-3

TSCA INFORMATION NOW CURRENT THROUGH January 7, 2002

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> E "N-CARBOBENZOXYL-L-LEUCINYL-L-LEUCINYL-L-NORVALINAL"/CN 25
E1 1 N-CARBOBENZOXYSARCOSE/CN
E2 1 N-CARBOBENZOXYL-L-DOPA/CN
E3 0 --> N-CARBOBENZOXYL-L-LEUCINYL-L-LEUCINYL-L-NORVALINAL/CN
E4 1 N-CARBOBENZOXYLEUCINE-P-NITROPHENYL ESTER/CN
E5 1 N-CARBOBENZOXYNORVALINE P-NITROPHENYL ESTER/CN
E6 1 N-CARBOBENZOXYPOLYPROLINE/CN
E7 1 N-CARBOBENZOXYPOLYLLAUCINE/CN
E8 1 N-CARBOBENZOXYPOLYLLAUCYLGLYCYLGLYCINE AMIDE/CN
E9 1 N-CARBOBENZOXYPYROGLUTAMIC ACID/CN
E10 1 N-CARBOBENZOXYSARCOSE/CN
E11 1 N-CARBOBENZOXYPYROSINE/CN
E12 1 N-CARBOBENZOXYPYRROLIDINE/CN
E13 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E14 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E15 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E16 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E17 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E18 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E19 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E20 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E21 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E22 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E23 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E24 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN
E25 1 N-CARBOBENZOXYPYRROLIDINE P-NITROPHENYL ESTER/CN

=> E "Z-LLL"/CN 25

E1 1 Z-LIGHT SPHERES W 1300/CN
E2 1 Z-LIGHT SPHERES W 1800/CN
E3 0 --> Z-LLL/CN
E4 1 Z-LYCOPENE/CN
E5 1 Z-LYS(BOC)-GLY-PHE-PHE-OME/CN
E6 1 Z-LYS(BOC)-NME2/CN
E7 1 Z-LYS(BOC)-OH/CN
E8 1 Z-LYS(Z)-LYS(Z)-LYS(Z)-LEU-ARG(NO2)-GLY-ARG(NO2)-PRO-PRO-OBZL/CN
E9 1 Z-MAX MA/CN
E10 1 Z-METHYL 2-AMINO-5-(2,4-DIFLUOROPHENYL)-5-(4,4-BIPHENYL)-4-PENTENOATE/CN
E11 1 Z-METHYL 2-AMINO-5-(2,4-DIFLUOROPHENYL)-5-(4-ISOPROPYLPHENYL)-4-PENTENOATE/CN
E12 1 Z-METHYL 3-HEXENOATE/CN
E13 1 Z-METHYL O-METHYLMULTICOLANATE/CN
E14 1 Z-METHYL PROP-1-ENYL ETHER/CN

E15 1 Z-METHYL STYRYL SULFOXIDE/CN
 E16 1 Z-N,N-DIETHYL-9-OCTADECENAMIDE/CN
 E17 1 Z-N,N-DIMETHYL-P-METHOXYTHIOGINNAMAMIDE/CN
 E18 1 Z-N,N-DIMETHYL-P-TRIFLUOROMETHYLTHIOGINNAMAMIDE/CN
 E19 1 Z-N,N-DIMETHYLTHIOGINNAMAMIDE/CN
 E20 1 Z-N-FERULOYLTYRAMINE/CN
 E21 1 Z-NOUVE/CN
 E22 1 Z-O-BENZYL-TYROSINE-ISOLEUCINE-GLUTAMINE-ASPARAGINE-S-BENZYL-CYSTEINE-PROLINE-LEUCINE-GLYCINE-NH2/CN
 E23 1 Z-O-METHYLBENZOHYDROXYMOYL CYANIDE/CN
 E24 1 Z-O-TERT-BUTYL-TYR.-BETA.-TERT-BUTYL-ASP-ALA-GLY METHYL ESTER/CN
 E25 1 Z-O-TERT-BUTYL-TYR.-BETA.-TERT-BUTYL-ASP-ALA-GLY PENTACHLOROPHENYL ESTER/CN

=> E "N-CARBOBENZOXYL-L-LEUCINYL-L-LEUCINYL-L-NORVALINAL"/CN 25

E1 1 N-CARBOBENZOXYSARCOINIC ACID/CN
 E2 1 N-CARBOBENZOXYL-L-DOPA/CN
 E3 0 --> N-CARBOBENZOXYL-L-LEUCINYL-L-LEUCINYL-L-NORVALINAL/CN
 E4 1 N-CARBOBENZOXYLEUCINE-P-NITROPHENYL ESTER/CN
 E5 1 N-CARBOBENZOXYNORVALINE P-NITROPHENYL ESTER/CN
 E6 1 N-CARBOBENZOXYPROLINE/CN
 E7 1 N-CARBOBENZOXYPOLYLLEUCINE/CN
 E8 1 N-CARBOBENZOXYPOLYLLEUCYLGLYCYLGLYCINE AMIDE/CN
 E9 1 N-CARBOBENZOXYPYROGLUTAMIC ACID/CN
 E10 1 N-CARBOBENZOXYSARCOSINE/CN
 E11 1 N-CARBOBENZOXYTYSOSINE/CN
 E12 1 N-CARBOBENZOXYVALINE/CN
 E13 1 N-CARBOBENZOXYVALINE P-NITROPHENYL ESTER/CN
 E14 1 N-CARBOBENZOYL-L-TRYPTOPHYLGLYCYLGLYCINE/CN
 E15 1 N-CARBOBENZYOXY-.ALPHA.-BENZYL-.GAMMA.-(P-NITROPHENYL)-L-GLUTAMATE/CN
 E16 1 N-CARBOBENZYOXY-.BETA.-ALANINE/CN
 E17 1 N-CARBOBENZYOXY-.GAMMA.-AMINOBUTYRIC ACID/CN
 E18 1 N-CARBOBENZYOXY-.GAMMA.-METHYL-L-GLUTAMATE/CN
 E19 1 N-CARBOBENZYOXY-.GAMMA.-METHYL-L-GLUTAMATE-.ALPHA.-PENTACHLOROPHENYL ESTER/CN
 E20 1 N-CARBOBENZYOXY-1,3-DIAMINOPROPANE HYDROCHLORIDE/CN
 E21 1 N-CARBOBENZYOXY-3,5-DIHYDROXYTYROSINE/CN
 E22 1 N-CARBOBENZYOXY-4-BENZYL-DOPAMINE/CN
 E23 1 N-CARBOBENZYOXY-4-PIPERIDONE/CN
 E24 1 N-CARBOBENZYOXY-D-ALANINE/CN
 E25 1 N-CARBOBENZYOXY-D-CYCLOSERINE/CN

=> E 25

E26 1 N-CARBOBENZYOXY-D-GLUCOSAMINE/CN
 E27 1 N-CARBOBENZYOXY-D-LEUCINE/CN
 E28 1 N-CARBOBENZYOXY-D-METHIONINE/CN
 E29 1 N-CARBOBENZYOXY-D-NORVALINE/CN
 E30 1 N-CARBOBENZYOXY-D-PHENYLALANINE/CN
 E31 1 N-CARBOBENZYOXY-D-PHENYLGLYCINE/CN
 E32 1 N-CARBOBENZYOXY-D-PROLINE/CN
 E33 1 N-CARBOBENZYOXY-D-SERINE/CN
 E34 1 N-CARBOBENZYOXY-D-TRYPTOPHAN/CN
 E35 1 N-CARBOBENZYOXY-D-TYROSINE/CN
 E36 1 N-CARBOBENZYOXY-D-VALINE/CN
 E37 1 N-CARBOBENZYOXY-DL-ALANINE/CN
 E38 1 N-CARBOBENZYOXY-DL-METHIONINE/CN
 E39 1 N-CARBOBENZYOXY-DL-NORVALINE/CN

E40 1 N-CARBOBENZYOXY-DL-SERINE/CN
 E41 1 N-CARBOBENZYOXY-DL-TRYPTOPHAN/CN
 E42 1 N-CARBOBENZYOXY-DL-VALINE/CN
 E43 1 N-CARBOBENZYOXY-L-ALANINE/CN
 E44 1 N-CARBOBENZYOXY-L-ALANYL-L-PHENYLALANINE/CN
 E45 1 N-CARBOBENZYOXY-L-ARGININE HYDROBROMIDE/CN
 E46 1 N-CARBOBENZYOXY-L-GLUTAMIC ACID .GAMMA.-BENZYL ESTER/CN
 E47 1 N-CARBOBENZYOXY-L-HISTIDYL-L-PHENYLALANINE/CN
 E48 1 N-CARBOBENZYOXY-L-ISOLEUCINE/CN
 E49 1 N-CARBOBENZYOXY-L-ISOLEUCYL-L-PHENYLALANINE/CN
 E50 1 N-CARBOBENZYOXY-L-LEUCINE/CN

=> log hold

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		2.66	2.87

SESSION WILL BE HELD FOR 60 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED AT 10:22:54 ON 18 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:

***** RECONNECTED TO STN INTERNATIONAL *****
 SESSION RESUMED IN FILE 'REGISTRY' AT 10:31:20 ON 18 JUN 2002
 FILE 'REGISTRY' ENTERED AT 10:31:20 ON 18 JUN 2002
 COPYRIGHT (C) 2002 American Chemical Society (ACS)

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		3.04	3.25

=> file medline biosis caplus

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		3.42	3.63

FILE 'MEDLINE' ENTERED AT 10:31:38 ON 18 JUN 2002

FILE 'BIOSIS' ENTERED AT 10:31:38 ON 18 JUN 2002
 COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'CAPLUS' ENTERED AT 10:31:38 ON 18 JUN 2002
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

=> s z-III

L1 20 Z-LLL

=> dup rem l1

PROCESSING COMPLETED FOR L1
 L2 8 DUP REM L1 (12 DUPLICATES REMOVED)

=> d ti so 1-8

L2 ANSWER 1 OF 8 MEDLINE DUPLICATE 1
 TI Activation of the MEK/MAPK pathway is involved in bryostatin1-induced
 monocytic differentiation and up-regulation of X-linked inhibitor of

apoptosis protein.
SO EXPERIMENTAL CELL RESEARCH, (2002 Jan 15) 272 (2) 192-8.

Journal code: 0373226. ISSN: 0014-4827.

L2 ANSWER 2 OF 8 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Proteokinain A novel 300 kDa ATP-dependent protease is distinct from the proteasome but has two partial proteasome-like activities.
SO FASEB Journal, (March 7, 2001) Vol. 15, No. 4, pp. A24. print.
Meeting Info.: Annual Meeting of the Federation of American Societies for Experimental Biology on Experimental Biology 2001 Orlando, Florida, USA
March 31-April 04, 2001
ISSN: 0892-6638.

L2 ANSWER 3 OF 8 MEDLINE DUPLICATE 2
TI Human THP-1 monocytic leukemic cells induced to undergo monocytic differentiation by bryostatin 1 are refractory to proteasome inhibitor-induced apoptosis.
SO CANCER RESEARCH, (2000 Aug 15) 60 (16) 4377-85.
Journal code: 2984705R. ISSN: 0008-5472.

L2 ANSWER 4 OF 8 MEDLINE DUPLICATE 3
TI Inhibition of ubiquitin-proteasome pathway activates a caspase-3-like protease and induces Bcl-2 cleavage in human M-07e leukaemic cells.
SO BIOCHEMICAL JOURNAL, (1999 May 15) 340 (Pt 1) 127-33.
Journal code: 2984726R. ISSN: 0264-6021.

L2 ANSWER 5 OF 8 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Inhibition of ubiquitin-proteasome pathway activates caspase-3 (CPP32) and induces BCL-2 cleavage in human M-07E leukemic cells.
SO Blood, (Nov. 15, 1998) Vol. 92, No. 10 SUPPL. 1 PART 1-2, pp. 375A.
Meeting Info.: 40th Annual Meeting of the American Society of Hematology
Miami Beach, Florida, USA December 4-8, 1998 The American Society of Hematology
ISSN: 0006-4971.

L2 ANSWER 6 OF 8 MEDLINE DUPLICATE 4
TI The antitumor drug aclacinomycin A, which inhibits the degradation of ubiquitinated proteins, shows selectivity for the chymotrypsin-like activity of the bovine pituitary 20 S proteasome.
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1996 Jul 12) 271 (28) 16455-9.
Journal code: 2985121R. ISSN: 0021-9258.

L2 ANSWER 7 OF 8 MEDLINE DUPLICATE 5
TI Permanent occupancy of the human immunodeficiency virus type 1 enhancer by NF-kappa B is needed for persistent viral replication in monocytes.
SO JOURNAL OF VIROLOGY, (1996 May) 70 (5) 2930-8.
Journal code: 0113724. ISSN: 0022-538X.

L2 ANSWER 8 OF 8 MEDLINE DUPLICATE 6
TI Enhancement of CPP32-like activity in the TNF-treated U937 cells by the proteasome inhibitors.
SO BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, (1996 Jul 5) 224 (1) 74-9.
Journal code: 0372516. ISSN: 0006-291X.

=> d ibib ab 6

L2 ANSWER 6 OF 8 MEDLINE DUPLICATE 4
ACCESSION NUMBER: 96279205 MEDLINE
DOCUMENT NUMBER: 96279205 PubMed ID: 8663210
TITLE: The antitumor drug aclacinomycin A, which inhibits the degradation of ubiquitinated proteins, shows selectivity for the chymotrypsin-like activity of the bovine pituitary 20 S proteasome.

COMMENT: Erratum in: J Biol Chem 1996 Sep 20;271(38):23602
AUTHOR: Figueiredo-Pereira M E; Chen W E; Li J; Johdo O
CORPORATE SOURCE: Department of Pharmacology, Mount Sinai School of Medicine
of City University of New York, New York, New York 10029, USA.

CONTRACT NUMBER: NS-29936 (NINDS)
SOURCE: JOURNAL OF BIOLOGICAL CHEMISTRY, (1996 Jul 12) 271 (28) 16455-9.
Journal code: 2985121R. ISSN: 0021-9258.
PUB. COUNTRY: United States
Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199608
ENTRY DATE: Entered STN: 19960911
Last Updated on STN: 20000303
Entered Medline: 19960829

AB The antitumor drug aclacinomycin A was previously shown to inhibit the degradation of ubiquitinated proteins in rabbit reticulocyte lysates with an IC50 of 52 &mgr;M (Isoe, T., Naito, M., Shirai, A., Hirai, R., and Tsuruo, T. (1992) Biochim. Biophys. Acta 1117, 131-135). We report here that from all the catalytic activities of the 20 S proteasome tested, the chymotrypsin-like activity was the only one affected by the antitumor drug. An important requirement for inhibition of the chymotrypsin-like activity seemed to be the presence of hydrophobic nonpolar residues in positions P1 to P3. Degradation of Z-E(OtBu)AL-pNA and Z-LLL-AMC at pH 7.5 was dramatically (87-98%) inhibited by 50 microM of the drug, while that of Z-GGL-pNA (containing uncharged polar residues in positions P2 and P3) and succinyl-LLVY-AMC (containing an uncharged polar residue in the P1 position) was inhibited only 11 and 24%, respectively. Aclacinomycin A had no effect on cathepsin B, stimulated trypsin, and inhibited chymotrypsin and, to a lesser extent, calpain. The aglycone and sugar moieties of the cytotoxic drug are essential for inhibition. The results presented here support a major role for the chymotrypsin-like activity in the degradation of ubiquitinated proteins. Aclacinomycin A is the first described non-peptidic inhibitor showing discrete selectivity for the chymotrypsin-like activity of the 20 S proteasome.

=> d 6 all

L2 ANSWER 6 OF 8 MEDLINE DUPLICATE 4
AN 96279205 MEDLINE
DN 96279205 PubMed ID: 8663210
TI The antitumor drug aclacinomycin A, which inhibits the degradation of ubiquitinated proteins, shows selectivity for the chymotrypsin-like activity of the bovine pituitary 20 S proteasome.

CM Erratum in: J Biol Chem 1996 Sep 20;271(38):23602
 AU Figueiredo-Pereira M E; Chen W E; Li J; Johdo O
 CS Department of Pharmacology, Mount Sinai School of Medicine of City
 University of New York, New York, New York 10029, USA.
 NC NS-29936 (NINDS)
 SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1996 Jul 12) 271 (28) 16455-9.
 Journal code: 2985121R. ISSN: 0021-9258.
 CY United States
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Priority Journals
 EM 199608
 ED Entered STN: 19960911
 Last Updated on STN: 20000303
 Entered Medline: 19960829
 AB The antitumor drug aclacinomycin A was previously shown to inhibit the degradation of ubiquitinated proteins in rabbit reticulocyte lysates with an IC50 of 52 &mgr;M (Isoe, T., Naito, M., Shirai, A., Hirai, R., and Tsuruo, T.(1992) Biochim. Biophys. Acta 1117, 131-135). We report here that from all the catalytic activities of the 20 S proteasome tested, the chymotrypsin-like activity was the only one affected by the antitumor drug. An important requirement for inhibition of the chymotrypsin-like activity seemed to be the presence of hydrophobic nonpolar residues in positions P1 to P3. Degradation of Z-E(OtBu)AL-pNA and Z-LLL-AMC at pH 7.5 was dramatically (87-98%) inhibited by 50 microM of the drug, while that of Z-GGL-pNA (containing uncharged polar residues in positions P2 and P3) and succinyl-LLVY-AMC (containing an uncharged polar residue in the P1 position) was inhibited only 11 and 24%, respectively. Aclacinomycin A had no effect on cathepsin B, stimulated trypsin, and inhibited chymotrypsin and, to a lesser extent, calpain. The aglycone and sugar moieties of the cytotoxic drug are essential for inhibition. The results presented here support a major role for the chymotrypsin-like activity in the degradation of ubiquitinated proteins. Aclacinomycin A is the first described non-peptidic inhibitor showing discrete selectivity for the chymotrypsin-like activity of the 20 S proteasome.
 CT Check Tags: Animal; Support, U.S. Gov't, P.H.S.
 Aclarubicin: CH, chemistry
 *Aclarubicin: PD, pharmacology
 Antibiotics, Anthracycline: CH, chemistry
 *Antibiotics, Anthracycline: PD, pharmacology
 Catalysis
 Cattle
 *Chymotrypsin: AI, antagonists & inhibitors
 Chymotrypsin: ME, metabolism
 *Cysteine Endopeptidases: DE, drug effects
 Cysteine Endopeptidases: ME, metabolism
 Hydrolysis
 Molecular Structure
 *Multienzyme Complexes: DE, drug effects
 Multienzyme Complexes: ME, metabolism
 *Pituitary Gland: EN, enzymology
 *Proteins: ME, metabolism
 Ubiquitins: ME, metabolism
 RN 57576-44-0 (Aclarubicin)
 CN 0 (Antibiotics, Anthracycline); 0 (Multienzyme Complexes); 0 (Proteins); 0 (Ubiquitins); EC 3.4.21.1 (Chymotrypsin); EC 3.4.22 (Cysteine Endopeptidases); EC 3.4.99.46 (multicatalytic endopeptidase complex)

=> file caplus
 COST IN U.S. DOLLARS
 ENTRY SINCE FILE TOTAL
 FULL ESTIMATED COST 10.37 14.00

FILE 'CAPLUS' ENTERED AT 10:34:55 ON 18 JUN 2002
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Jun 2002 VOL 136 ISS 25
 FILE LAST UPDATED: 16 Jun 2002 (20020616/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> s z-lll
 317877 Z
 620 LLL
 4 LLLS
 620 LLL
 (LLL OR LLLS)
 L3 6 Z-LLL
 (Z(W)LLL)

=> d 1-6 all

L3 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2002 ACS
 AN 2002:8014 CAPLUS
 DN 136:260440
 TI Activation of the MEK/MAPK Pathway Is Involved in Bryostatin I - Induced Monocytic Differentiation and Up-regulation of X-Linked Inhibitor of Apoptosis Protein
 AU Lin, Hong; Chen, Catheryne; Li, Xiaohua; Chen, Ben D.
 CS Division of Hematology-Oncology, Barbara Ann Karmanos Cancer Institute, Wayne State University School of Medicine, Detroit, MI, 48201, USA
 SO Experimental Cell Research (2002), 272(2), 192-198
 CODEN: ECREAL; ISSN: 0014-4827
 PB Academic Press
 DT Journal
 LA English
 CC 13-6 (Mammalian Biochemistry)
 AB Induction of monocytic differentiation by bryostatin I (bryo1) conferred on THP-1 leukemia cells the ability to resist Z-LLL-CHO-induced apoptosis. The mechanism of resistance developed during this process was investigated. Apoptosis resistance was assocd. with an enhanced expression of X-linked inhibitor of apoptosis protein (XIAP), an

endogenous caspase inhibitor, in differentiated THP-1 cells. Bryo1 also increased the level of c-IAP-1, yet decreased the level of c-IAP-2 in THP-1 cells, indicating that distinct regulatory mechanisms are operative.

In addn., treatment of THP-1 cells with bryo1 induced a rapid and sustained activation of MEK, prior to the upregulation of XIAP and monocytic differentiation. Pretreatment of THP-1 cells with MEK inhibitors (U0126 and PD98059) prior to bryo1 induction blocked the expression of both XIAP and the c-fms product (M-CSF receptor), a hallmark of monocytic differentiation, but not Bcl-2. In addn., the expression of XIAP in bryo1-treated cells was inhibited by CAPE, a NF- κ B-specific inhibitor, indicating that its expression is under the transcriptional regulation of NF- κ B downstream of the MEK/MAPK pathway. The importance of XIAP in mediating apoptosis resistance was illustrated in cells transiently transfected with XIAP, which conferred on THP-1 cells the ability to resist Z-LLL-CHO-induced apoptosis.

These findings suggest that the expression of XIAP is linked to monocytic differentiation in bryo1-treated THP-1 cells and represents one of the potential antiapoptotic mechanisms acquired during this process. (c) 2002 Academic Press.

ST bryostatin MEK NF κ B XIAP monocyte differentiation apoptosis

IT Proteins

RL: BSU (Biological study, unclassified); BIOL (Biological study) (I. κ B- α . (NF- κ B inhibitor . α .); activation of MEK/MAPK pathway is involved in bryostatin1-induced monocytic differentiation and NF- κ B-dependent up-regulation of X-linked inhibitor of apoptosis protein)

IT Transcription factors

RL: BSU (Biological study, unclassified); BIOL (Biological study) (NF- κ B (nuclear factor . κ B); activation of MEK/MAPK pathway is involved in bryostatin1-induced monocytic differentiation and NF- κ B-dependent up-regulation of X-linked inhibitor of apoptosis protein)

IT Proteins

RL: BSU (Biological study, unclassified); BIOL (Biological study) (XIAP; activation of MEK/MAPK pathway is involved in bryostatin1-induced monocytic differentiation and NF- κ B-dependent up-regulation of X-linked inhibitor of apoptosis protein)

IT Apoptosis

Cell differentiation

Human

Monocyte

Transcriptional regulation

(activation of MEK/MAPK pathway is involved in bryostatin1-induced monocytic differentiation and NF- κ B-dependent up-regulation of X-linked inhibitor of apoptosis protein)

IT Proteins

RL: BSU (Biological study, unclassified); BIOL (Biological study) (cIAP1; activation of MEK/MAPK pathway is involved in bryostatin1-induced monocytic differentiation and NF- κ B-dependent up-regulation of X-linked inhibitor of apoptosis protein)

IT Proteins

RL: BSU (Biological study, unclassified); BIOL (Biological study) (cIAP2; activation of MEK/MAPK pathway is involved in bryostatin1-induced monocytic differentiation and NF- κ B-dependent

up-regulation of X-linked inhibitor of apoptosis protein)

IT 142805-58-1, MEK kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study) (activation of MEK/MAPK pathway is involved in bryostatin1-induced monocytic differentiation and NF- κ B-dependent up-regulation of X-linked inhibitor of apoptosis protein)

IT 83314-01-6, Bryostatin1

RL: BSU (Biological study, unclassified); BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (activation of MEK/MAPK pathway is involved in bryostatin1-induced monocytic differentiation and NF- κ B-dependent up-regulation of X-linked inhibitor of apoptosis protein)

RE.CNT 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Aikawa, R; J Clin Invest 1997, V100, P1813 CAPLUS
- (2) Ambrosini, G; Nature Med 1997, V3, P917 CAPLUS
- (3) Andrews, N; Nucleic Acids Res 1991, V19, P2499 CAPLUS
- (4) Brunet, A; Cell 1999, V96, P857 CAPLUS
- (5) Chen, C; Biochem Biophys Res Commun 2000, V270, P816 CAPLUS
- (6) Chen, C; Cancer Res 2000, V60, P4377 CAPLUS
- (7) Clem, R; Mol Cell Biol 1994, V14, P5212 CAPLUS
- (8) Deveraux, Q; EMBO J 1998, V17, P2215 CAPLUS
- (9) Deveraux, Q; Genes Dev 1999, V13, P239 CAPLUS
- (10) Deveraux, Q; Nature 1997, V388, P300 MEDLINE
- (11) Hida, A; Immunology 2000, V99, P553 CAPLUS
- (12) Kitada, S; Br J Haematol 1999, V106, P995 CAPLUS
- (13) Li, Y; Leukocyte Res 1997, V21, P391 CAPLUS
- (14) Li, Y; Leukocyte Res 1997, V21, P539 CAPLUS
- (15) Lin, H; Biochem J 2001, V353, P299 CAPLUS
- (16) Liston, P; Nature 1996, V379, P349 CAPLUS
- (17) Miyashita, T; Blood 1993, V81, P151 CAPLUS
- (18) Pae, H; Immunopharmacol Immunotoxicol 2000, V22, P61 CAPLUS
- (19) Parrizas, M; J Biol Chem 1997, V272, P154 CAPLUS
- (20) Perera, L; Proc Natl Acad Sci USA 1998, V95, P14308 CAPLUS
- (21) Pettit, G; J Am Chem Soc 1982, V104, P6846 CAPLUS
- (22) Pettit, G; Prog Chem Organic Natural Products 1991, V57, P153 CAPLUS
- (23) Roy, N; EMBO J 1997, V16, P6914 CAPLUS
- (24) Shirakawa, F; Mol Cell Biol 1989, V9, P2424 CAPLUS
- (25) Steffan, N; J Immunol 1995, V155, P4685 CAPLUS
- (26) Stehlik, C; J Exp Med 1998, V188, P211 CAPLUS
- (27) Tsuchiya, S; Int J Cancer 1980, V26, P171 MEDLINE
- (28) Van Antwerp, D; Science 1996, V274, P787 CAPLUS
- (29) Wagenknecht, B; Cell Death Differ 1999, V6, P370 CAPLUS
- (30) Widman, C; J Biol Chem 1998, V273, P7141
- (31) Wilson, B; Mol Cell Biol 1996, V16, P5546 CAPLUS
- (32) Xia, Z; Science 1995, V270, P1326 CAPLUS
- (33) Xu, D; J Neurosci 1999, V19, P5026 CAPLUS
- (34) Zhang, X; Biochem J 1999, V340, P127 CAPLUS
- (35) Zhuang, S; FEBS Lett 1998, V437, P158 CAPLUS

L3 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2002 ACS
AN 2000:642189 CAPLUS
DN 133:290788

TI Human THP-1 monocytic leukemic cells induced to undergo monocytic

differentiation by bryostatin 1 are refractory to proteasome inhibitor-induced apoptosis

AU Chen, Catheryne; Lin, Hong; Karanes, Chachata; Pettit, George R.; Chen, Ben D.

CS Division of Hematology-Oncology, Barbara Ann Karmanos Cancer Institute, Wayne State University School of Medicine, Detroit, MI, 48201, USA

SO Cancer Research (2000), 60(16), 4377-4385
CODEN: CNREA8; ISSN: 0008-5472

PB American Association for Cancer Research

DT Journal

LA English

CC 1-6 (Pharmacology)

Section cross-reference(s): 14

AB The ubiquitin-proteasome pathway is the principal mechanism for the degrdn. of short-lived proteins in eukaryotic cells. We demonstrated that treatment of THP-1 human monocytic leukemia cells with Z-LLL-CHO6, a reversible proteasome inhibitor, induced cell death through an apoptotic pathway. Apoptosis in THP-1 cells induced by Z-LLL-CHO involved a cytochrome c-dependent pathway, which included the release of mitochondrial cytochrome c, activation of caspase-9 and -3, and cleavage of Bcl-2 into a shortened 22-kDa fragment.

Induction of apoptosis by protease inhibitor also was detected in U937 and

TF-1 leukemia cell lines and cells obtained from acute myelogenous leukemia patients but not in normal human blood monocytes.

Treatment of

human blood monocytes with Z-LLL-CHO did not induce apoptosis or Bcl-2 cleavage in these cells that rarely proliferate. Interestingly, when THP-1 cells were induced to undergo monocytic differentiation by bryostatin 1, a naturally occurring protein kinase C activator, they were no longer susceptible to apoptosis induced by Z-LLL-CHO. Bryostatin 1-induced differentiation of THP-1 cells was assocd. with growth arrest, acquisition of adherent capacity, and expression of membrane markers characteristic of

blood monocytes. Likewise, differentiated THP-1 cells were refractory to Z-LLL-CHO-induced cytochrome c release, caspase activation, and Bcl-2 cleavage. Resistance to Z-LLL-CHO-induced apoptosis in differentiated THP-1 cells was not due to cell

cycle arrest. These findings show that the action of proteasome inhibitors is mediated primarily through a cytochrome c-dependent pathway

and induces apoptosis in leukemic cells that are not differentiated.

ST protease inhibitor apoptosis leukemia antitumor resistance; caspase cytochrome Bcl2 leukemia protease inhibitor

IT Drug resistance

(antitumor; human THP-1 monocytic leukemic cells induced to undergo

monocytic differentiation by bryostatin 1 are refractory to proteasome inhibitor-induced apoptosis)

IT Proteins, specific or class

RL: BPR (Biological process); BSU (Biological study, unclassified);

BIOL

(Biological study); PROC (Process)

(bcl-2; human THP-1 monocytic leukemic cells induced to undergo monocytic differentiation by bryostatin 1 are refractory to

proteasome inhibitor-induced apoptosis)

IT Apoptosis

Cell differentiation

(human THP-1 monocytic leukemic cells induced to undergo

monocytic

differentiation by bryostatin 1 are refractory to proteasome inhibitor-induced apoptosis)

IT Antitumor agents

(leukemia; human THP-1 monocytic leukemic cells induced to undergo

monocytic differentiation by bryostatin 1 are refractory to proteasome

inhibitor-induced apoptosis)

IT Antitumor agents

(resistance to; human THP-1 monocytic leukemic cells induced to undergo

monocytic differentiation by bryostatin 1 are refractory to proteasome

inhibitor-induced apoptosis)

IT 133407-82-6

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(human THP-1 monocytic leukemic cells induced to undergo monocytic

differentiation by bryostatin 1 are refractory to proteasome inhibitor-induced apoptosis)

IT 9007-43-6, Cytochrome c, biological studies 169592-56-7, Caspase-3

180189-96-2, Caspase-9

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL

(Biological study); PROC (Process)

(human THP-1 monocytic leukemic cells induced to undergo monocytic differentiation by bryostatin 1 are refractory to proteasome inhibitor-induced apoptosis)

RE.CNT 49 THERE ARE 49 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Bearz, A; Biochem Biophys Res Commun 1998, V243, P732 CAPLUS

(2) Chang, Y; Cell Growth Differ 1998, V9, P79 CAPLUS

(3) Cheng, E; Science 1997, V278, P1996

(4) Chu, Z; Proc Natl Acad Sci USA 1997, V94, P10057 CAPLUS

(5) Delic, J; Br J Cancer 1998, V77, P1103 CAPLUS

(6) Drexler, H; Proc Natl Acad Sci USA 1997, V94, P855 CAPLUS

(7) Elledge, S; Biochim Biophys Acta 1998, V1377, PM61 CAPLUS

(8) Fujita, N; Biochem Biophys Res Commun 1998, V246, P484 CAPLUS

(9) Goldberg, A; Biol Chem 1997, V378, P131 CAPLUS

(10) Grimm, L; EMBO J 1996, V15, P3835 CAPLUS

(11) Henkel, T; Nature 1993, V365, P182 CAPLUS

(12) Herrmann, J; Oncogene 1998, V17, P2889 CAPLUS

(13) Hu, Y; Proc Natl Acad Sci USA 1998, V95, P4386 CAPLUS

(14) Kerr, J; Br J Cancer 1972, V26, P239 MEDLINE

(15) Kitagawa, H; FEBS Lett 1999, V443, P181 CAPLUS

(16) Kroemer, G; Nat Med 1997, V3, P614 CAPLUS

(17) Li, Y; Leuk Res 1997, V21, P391 CAPLUS

(18) Liao, H; Cell Death Differ 1999, V6, P245 CAPLUS

(19) Lopes, U; J Biol Chem 1997, V272, P12893 CAPLUS

(20) Lotem, J; Leukemia 1996, V10, P925 MEDLINE

(21) Maki, C; Cancer Res 1996, V56, P2649 CAPLUS

(22) Maki, C; Mol Cell Biol 1997, V17, P355 CAPLUS

(23) Manna, S; J Immunol 1999, V162, P1510 CAPLUS

(24) Meriin, A; J Biol Chem 1998, V273, P6373 CAPLUS

(25) Miller, D; Semin Immunol 1997, V9, P35 CAPLUS

(26) Miller, S; Nucleic Acids Res 1988, V16, P1215 CAPLUS

(27) Musti, A; Biol Chem 1996, V377, P619 CAPLUS

(28) Okazaki, M; Biochem Biophys Res Commun 1998, V243, P131 CAPLUS

(29) Pagano, M; FASEB J 1997, V11, P1067 CAPLUS

(30) Pagano, M; Science 1995, V269, P682 CAPLUS

(31) Pan, G; FEBS Lett 1998, V426, P151 CAPLUS

(32) Pastorino, J; J Biol Chem 1998, V273, P7770 CAPLUS

(33) Pettit, G; Fortschr Chem Org Naturst 1991, V57, P153 CAPLUS

(34) Pettit, G; J Am Chem Soc 1982, V104, P6846 CAPLUS

(35) Rabbi, M; Virology 1998, V245, P257 CAPLUS

(36) Rosen, A; J Cell Biochem 1997, V64, P50 CAPLUS

(37) Sadoul, R; EMBO J 1996, V15, P3845 CAPLUS

(38) Scheffner, M; Cell 1993, V75, P495 CAPLUS

(39) Shinohara, K; Biochem J 1996, V317, P385 CAPLUS

(40) Shiohara, M; J Cell Physiol 1996, V166, P568 CAPLUS

(41) Sordet, O; Cell Death Differ 1999, V6, P351 CAPLUS

(42) Spataro, V; Br J Cancer 1998, V77, P448 CAPLUS

(43) Stancovski, I; Mol Cell Biol 1995, V15, P7106 CAPLUS

(44) Thompson, C; Science 1995, V267, P1456 CAPLUS

(45) Wang, C; Science 1998, V281, P1680 CAPLUS

(46) Won, K; EMBO J 1996, V15, P4182 CAPLUS

(47) Yang, J; Science 1997, V275, P1129 CAPLUS

(48) Zhang, X; Biochem J 1999, V340, P127 CAPLUS

(49) Zou, H; Cell 1997, V90, P405 CAPLUS

L3 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2002 ACS

AN 1999:369701 CAPLUS

DN 131:142589

TI Inhibition of ubiquitin-proteasome pathway activates a caspase-3-like

protease and induces Bcl-2 cleavage in human M-07e leukaemic cells

AU Zhang, Xue-Min; Lin, Hong; Chen, Catheryne; Chen, Ben D.-M.

CS Division of Hematology-Oncology, Department of Internal Medicine, Wayne

State University School of Medicine, Detroit, MI, 48201, USA

SO Biochemical Journal (1999), 340(1), 127-133

CODEN: BIJOAK; ISSN: 0264-6021

PB Portland Press Ltd.

DT Journal

LA English

CC 13-6 (Mammalian Biochemistry)

AB The ubiquitin-proteasome pathway is the principal mechanism for the

degrdn. of short-lived proteins in eukaryotic cells. Here we examine

the

possibility that ubiquitin-proteasome is involved in regulating the

levels

of Bcl-2, which is abundantly expressed in M-07e cells, a granulocyte/macrophage colony-stimulating factor (GM-CSF)-

dependent human

leukemic cell line. Apoptosis in M-07e cells, induced by GM-CSF withdrawal, was assocd. with a gradual cleavage of Bcl-2 into a 22

kDa

fragment. Treatment of M-07e cells with benzyloxycarbonyl-Leu-Leu-L-

leucinal (Z-LLL-CHO; MG-132), a reversible

ubiquitin-proteasome inhibitor, markedly accelerated the cleavage of

Bcl-2

and promoted cell death through the apoptotic pathway. The

cleavage of

Bcl-2 was inhibited by a caspase-3 (CPP32)-specific inhibitor

[acetyl-Asp-Glu-Val-Asp-CHO (DEVD-CHO)] but not caspase 1

inhibitor

(acetyl-Tyr-Val-Ala-Asp-CHO), suggesting that Bcl-2 is a proteolytic substrate of a caspase-3-like protease activated during apoptosis. The

simultaneous addn. of recombinant human GM-CSF (rhGM-CSF) to M-07e

cultures delayed the activation of caspase 3 and Bcl-2 cleavage

triggered

by Z-LLL-CHO, suggesting that the activation of the

GM-CSF signaling pathway can partly overcome the apoptotic effect induced

by Z-LLL-CHO. Apoptosis induced by inhibition of the

proteasome pathway was verified in studies with lactacystin, a highly specific and irreversible proteasome inhibitor. Lactacystin-induced

apoptosis in M-07e cells was remarkably similar to that induced by

Z-LLL-CHO, which included caspase 3 activation, cleavage

of Bcl-2 into a 22 kDa fragment and, ultimately, cell death. These

results showed that inhibition of the ubiquitin-proteasome pathways

can

lead to the activation of a DEVD-CHO-sensitive caspase and induces

Bcl-2

cleavage, which might have a role in mediating apoptosis in M-07e

cells.

ST ubiquitin proteasome caspase Bcl2 apoptosis leukemic cell

IT Apoptosis

(Bcl-2 is proteolytic substrate of caspase-3-like protease activated during apoptosis)

IT Animal cell line

(M-07e; inhibition of ubiquitin-proteasome pathway activates caspase-3-like protease and induces Bcl-2 cleavage in human M-

07e

leukemic cells)

IT Proteins, specific or class

RL: BPR (Biological process); BSU (Biological study, unclassified);

BIOL

(Biological study); PROC (Process)

(bcl-2; inhibition of ubiquitin-proteasome pathway activates caspase-3-like protease and induces Bcl-2 cleavage in human M-

07e

leukemic cells)

IT 83869-56-1, GM-CSF

RL: BAC (Biological activity or effector, except adverse); BSU

(Biological

study, unclassified); BIOL (Biological study)

(effect on activation of caspase 3 and cleavage of Bcl-2 induced by ubiquitin-proteasome inhibitor which triggers apoptosis of human

M-07e

leukemic cells)

IT 60267-61-0, Ubiquitin 140879-24-9, Proteasome 169592-56-7, Caspase-3

RL: BPR (Biological process); BSU (Biological study, unclassified);

BIOL

(Biological study); PROC (Process)

(inhibition of ubiquitin-proteasome pathway activates caspase-3-like

protease and induces Bcl-2 cleavage in human M-07e leukemic cells)

RE.CNT 32 THERE ARE 32 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Armstrong, R; J Biol Chem 1996, V271, P16850 CAPLUS

(2) Beyette, J; Biochem J 1998, V332, P315 CAPLUS

(3) Chang, Y; Cell Growth Differ 1998, V9, P79 CAPLUS

(4) Chen, R; Cell Growth Differ 1997, V8, P821 CAPLUS

(5) Cheng, E; Science 1997, V278, P1966 CAPLUS

(6) Cohen, G; Biochem J 1997, V326, P1 CAPLUS

(7) Drexler, H; Proc Natl Acad Sci USA 1997, V94, P855 CAPLUS

(8) Ha, H; Cancer Res 1998, V58, P2711 CAPLUS

(9) Hershko, A; Curr Opin Cell Biol 1997, V9, P788 CAPLUS

(10) Hochstrasser, M; Annu Rev Genet 1996, V30, P405 CAPLUS

(11) Hsu, C; Blood 1997, V89, P4470 CAPLUS

(12) Imajoh-Ohmi, S; Biochem Biophys Res Commun 1995, V217, P1070 CAPLUS

(13) Kelly, M; Blood 1998, V92, P416 CAPLUS

(14) Kim, Y; J Biol Chem 1998, V273, P31437 CAPLUS

(15) Kitanaoka, C; Oncogene 1997, V15, P1763 CAPLUS

(16) Korsmeyer, S; Trends Genet 1995, V11, P101 CAPLUS

(17) Li, Y; Exp Hematol 1996, V24, P94 CAPLUS

(18) Li, Y; J Immunol 1995, V154, P2165

(19) Meriin, A; J Biol Chem 1998, V273, P6373 CAPLUS

(20) Miller, D; Semin Immunol 1997, V9, P35 CAPLUS

(21) Miyajima, A; Blood 1993, V82, P1960 CAPLUS

(22) Ohla, T; J Biol Chem 1997, V272, P23111

(23) Pickart, C; FASEB J 1997, V11, P055

(24) Reed, J; Semin Hematol 1997, V34, P9 CAPLUS

(25) Renvoize, C; J Immunol 1997, V159, P126 CAPLUS

(26) Rinkenberger, J; Curr Opin Genet Dev 1997, V7, P589 CAPLUS

(27) Shinohara, K; Biochem J 1996, V317, P385 CAPLUS

(28) Wei, S; J Immunol 1996, V157, P5155 CAPLUS

(29) Whitacre, C; Cancer Res 1995, V55, P3697 CAPLUS

(30) Yang, J; Science 1997, V275, P1129 CAPLUS

(31) Yasuhara, N; Oncogene 1997, V15, P1921 CAPLUS

(32) Zamzami, N; Oncogene 1998, V16, P2265 CAPLUS

L3 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2002 ACS

AN 1996:423977 CAPLUS

DN 125:104514

TI The antitumor drug aclacinomycin A, which inhibits the degradation of

ubiquitinated proteins, shows selectivity for the chymotrypsin-like activity of the bovine pituitary 20 S proteasome

AU Figueiredo-Pereira, Maria E.; Chen, Wei Er, Li, Jingrong; Johdo, Osamu

CS Dep. Pharmacol., Mount Sinai Sch. Med. City Univ. New York, New York, NY,

10029, USA

SO J. Biol. Chem. (1996), 271(28), 16455-16459

CODEN: JBCHA3; ISSN: 0021-9258

DT Journal

LA English

CC 1-6 (Pharmacology)

Section cross-reference(s): 7

AB The antitumor drug aclacinomycin A was previously shown to inhibit the degrdn. of ubiquitinated proteins in rabbit reticulocyte lysates with an IC50 of 52 .mu.M. We report here that from all the catalytic activities of the 20 S proteasome tested, the chymotrypsin-like activity was the only one affected by the antitumor drug. An important requirement for inhibition of the chymotrypsin-like activity seemed to be the presence of hydrophobic non-polar residues in positions P1 to P3. Degrn. of Z-E(OtBu)Al-pNA and Z-LLL-AMC at pH 7.5 was dramatically (87-98%) inhibited by 50 .mu.M of the drug, while that of Z-GGL-pNA (contg. uncharged polar residues in positions P2 and P3) and succinyl-LLVY-AMC (contg. an uncharged polar residue in the P1 position) was inhibited only 11 and 24%, resp. Aclacinomycin A had no effect on cathepsin B, stimulated trypsin, and inhibited chymotrypsin and, to a lesser extent, calpain. The aglycon and sugar moieties of the cytotoxic drug are essential for inhibition. The results presented here support a major role for the chymotrypsin-like activity in the degrdn. of ubiquitinated proteins. Aclacinomycin A in the first described non-peptidic inhibitor showing discrete selectivity for the chymotrypsin-like activity of the 20 S proteasome.

ST antitumor aclacinomycin A pituitary proteasome chymotrypsin
IT Proteins, specific or class
RL: BSU (Biological study, unclassified); BIOL (Biological study) (ubiquitinated; aclacinomycin A shows selectivity for chymotrypsin-like activity of pituitary 20 S proteasome)
IT 57576-44-0, Aclacinomycin A
RL: BAC (Biological activity or effector, except adverse); BIOL (Biological study) (aclacinomycin A shows selectivity for chymotrypsin-like activity of pituitary 20 S proteasome)
IT 140879-24-9, Proteasome
RL: BPR (Biological process); BIOL (Biological study); PROC (Process) (aclacinomycin A shows selectivity for chymotrypsin-like activity of pituitary 20 S proteasome)

L3 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2002 ACS
AN 1996:419831 CAPLUS
DN 125:138656
TI Enhancement of CPP32-like activity in the TNF-treated U937 cells by the proteasome inhibitors
AU Fujita, Eriko; Mukasa, Takeshi; Tsukahara, Toshibumi; Arahata, Kiichi; Omura, Satoshi; Momoi, Takashi
CS Division Development and Differentiation, NCNP, Tokyo, 187, Japan
SO Biochem. Biophys. Res. Commun. (1996), 224(1), 74-79
CODEN: BBRC A9; ISSN: 0006-291X
DT Journal
LA English
CC 13-2 (Mammalian Biochemistry)
Section cross-reference(s): 7
AB CPP32, one of the Ced-3/ICE-like proteases which is most closely related to CED-3 in the apoptotic protease in *Caenorhabditis elegans*, is activated during apoptosis induced by anti-Fas and tumor necrosis factor (TNF). Since processing of CPP32 is important for the activation, the effects of

protease inhibitors on CPP32-like activity were examd. in the TNF-treated

U937 cells. Unexpectedly, proteasome inhibitors (at 5 .mu.M) such as Z-LLnV, Z-LLL, and lactacystin enhanced CPP32-like activity, Ac-DEVD-MCA degrading activity, in the TNF-treated U937 cells in 3 h, but E64d cysteine protease inhibitor did not. These proteasome inhibitors alone did not enhance CPP32-like activity in the untreated U937 cells under the condition used. The proteasome seems to protect the cells from apoptosis by degrading CPP32-like protease or its processing enzyme.

ST CPP32 protease apoptosis proteasome
IT Apoptosis (enhancement of CPP32-like activity in the TNF-treated U937 cells by the proteasome inhibitors)
IT Lymphokines and Cytokines
RL: BAC (Biological activity or effector, except adverse); BIOL (Biological study) (tumor necrosis factor, enhancement of CPP32-like activity in the TNF-treated U937 cells by the proteasome inhibitors)
IT 140879-24-9, Proteasome
RL: BAC (Biological activity or effector, except adverse); BIOL (Biological study) (enhancement of CPP32-like activity in the TNF-treated U937 cells by the proteasome inhibitors)
IT 9055-67-8, Poly(ADP-ribose) polymerase 169332-61-0 169592-57-8, Proteinase CPP32
RL: BPR (Biological process); BIOL (Biological study); PROC (Process) (enhancement of CPP32-like activity in the TNF-treated U937 cells by the proteasome inhibitors)

L3 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2002 ACS

AN 1996:227272 CAPLUS

DN 124:286790

TI Permanent occupancy of the human immunodeficiency virus type 1 enhancer by

NF-kappa.B is needed for persistent viral replication in monocytes

AU Jacque, J.-M.; Fernandez, B.; Arenzana-Seisdedos, F.; Thomas, D.; Baleux,

F.; Virelizier, J.-L.; Bachelerie, F.

CS Unite d'Immunol. Virale, Inst. Pasteur, Paris, 75724, Fr.

SO J. Virol. (1996), 70(5), 2930-8

CODEN: JOVIAM; ISSN: 0022-538X

DT Journal

LA English

CC 15-8 (Immunochemistry)

Section cross-reference(s): 10

AB This work aimed to ascertain the role of .kappa.B-responsive elements of

the human immunodeficiency virus type 1 (HIV-1) enhancer not only in early

initiation but also in long-term maintenance of proviral transcription in

cells of the monocytic lineage. For this purpose, the authors used three

main approaches. The first was to abruptly terminate tumor necrosis factor-induced NF-kappa.B binding to the enhancer sequences in U1 monocytic cells, using a short pulse of exogenous tumor necrosis factor.

This resulted in concomitant decrease in nuclear NF-kappa.B DNA-binding activity and endogenous long terminal repeat transcription activity.

The second was to suppress the permanent NF-kappa.B translocation induced by

HIV-1 replication itself in chronically infected U937 cells, using a

specific proteasome inhibitor (Z-LLL-H). As early as 2 h after addn. of the inhibitor to the culture medium, there was an inhibition of both constitutive activation of NF-.kappa.B and HIV-1 genome expression. The third approach was to monitor the replication competence in U937 cells of an infectious HIV-1 provirus carrying point mutations in the .kappa.B-responsive elements of both long terminal repeats. Compared with its wild-type counterpart, this mutated provirus showed a profoundly decreased, Z-LLL-H-insensitive transcriptional and replicative activity in U937 monocytes. Together, these results indicate that occupancy of the viral enhancer by NF-.kappa.B (p50/p65) heterodimers is required for ongoing transcription of integrated HIV provirus in monocytes, even in cells chronically infected and permanently producing functional HIV Tat protein. Thus, the ability of HIV-1 replication to activate NF-.kappa.B is crucial to the intense self-perpetuated viral transcription obsd. in cells of the monocytic lineage.

ST HIV1 virus enhancer kappaB factor monocyte; immunodeficiency virus enhancer kappaB factor monocyte

IT Transcription, genetic (of integrated HIV provirus transcription in human monocytes)

IT Ribonucleic acid formation factors

RL: ADV (Adverse effect, including toxicity); BIOL (Biological study) (NF-.kappa.B (nuclear factor .kappa.B), initiation and perpetuation of integrated HIV provirus transcription in human monocytes is dependent on occupancy of enhancer sequence by NF-.kappa.B)

IT Genetic element

RL: BPR (Biological process); BIOL (Biological study); PROC (Process) (RNA formation factor NF-.kappa.B-responsive element, initiation and perpetuation of integrated HIV provirus transcription in human monocytes is dependent on occupancy of enhancer sequence by NF-.kappa.B)

IT Monocyte (disease, infection, with human immunodeficiency virus; initiation and perpetuation of integrated HIV provirus transcription is dependent on occupancy of enhancer sequence by NF-.kappa.B)

IT Virus, animal (human immunodeficiency 1, initiation and perpetuation of integrated HIV provirus transcription in human monocytes is dependent on occupancy of enhancer sequence by NF-.kappa.B)

IT Genetic element

RL: BPR (Biological process); BIOL (Biological study); PROC (Process) (long terminal repeat, initiation and perpetuation of integrated HIV provirus transcription in human monocytes is dependent on occupancy of enhancer sequence by NF-.kappa.B)

=>

=> file registry

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		22.25	36.25

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
------------	-------

ENTRY	SESSION
-------	---------

CA SUBSCRIBER PRICE

-3.72 -3.72

FILE 'REGISTRY' ENTERED AT 10:40:01 ON 18 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 16 JUN 2002 HIGHEST RN 431035-49-3

DICTIONARY FILE UPDATES: 16 JUN 2002 HIGHEST RN 431035-49-3

TSCA INFORMATION NOW CURRENT THROUGH January 7, 2002

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> E "BENZYLOXY CARBONYL-LEU-LEU-L-LEUCINAL"/CN 25

E1	1	BENZYLOXIRANE/CN
E2	1	BENZYLOXY/CN
E3	0	--> BENZYLOXY CARBONYL-LEU-LEU-L-LEUCINAL/CN
E4	1	BENZYLOXY TERT-BUTYL NITROXIDE/CN
E5	1	BENZYLOXY(ETHYL)AMINE/CN
E6	1	BENZYLOXY(PHENYLSULFONYL)METHANE/CN
E7	1	BENZYLOXY(TERT-BUTYL)DIMETHYLSILANE/CN
E8	1	BENZYLOXY, .ALPHA.,.ALPHA.-DIMETHYL-/CN
E9	1	BENZYLOXY, .ALPHA.-ETHYL-.ALPHA.-METHYL-/CN
E10	1	BENZYLOXY, .ALPHA.-METHYL-/CN
E11	1	BENZYLOXY, DIHYDROXY-/CN
E12	1	BENZYLOXY, P-METHYL-/CN
E13	1	BENZYLOXY-1-BROMO-2-FLUOROBENZENE/CN
E14	1	BENZYLOXY-1-NAPHTHYLPHENYLSILANE/CN
E15	1	BENZYLOXYACETALDEHYDE DIETHYL ACETAL/CN
E16	1	BENZYLOXYACETAMIDE/CN
E17	1	BENZYLOXYACETIC ACID/CN
E18	1	BENZYLOXYACETIC ACID HYDRAZIDE/CN
E19	1	BENZYLOXYACETIC ACID METHYL ESTER/CN
E20	1	BENZYLOXYACETIC CHLORIDE/CN
E21	1	BENZYLOXYACETYL FLUORIDE/CN
E22	1	BENZYLOXYAMINE/CN
E23	1	BENZYLOXYAMINE, .ALPHA.-(DIETHYLAMINO)-N,N-DIETHYL-/CN
E24	1	BENZYLOXYAMINE, .ALPHA.-ETHYL-/CN
E25	1	BENZYLOXYAMINE, .ALPHA.-METHYL-/CN

=> E "BENZYLOXYCARBONYL-LEU-LEU-L-LEUCINAL"/CN 25

E1	1	BENZYLOXYCARBONYL-L-VALYL-N.OMEGA-NITRO-L-ARGININE METHYL ESTER/CN
E2	1	BENZYLOXYCARBONYL-L-VALYLGLYCINE METHYL ESTER/CN
E3	0	--> BENZYLOXYCARBONYL-LEU-LEU-L-LEUCINAL/CN
E4	1	BENZYLOXYCARBONYL-N-METHYL-L-PHENYLALANINE PENTACHLOROPHENYL ESTER/CN
E5	1	BENZYLOXYCARBONYL-N-PHENYLGLYCINE/CN
E6	1	BENZYLOXYCARBONYL-O-BENZYL-L-SERINE P-NITROPHENYL ESTER/CN
E7	1	BENZYLOXYCARBONYL-O-BENZYL-L-SERYL-L-ISOLEUCYL-L-LEUCYL-L-ASPARAGINAMIDE/CN
E8	1	BENZYLOXYCARBONYL-O-BENZYL-L-TYROSINE P-NITROPHENYL ESTER/CN

E9 1 BENZYLOXYCARBONYL-O-TERT-BUTYL-L-TYROSYL-L-GLUTAMINYL-L-LEUCYL-GAMMA-TERT-BUTYL-L-GLUTAMYL-L-ASPARAGINYL-O-TERT-BUTYL-L-TYROSINE HYDRAZIDE/CN
 E10 1 BENZYLOXYCARBONYL-O-TERT-BUTYL-L-TYROSYLGLYCINE/CN
 E11 1 BENZYLOXYCARBONYL-O-TERT-BUTYL-L-TYROSYLGLYCINE ETHYL ESTER/CN
 E12 1 BENZYLOXYCARBONYL-P-NITRO-L-PHENYLALANINE/CN
 E13 1 BENZYLOXYCARBONYL-P-NITRO-L-PHENYLALANYL-BETA-PHENYL-D-LACTIC ACID METHYL ESTER/CN
 E14 1 BENZYLOXYCARBONYL-P-NITRO-L-PHENYLALANYL-BETA-PHENYL-L-LACTIC ACID METHYL ESTER/CN
 E15 1 BENZYLOXYCARBONYL-P-NITRO-L-PHENYLALANYL-D-PHENYLALANINE METHYL ESTER/CN
 E16 1 BENZYLOXYCARBONYL-P-NITRO-L-PHENYLALANYL-L-PHENYLALANINE METHYL ESTER/CN
 E17 1 BENZYLOXYCARBONYL-PHE-ARG-ALA-GLY-OH/CN
 E18 1 BENZYLOXYCARBONYL-S-BENZYL PENICILLAMINE P-NITROPHENYL ESTER/CN
 E19 1 BENZYLOXYCARBONYLACETYLENE/CN
 E20 1 BENZYLOXYCARBONYLAMINOACETYL CHLORIDE/CN
 E21 1 BENZYLOXYCARBONYLAMPICILLIN/CN
 E22 1 BENZYLOXYCARBONYLANTHRANILIC ACID/CN
 E23 1 BENZYLOXYCARBONYLASPARTYLALANINE/CN
 E24 1 BENZYLOXYCARBONYLCYANAMIDE POTASSIUM SALT/CN
 E25 1 BENZYLOXYCARBONYLCYANAMIDE SODIUM SALT/CN

=> E "BENZYLOXYCARBONYL-L-LEUCYL"/CN 25

E1 1 BENZYLOXYCARBONYL-L-LEUCINE N,N-DIPHENYLHYDRAZIDE/CN
 E2 1 BENZYLOXYCARBONYL-L-LEUCINE O-NITROPHENYL ESTER/CN
 E3 0 --> BENZYLOXYCARBONYL-L-LEUCYL/CN
 E4 1 BENZYLOXYCARBONYL-L-LEUCYL-L-ALANINE METHYL ESTER/CN
 E5 1 BENZYLOXYCARBONYL-L-LEUCYL-L-ALANINE PHENYL ESTER/CN
 E6 1 BENZYLOXYCARBONYL-L-LEUCYL-L-ASPARAGINAMIDE/CN
 E7 1 BENZYLOXYCARBONYL-L-LEUCYL-L-GLUTAMINE/CN
 E8 1 BENZYLOXYCARBONYL-L-LEUCYL-L-GLUTAMINYL-L-ALANYL-L-LEUCINE METHYL ESTER/CN
 E9 1 BENZYLOXYCARBONYL-L-LEUCYL-L-LEUCINE/CN
 E10 1 BENZYLOXYCARBONYL-L-LEUCYL-L-LEUCINE METHYL ESTER/CN
 E11 1 BENZYLOXYCARBONYL-L-LEUCYL-L-METHIONINAMIDE/CN
 E12 1 BENZYLOXYCARBONYL-L-LEUCYL-L-PHENYLALANINE CHLOROMETHYL KETONE/CN
 E13 1 BENZYLOXYCARBONYL-L-LEUCYL-N6-TERT-BUTYLOXYCARBONYL-L-LYSYL-L-PROLYLGLYCINAMIDE/CN
 E14 1 BENZYLOXYCARBONYL-L-LYSINE 4-NITROPHENYL ESTER/CN
 E15 1 BENZYLOXYCARBONYL-L-LYSINE BENZYL ESTER TOSYLATE/CN
 E16 1 BENZYLOXYCARBONYL-L-METHIONINE/CN
 E17 1 BENZYLOXYCARBONYL-L-METHIONINE O-NITROPHENYL ESTER/CN
 E18 1 BENZYLOXYCARBONYL-L-METHIONINE P-NITROPHENYL ESTER/CN
 E19 1 BENZYLOXYCARBONYL-L-METHIONYL-L-LEUCINAMIDE/CN
 E20 1 BENZYLOXYCARBONYL-L-METHIONYLGLYCINE

ETHYL ESTER/CN

E21 1 BENZYLOXYCARBONYL-L-NITROARGININE 2,4-DINITROPHENYL ESTER/CN
 E22 1 BENZYLOXYCARBONYL-L-NORLEUCINE/CN
 E23 1 BENZYLOXYCARBONYL-L-PHENYLALANINAMIDE/CN
 E24 1 BENZYLOXYCARBONYL-L-PHENYLALANINE/CN
 E25 1 BENZYLOXYCARBONYL-L-PHENYLALANINE O-NITROPHENYL ESTER/CN

=> E "BENZYLOXYCARBONYL-L-LEUCYL-L-LEUCYL-L-LEUCINAL"/CN 25

E1 1 BENZYLOXYCARBONYL-L-LEUCYL-L-LEUCINE/CN
 E2 1 BENZYLOXYCARBONYL-L-LEUCYL-L-LEUCINE METHYL ESTER/CN
 E3 0 --> BENZYLOXYCARBONYL-L-LEUCYL-L-LEUCYL-L-LEUCINAL/CN
 E4 1 BENZYLOXYCARBONYL-L-LEUCYL-L-METHIONINAMIDE/CN
 E5 1 BENZYLOXYCARBONYL-L-LEUCYL-L-PHENYLALANINE CHLOROMETHYL KETONE/CN
 E6 1 BENZYLOXYCARBONYL-L-LEUCYL-N6-TERT-BUTYLOXYCARBONYL-L-LYSYL-L-PROLYLGLYCINAMIDE/CN
 E7 1 BENZYLOXYCARBONYL-L-LYSINE 4-NITROPHENYL ESTER/CN
 E8 1 BENZYLOXYCARBONYL-L-LYSINE BENZYL ESTER TOSYLATE/CN
 E9 1 BENZYLOXYCARBONYL-L-METHIONINE/CN
 E10 1 BENZYLOXYCARBONYL-L-METHIONINE O-NITROPHENYL ESTER/CN
 E11 1 BENZYLOXYCARBONYL-L-METHIONINE P-NITROPHENYL ESTER/CN
 E12 1 BENZYLOXYCARBONYL-L-METHIONYL-L-LEUCINAMIDE/CN
 E13 1 BENZYLOXYCARBONYL-L-METHIONYLGLYCINE ETHYL ESTER/CN
 E14 1 BENZYLOXYCARBONYL-L-NITROARGININE 2,4-DINITROPHENYL ESTER/CN
 E15 1 BENZYLOXYCARBONYL-L-NORLEUCINE/CN
 E16 1 BENZYLOXYCARBONYL-L-PHENYLALANINAMIDE/CN
 E17 1 BENZYLOXYCARBONYL-L-PHENYLALANINE/CN
 E18 1 BENZYLOXYCARBONYL-L-PHENYLALANINE O-NITROPHENYL ESTER/CN
 E19 1 BENZYLOXYCARBONYL-L-PHENYLALANYL ETHYLAMIDE/CN
 E20 1 BENZYLOXYCARBONYL-L-PHENYLALANYL-BETA-ALANINE/CN
 E21 1 BENZYLOXYCARBONYL-L-PHENYLALANYL-BETA-PHENYL-L-LACTIC ACID ETHYL ESTER/CN
 E22 1 BENZYLOXYCARBONYL-L-PHENYLALANYL-BETA-PHENYL-L-LACTIC ACID METHYL ESTER/CN
 E23 1 BENZYLOXYCARBONYL-L-PHENYLALANYL-D-ALANINE/CN
 E24 1 BENZYLOXYCARBONYL-L-PHENYLALANYL-D-ALANYL-L-ALANINE/CN
 E25 1 BENZYLOXYCARBONYL-L-PHENYLALANYL-D-LEUCINE/CN

=> log hold

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	2.66	38.91

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
 SINCE FILE TOTAL

	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-3.72

SESSION WILL BE HELD FOR 60 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED AT 10:43:57 ON 18 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:

***** RECONNECTED TO STN INTERNATIONAL *****
SESSION RESUMED IN FILE 'REGISTRY' AT 10:46:23 ON 18 JUN 2002
FILE 'REGISTRY' ENTERED AT 10:46:23 ON 18 JUN 2002
COPYRIGHT (C) 2002 American Chemical Society (ACS)

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	2.66	38.91

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL

	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-3.72

=> index bioscience health pharmacology

FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 4.18 40.43

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL

	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-3.72

INDEX 'ADISALERTS, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUASCI, BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, ...' ENTERED AT 10:48:34 ON 18 JUN 2002

77 FILES IN THE FILE LIST IN STNINDEX

Enter SET DETAIL ON to see search term postings or to view search error messages that display as 0* with SET DETAIL OFF.

=> s z-lll or zlll

15 FILE BIOSIS
12 FILE BIOTECHNO
8 FILE CANCERLIT
13 FILE CAPLUS
5 FILE DDFU
6 FILE DRUGU
11 FILE EMBASE
8 FILE ESBIODASE
36 FILES SEARCHED...
3 FILE JICST-EPLUS
4 FILE LIFESCI
12 FILE MEDLINE
4 FILE PASCAL
10 FILE SCISEARCH
3 FILE TOXCENTER
2 FILE USPATFULL
1 FILE WPIDS
1 FILE WPINDEX
69 FILES SEARCHED...
1 FILE NLDB

18 FILES HAVE ONE OR MORE ANSWERS, 77 FILES SEARCHED IN STNINDEX

L4 QUE Z-LLL OR ZLLL

=> d rank

F1 15 BIOSIS
F2 13 CAPLUS
F3 12 BIOTECHNO
F4 12 MEDLINE
F5 11 EMBASE
F6 10 SCISEARCH
F7 8 CANCERLIT
F8 8 ESBIODASE
F9 6 DRUGU
F10 5 DDFU
F11 4 LIFESCI
F12 4 PASCAL
F13 3 JICST-EPLUS
F14 3 TOXCENTER
F15 2 USPATFULL
F16 1 WPIDS
F17 1 WPINDEX
F18 1 NLDB

=> file medline caplus biosis

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.06	41.49

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL

	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-3.72

FILE 'MEDLINE' ENTERED AT 10:49:38 ON 18 JUN 2002

FILE 'CAPLUS' ENTERED AT 10:49:38 ON 18 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 10:49:38 ON 18 JUN 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

=> s zlll

L5 20 ZLLL

=> dup rem 1-20

ENTER L# LIST OR (END):15

'1-20' IS NOT VALID. VALID FILE NAMES ARE 'MEDLINE, CAPLUS, BIOSIS'

You have entered a file name of duplicates to keep that is not referenced by any of the L#s specified for this DUPLICATE command. The file names of duplicates that can be kept are listed above. Please enter one of these file names.

=> dup rem 15

PROCESSING COMPLETED FOR L5

L6 7 DUP REM L5 (13 DUPLICATES REMOVED)

=> d ti 1-7

L6 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2002 ACS
DUPLICATE 1

TI Receptor activator of NF- κ B ligand induces the fusion of mononuclear preosteoclasts into multinucleated osteoclasts

L6 ANSWER 2 OF 7 MEDLINE DUPLICATE 2
TI Evidence for participation of a calpain-like cysteine protease in cell cycle progression through late G1 phase.

L6 ANSWER 3 OF 7 MEDLINE DUPLICATE 3

TI Differential inhibition of calpain and proteasome activities by
peptidyl
aldehydes of di-leucine and tri-leucine.

L6 ANSWER 4 OF 7 MEDLINE DUPLICATE 4
TI Purification and characterization of an endogenous inhibitor specific
to
the Z-Leu-Leu-Leu-MCA degrading activity in proteasome and its
identification as heat-shock protein 90.

L6 ANSWER 5 OF 7 MEDLINE DUPLICATE 5
TI Purification and characterization of a Z-Leu-Leu-Leu-MCA
degrading
protease expected to regulate neurite formation: a novel catalytic
activity in proteasome.

L6 ANSWER 6 OF 7 MEDLINE DUPLICATE 6
TI Possible involvement of clathrin in neuritogenesis induced by a
protease
inhibitor (benzyloxycarbonyl-Leu-Leu-Leu-aldehyde) in PC12 cells.

L6 ANSWER 7 OF 7 MEDLINE DUPLICATE 7
TI Isolation and characterization of possible target proteins responsible
for
neurite outgrowth induced by a tripeptide aldehyde in PC12H cells.

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
ENTRY	SESSION	
FULL ESTIMATED COST	3.52	45.01

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL

ENTRY	SESSION	
CA SUBSCRIBER PRICE	0.00	-3.72

FILE 'CAPLUS' ENTERED AT 10:51:11 ON 18 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER
AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 18 Jun 2002 VOL 136 ISS 25
FILE LAST UPDATED: 16 Jun 2002 (20020616/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.

CAS roles have been modified effective December 16, 2001. Please
check your SDI profiles to see if they need to be revised. For
information on CAS roles, enter HELP ROLES at an arrow prompt or
use
the CAS Roles thesaurus (/RL field) in this file.

=> s zlll

L7 7 ZLLL

=> d 1-7 all

L7 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2002 ACS
AN 2000:820717 CAPLUS
DN 134:351164

TI Receptor activator of NF-kappa.B ligand induces the fusion of
mononuclear
preosteoclasts into multinucleated osteoclasts

AU Woo, Je-Tae; Kato, Masanori; Takami, Masamichi; Nagai, Kazuo
CS Department of Bioengineering, Tokyo Institute of Technology,
Yokohama,
226-8501, Japan
SO Cytotechnology (2000), 33(1-3), 203-211
CODEN: CYTOER; ISSN: 0920-9069
PB Kluwer Academic Publishers
DT Journal
LA English
CC 13-6 (Mammalian Biochemistry)
AB The osteoclasts are bone-resorbing multinucleated cells formed by
the
fusion of mononuclear preosteoclasts (pOCs) of hematopoietic origin.
Although receptor activator of NF-kappa.B ligand (RANKL) has
been shown
to regulate osteoclast differentiation and function, its effect on the
fusion of pOCs into multinucleated osteoclast-like cells (OCLs) has
not
been known. Using our fusion assay system, that is not contaminated
with
multinucleated cells (MNCs) and osteoblastic cells, we detd. the
effect of
RANKL on the fusion of pOCs into MNCs. When pOCs were
cultured on the
plates, most of pOCs died and disappeared from the plates within 24
h in
the absence of additives, but pOCs were fused to MNCs within 6 h in
the
presence of RANKL. RANKL-induced MNCs showed typical
properties of OCL
such as tartrate-resistant acid phosphatase (TRAP) activity, actin ring
formation, and bone-resorbing activity. The fusion of pOCs into
OCLs
induced by osteoblastic cells or RANKL was inhibited by
OPG/OCIF, but that
induced by IL-1.beta. was not. Both RANKL- and IL-1.beta.-
induced OCL
formation from pOCs was inhibited by ZLLL-H, a peptide inhibitor
of proteasome. These findings indicate that RANKL supports the
survival
of pOCs and induces the fusion of pOCs into OCLs and suggest that
NF-kappa.B activation is involved in these processes induced by
RANKL and
IL-1.beta..

ST RANKL preosteoclast osteoclast fusion
IT Transcription factors
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(NF-kappa.B (nuclear factor .kappa.B); receptor activator of
NF-kappa.B ligand induces the fusion of mononuclear
preosteoclasts
into multinucleated osteoclasts in relation to)
IT Osteoclast
(preosteoclast; receptor activator of NF-kappa.B ligand induces the
fusion of mononuclear preosteoclasts into multinucleated
osteoclasts)
IT Fusion, biological
Osteoclast
(receptor activator of NF-kappa.B ligand induces the fusion of
mononuclear preosteoclasts into multinucleated osteoclasts)
IT Interleukin 1.beta.
RL: BAC (Biological activity or effector, except adverse); BSU
(Biological
study, unclassified); BIOL (Biological study)
(receptor activator of NF-kappa.B ligand induces the fusion of
mononuclear preosteoclasts into multinucleated osteoclasts in
relation
to)
IT 207621-35-0, Receptor activator of NF-kappa.B ligand
RL: BAC (Biological activity or effector, except adverse); BSU
(Biological
study, unclassified); BIOL (Biological study)

(receptor activator of NF- κ B ligand induces the fusion of mononuclear preosteoclasts into multinucleated osteoclasts)
 IT 140879-24-9, Proteasome.
 RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (receptor activator of NF- κ B ligand induces the fusion of mononuclear preosteoclasts into multinucleated osteoclasts in relation to)

RE.CNT 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD
 RE

- (1) Akatsu, T; Biochem Biophys Res Commun 1998, V250, P229 CAPLUS
- (2) Anderson, D; Nature 1997, V390, P175 CAPLUS
- (3) Athanasou, N; J Bone Joint Surg Am 1996, V78, P1096 MEDLINE
- (4) Baeuerle, P; Cell 1996, V87, P13 CAPLUS
- (5) Baldwin, A; Annu Rev Immunol 1996, V14, P649 CAPLUS
- (6) Darnay, B; J Biol Chem 1998, V273, P20551 CAPLUS
- (7) Fuller, K; J Exp Med 1998, V188, P997 CAPLUS
- (8) Hsu, H; Proc Natl Acad Sci USA 1999, V96, P3540 CAPLUS
- (9) Jimi, E; Endocrinology 1995, V136, P808 CAPLUS
- (10) Jimi, E; Exp Cell Res 1999, V247, P84 CAPLUS
- (11) Jimi, E; J Biol Chem 1998, V273, P8799 CAPLUS
- (12) Lacey, D; Cell 1998, V93, P165 CAPLUS
- (13) Malinin, N; Nature 1997, V385, P540 CAPLUS
- (14) Mercurio, F; Science 1997, V278, P860 CAPLUS
- (15) Nakagawa, N; Biochem Biophys Res Commun 1998, V253, P395 CAPLUS
- (16) Nakamura, I; FEBS Lett 1995, V361, P79 CAPLUS
- (17) Regnier, C; Cell 1997, V90, P373 CAPLUS
- (18) Roodman, G; Endocrine Rev 1996, V17, P308 CAPLUS
- (19) Rothe, M; Cell 1994, V78, P681 CAPLUS
- (20) Scheven, B; Nature 1986, V321, P79 MEDLINE
- (21) Siebenlist, U; Annu Rev Cell Biol 1994, V10, P405 CAPLUS
- (22) Simonet, W; Cell 1997, V89, P309 CAPLUS
- (23) Song, H; Proc Natl Acad Sci USA 1997, V94, P9792 CAPLUS
- (24) Suda, T; Endocrine Rev 1995, V4, P266 CAPLUS
- (25) Suda, T; J Bone Miner Res 1997, V12, P869 CAPLUS
- (26) Suda, T; Principles of bone biology 1996, P87 CAPLUS
- (27) Takahashi, N; Endocrinology 1988, V123, P2600 CAPLUS
- (28) Takami, M; J Bone Miner Metabol 1998, V16, P151
- (29) Wesolowski, G; Exp Cell Res 1995, V219, P679 CAPLUS
- (30) Wong, B; J Biol Chem 1997, V272, P25190 CAPLUS
- (31) Wong, B; J Biol Chem 1998, V273, P28355 CAPLUS
- (32) Wong, B; J Exp Med 1997, V186, P2075 CAPLUS
- (33) Woronicz, J; Science 1997, V278, P866 CAPLUS
- (34) Yasuda, H; Proc Natl Acad Sci USA 1998, V95, P3597 CAPLUS

L7 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2002 ACS
 AN 1997:505895 CAPLUS
 DN 127:218366
 TI Evidence for participation of a calpain-like cysteine protease in cell cycle progression through late G1 phase
 AU Mellgren, Ronald
 CS Dep. Pharmacol. Therapeutic, Medical Coll. Ohio, Toledo, OH, 43699-0008, USA
 SO Biochemical and Biophysical Research Communications (1997), 236(3), 555-558
 CODEN: BBRCA9; ISSN: 0006-291X
 PB Academic
 DT Journal
 LA English
 CC 13-6 (Mammalian Biochemistry)
 AB Recent studies have demonstrated that cell-permeant protease inhibitors arrest human fibroblasts in late G1. The target for the inhibitors has been claimed to be either the proteasome, or a calpain-like cysteine protease activity. In the present investigation, the progression of serum-stimulated WI-38 fibroblasts into S-phase was partially inhibited by the cell-permeant general inhibitor of cysteine proteases, E64d, but not

by its non-permeant analog, E64c. Exposure of fibroblasts in late G1 to the proteasome inhibitor, lactacystin, produced only a modest inhibition of progression into S-phase, and did not influence the extensive inhibition produced by the calpain-selective inhibitor, ZLLY-DMK. ZLLnV-CHO and ZLLL-CHO, which are reportedly selective for the proteasome, were less potent than ZLLY-DMK as inhibitors of S-phase progression. These results argue for the involvement of a calpain-like protease acting in late G1 to allow transit into S-phase.
 ST calpain cell cycle
 IT Interphase (cell cycle)
 (G1-phase; calpain role in cell cycle progression through late G1 phase in human fibroblast)
 IT Cell cycle
 Fibroblast
 (calpain role in cell cycle progression through late G1 phase in human fibroblast)
 IT 78990-62-2, Calpain
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (calpain role in cell cycle progression through late G1 phase in human fibroblast)

L7 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2002 ACS
 AN 1996:322381 CAPLUS
 DN 125:28868
 TI Differential inhibition of calpain and proteasome activities by peptidyl aldehydes of di-leucine and tri-leucine
 AU Tsubuki, Satoshi; Saito, Yumiko; Tomioka, Masanori; Ito, Hisashi; Kawashima, Seiichi
 CS Dep. Molecular Biol., The Tokyo Metropolitan Inst. Medical Science, Tokyo, 113, Japan
 SO J. Biochem. (Tokyo) (1996), 119(3), 572-576
 CODEN: JOBIAO; ISSN: 0021-924X
 DT Journal
 LA English
 CC 7-3 (Enzymes)
 AB To explore membrane-permeable synthetic inhibitors that discriminate between endogenous calpain and proteasome in cells, we examd. the inhibition profiles against calpain and proteasome in vitro and in vivo of peptidyl aldehydes possessing di-leucine and tri-leucine. The tripeptide aldehyde benzyloxycarbonyl-leucyl-leucyl-leucinal (ZLLLal) strongly inhibited calpain and proteasome activities in vitro. The concn. required for 50% inhibition (IC50) of the casein-degrading activity of calpain was 1.25 .mu.M, and the IC50s for the succinyl-leucyl-leucyl-valyl-tyrosine-4-methylcoumaryl-7-amide (SucLLVY-MCA)- and benzyloxycarbonyl-leucyl-leucyl-leucine-4-methylcoumaryl-7-amide (ZLLL-MCA)-degrading activities of proteasome were 850 and 100 nM, resp. On the other hand, the synthetic dipeptide aldehyde benzyloxycarbonyl-leucyl-leucinal (ZLLal) strongly inhibited the casein degrading activity of calpain (IC50 1.20 .mu.M), but the inhibition of proteasome was weak (IC50s for SucLLCY-MCA-

and
 ZLLL-MCA-degrading activities were 120 and 110 .mu.M, resp.).
 Thus, while calpain was inhibited by similar concns. of ZLLal and ZLLLal,
 the inhibitory potencies of ZLLLal against the ZLLL-MCA- and SucLLVY-MCA-degrading activities of proteasome were 1,100 and 140 times
 stronger than those of ZLLal, resp. To evaluate the effectiveness of these inhibitors on intracellular proteasome, the induction of neurite outgrowth in PC12 cells caused by proteasome inhibition was examd.
 ZLLLal
 and ZLLal initiated neurite outgrowth with optimal concns. of 20 nM and 10 .mu.M, resp., again showing a big difference in the effective concns. for
 the proteasome inhibition as in vitro. As for the effect on intracellular
 calpain, the concns. of ZLLLal and ZLLal required for the inhibition of
 the autolytic activation of calpain in rabbit erythrocytes were 100 and 100 .mu.M or more, resp. The almost equal inhibitory potencies of ZLLLal
 and ZLLal were in agreement with the inhibition of calpain in vitro. These differential effects of inhibitors against calpain and proteasome are potentially useful for identifying the functions of calpain and proteasome in cell physiol. and pathol.
 ST calpain proteasome differential inhibition peptidyl aldehyde; leucine
 peptide proteinase inhibitor neurite outgrowth
 IT Nerve
 (axon, outgrowth of, induction of by proteasome inhibitors; differential inhibition of calpain and proteasome activities by peptidyl aldehydes of di-leucine and tri-leucine)
 IT 94367-21-2 133407-84-8 151275-87-5 152015-61-7
 RL: BAC (Biological activity or effector, except adverse); BIOL (Biological study)
 (differential inhibition of calpain and proteasome activities by peptidyl aldehydes of di-leucine and tri-leucine)
 IT 78990-62-2, Calpain 140879-24-9, Proteasome
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BIOL (Biological study); PROC (Process)
 (differential inhibition of calpain and proteasome activities by peptidyl aldehydes of di-leucine and tri-leucine)

 L7 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2002 ACS
 AN 1994:502313 CAPLUS
 DN 121:102313
 TI Purification and characterization of an endogenous inhibitor specific to
 the Z-Leu-Leu-Leu-MCA degrading activity in proteasome and its identification as heat-shock protein 90
 AU Tsubuki, Satoshi; Saito, Yumiko; Kawashima, Seiichi
 CS Department of Molecular Biology, The Tokyo Metropolitan Institute of
 Medical Science, 3-18-22 Honkomagome, Bunkyo-ku, Tokyo, 113, Japan
 SO FEBS Lett. (1994), 344(2-3), 229-33
 CODEN: FEBLAL; ISSN: 0014-5793
 DT Journal
 LA English
 CC 6-3 (General Biochemistry)
 AB The authors previously identified a benzyloxycarbonyl(Z)-Leu-Leu-Leu-4-methylcoumaryl-7-amide (ZLLL-MCA) degrading activity in proteasome as a candidate for the regulator of neurite outgrowth. As its
 counterpart, the authors purified a protein from bovine brain that specifically inhibits the ZLLL-MCA degrading activity in proteasome. This protein is heat stable and has no effect on the other catalytic activities in proteasome, or on the activities of trypsin, chymotrypsin, or m- and .mu.-calpains either. The molar ratio of inhibitor-to-proteasome that inhibits 50% of the ZLLL-MCA degrading activity of proteasome is 1:1. The inhibitory mechanism
 of the
 inhibitor against proteasome is non-competitive. Finally, the inhibitor
 was identified as heat-shock protein 90 (HSP90) by partial amino acid
 sequencing and immunodetection. The results suggest that HSP90
 initiates
 neurite outgrowth through the inhibition of the ZLLL-MCA degrading activity in proteasome.
 ST proteasome tripeptide degrading activity inhibitor brain; heat shock protein 90 proteasome inhibitor; HSP90 inhibition tripeptide degrading
 activity proteasome
 IT Brain
 (heat-shock protein 90 of, purifn. and characterization of, inhibition of benzyloxycarbonyl-Leu-Leu-Leu-methylcoumarylamide degrading activity
 in proteasome in relation to)
 IT Protein sequences
 (of heat-shock protein 90 of brain, inhibition of benzyloxycarbonyl-Leu-Leu-Leu-methylcoumarylamide degrading activity in proteasome in relation to)
 IT Phosphoproteins
 RL: BIOL (Biological study)
 (hsp 90, of brain, purifn. and characterization of, inhibition of benzyloxycarbonyl-Leu-Leu-Leu-methylcoumarylamide degrading activity in
 proteasome in relation to)
 IT 140879-24-9P, Proteasome
 RL: PREP (Preparation)
 (benzyloxycarbonyl-Leu-Leu-Leu-methylcoumarylamide degrading activity
 in, inhibitor for, purifn. and characterization of and identification as heat-shock protein 90, of brain)
 IT 152015-61-7
 RL: BIOL (Biological study)
 (proteasome with degrading activity for, heat-shock protein 90 as inhibitor of)

 L7 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2002 ACS
 AN 1994:48618 CAPLUS
 DN 120:48618
 TI Purification and characterization of Z-Leu-Leu-Leu-MCA degrading protease
 expected to regulate neurite formation: A novel catalytic activity in proteasome
 AU Tsubuki, Satoshi; Kawasaki, Hiroshi; Saito, Yumiko; Miyashita, Namiko;
 Inomata, Mitsushi; Kawashima, Seiichi
 CS Dep. Mol. Biol., Tokyo Metrop. Inst. Med. Sci., Tokyo, 113, Japan
 SO Biochem. Biophys. Res. Commun. (1993), 196(3), 1195-201
 CODEN: BBRC99; ISSN: 0006-291X
 DT Journal
 LA English
 CC 7-2 (Enzymes)
 Section cross-reference(s): 13
 AB A tripeptide aldehyde protease inhibitor, benzyloxycarbonyl (Z)-Leu-Leu-leucinal (ZLLLAl), initiates neurite outgrowth in PC12 cells
 at an optimal concn. of 30nM. This result suggests the existence of a protease which regulates neurite formation in PC12 cells. The authors
 report here an attempt to identify this target protease in bovine brain using Z-Leu-Leu-Leu-4-methylcoumaryl-7-amide (ZLLL-MCA), in which the aldehyde moiety of ZLLLal was changed to 4-methylcoumaryl-7-amide to serve as a substrate for the protease. As a result, the authors have purified a proteasome with a mol. wt. of about 660 kDa as a ZLLL-MCA degrading protease. The activity of the proteasome was inhibited efficiently by ZLLLal, and was different from known catalytic
 activities of proteasome in some aspects, suggesting it to be a novel one.

- Thus, the proteasome may be involved in the regulation of neurite formation in PC12 cells.
- ST brain proteasome tripeptide degrading proteinase; neurite development
- proteasome tripeptide degrading proteinase
- IT Nervous system
(development of, proteasome-dependent tripeptide deriv.-degrdn. protease function in)
- IT Development, mammalian
(of nervous system, proteasome-dependent tripeptide deriv.-degrdn. protease function in)
- IT Brain, composition
(tripeptide deriv.-degrdn. protease of proteasome of, purifn. and characterization of, neurite formation in relation to)
- IT Nerve, metabolism
(axon, formation of, in PC12 cells, proteasome-dependent tripeptide deriv.-degrdn. protease effect on)
- IT 152015-61-7
RL: BIOL (Biological study)
(Proteasome-dependent protease of brain specificity for, neurite formation in relation to)
- IT 133407-82-6
RL: BIOL (Biological study)
(proteasome-dependent protease inhibition by, neurite formation in relation to)
- IT 140879-24-9P, Proteasome
RL: PREP (Preparation)
(tripeptide deriv.-degrading. protease dependent on, of brain, purifn. and characterization of, neurite formation in relation to)
- L7 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2002 ACS
AN 1992:609778 CAPLUS
DN 117:209778
TI Possible involvement of clathrin in neuritogenesis induced by a protease inhibitor (benzyloxycarbonyl-Leu-Leu-Leu-aldehyde) in PC12 cells
AU Saito, Yumiko; Tsubuki, Satoshi; Ito, Hisashi; Ohmi-Imajo, Shinobu;
Kawashima, Seiichi
CS Dep. Enzyme Biochem., Tokyo Metrop. Inst. Gerontol., Tokyo, 173, Japan
SO J. Biochem. (Tokyo) (1992), 112(4), 448-55
CODEN: JOBIAO; ISSN: 0021-924X
DT Journal
LA English
CC 13-6 (Mammalian Biochemistry)
AB Previous reports showed that benzyloxycarbonyl (Z)-Leu-Leu-Leu-aldehyde (ZLLLal) induces neurite outgrowth in PC12 cells, and that 33-, 35-, and 180-kDa proteins from PC12 cells elute specifically from a Leu-Leu-Leu-al (LLLal)-coupled affinity column. Several lines of evidence suggest that the 33-, 35-, and 180-kDa proteins are components of clathrin, well-known for its role in endocytosis. Sepn. of clathrin into its heavy and light chains showed that the clathrin heavy chains have the ability to bind to a LLLal affinity column directly. Furthermore, ZLLLal enhances the rate of polymn. of clathrin triskelion to the coat structure. ZLLL-COOH does not cause neurite outgrowth in PC12 cells, and has no effect on the rate of clathrin polymn. On immunocytochem. anal. of PC12 cells with an anti-clathrin heavy chain antibody, enhanced staining of the clathrin heavy chain was obsd. concomitantly with neurite outgrowth initiated by ZLLLal, but not by NGF. This study provides new insights into both the role of the clathrin mol. and the regulatory mechanism of neurite outgrowth.
- ST clathrin neurite outgrowth proteinase inhibitor
- IT Clathrins
RL: BIOL (Biological study)
(proteinase inhibitor interaction with, in neurons, neurite outgrowth response to)
- IT Nerve
(neurite, outgrowth of, proteinase inhibitor induction of, clathrin involvement in)
- IT 133407-82-6
RL: BIOL (Biological study)
(neurite outgrowth in nerve cells induced by, clathrins involvement in)
- L7 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2002 ACS
AN 1992:252916 CAPLUS
DN 116:252916
TI Isolation and characterization of possible target proteins responsible for neurite outgrowth induced by a tripeptide aldehyde in PC12H cells
AU Saito, Yumiko; Tsubuki, Satoshi; Ito, Hisashi; Kawashima, Seiichi
CS Dep. Enzyme Biochem., Tokyo Metrop. Inst. Gerontol., Tokyo, 173, Japan
SO Biochem. Biophys. Res. Commun. (1992), 184(1), 419-26
CODEN: BBRCA9; ISSN: 0006-291X
DT Journal
LA English
CC 13-6 (Mammalian Biochemistry)
AB A tripeptide protease inhibitor, benzyloxycarbonyl-Leu-Leu-Leu-aldehyde (ZLLLal), induces the outgrowth of 1 or 2 long neurites from PC12 cells. Since this neurite outgrowth is different from that induced by nerve growth factor (NGF) in some aspects, the existence of a mol. that regulates neurite formation in PC12 cells was expected. To identify a target mol., Leu-Leu-Leu-aldehyde (LLLal) was immobilized as a ligand for affinity chromatog. Proteins of 33-, 35-, and 180-kDa from the membrane and cytoplasmic fractions of PC12 cells bound specifically to the affinity column. ZLLL-COOH has no ability to induce neurite outgrowth, and the 33-kDa, 35-kDa, and 180-kDa proteins do not bind to an LLL-COOH coupled affinity column. By using the LLLal-affinity column, the 33-kDa/35-kDa proteins were found to be converted to 36-kDa/38-kDa proteins during brain development in rats. These results suggest that LLLal-binding proteins are involved in neuronal differentiation.
- ST neurite outgrowth leucylleucylleucylaldehyde binding protein; nerve differentiation leucylleucylleucylaldehyde binding protein
- IT Nerve
(differentiation of, leucylleucylleucylaldehyde stimulation of, binding proteins in relation to)
- IT Membrane, biological
(leucylleucylleucylaldehyde-binding proteins assocn. with, of nerve)
- IT Heart, composition
Muscle, composition
(leucylleucylleucylaldehyde-binding proteins of)
- IT Development, mammalian
Embryo
(leucylleucylleucylaldehyde-binding proteins of brain in)
- IT Brain, composition
(leucylleucylleucylaldehyde-binding proteins of, in ontogeny)
- IT Proteins, specific or class
RL: BIOL (Biological study)
(leucylleucylleucylaldehyde-binding, 180,000-mol.-wt., of nerve, neurite outgrowth in relation to)
- IT Proteins, specific or class
RL: BIOL (Biological study)
(leucylleucylleucylaldehyde-binding, 33,000-mol.-wt., of nerve,

neurite
 outgrowth in relation to)
 IT Proteins, specific or class
 RL: BIOL (Biological study)
 (leucylleucylleucylaldehyde-binding, 35,000-mol.-wt., of nerve,
 neurite
 outgrowth in relation to)
 IT Proteins, specific or class
 RL: BIOL (Biological study)
 (leucylleucylleucylaldehyde-binding, 36,000-mol.-wt., of brain in
 ontogeny)
 IT Proteins, specific or class
 RL: BIOL (Biological study)
 (leucylleucylleucylaldehyde-binding, 38,000-mol.-wt., of brain in
 ontogeny)
 IT Cell differentiation
 (of nerve, leucylleucylleucylaldehyde stimulation of, binding
 proteins
 in relation to)
 IT Cytoplasm
 (cytosol, leucylleucylleucylaldehyde-binding proteins of, of nerve)
 IT Nerve
 (neurite, outgrowth of, leucylleucylleucylaldehyde stimulation of,
 binding proteins in relation to)
 IT 141607-20-7
 RL: BIOL (Biological study)
 (neurite outgrowth stimulation by, binding proteins in relation to)

=> s zlln
 0 ZLLN
 L8 0 ZLLN

=> s z-lln
 317877 Z
 44 LLN
 L9 0 Z-LLN
 (Z(W)LLN)

=> s ?leucinyll-norvalinal
 102 ?LEUCINYL
 1214675 L
 15 NORVALINAL
 L10 1 ?LEUCINYLL-NORVALINAL
 (?LEUCINYLL(W)L(W)NORVALINAL)

=> d all

L10 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS
 AN 1997:622103 CAPLUS
 DN 127:305542
 TI Detection of in vivo proteasome activity in a starfish oocyte using
 membrane-impermeant substrate
 AU Chiba, Kazuyoshi; Sato, Eisuke; Hoshi, Motonori
 CS Department of Life Science, Tokyo Institute of Technology,
 Yokohama, 226,
 Japan
 SO Journal of Biochemistry (Tokyo) (1997), 122(2), 286-293
 CODEN: JOBIAO; ISSN: 0021-924X
 PB Japanese Biochemical Society
 DT Journal
 LA English
 CC 12-1 (Nonmammalian Biochemistry)
 Section cross-reference(s): 7
 AB A method was investigated for monitoring the activity of
 protease(s) in
 cytosol of a single starfish oocyte using succinyl-Phe-Leu-Arg-
 coumarylamido-4-methanesulfonic acid as the substrate, which was
 injected
 into the cell. After preincubation of immature oocytes with a
 proteasome
 inhibitor, N-carbobenzoxyl-L-leucinyll-L-leucinyll-L-
 norvalinal, the initial hydrolysis of the substrate was remarkably
 inhibited. The inhibitor blocked 1-methyl-adenine-triggered cyclin

degrdn., which is known to be mediated by proteasome. However,
 calpain
 inhibitor E-64 did not inhibit the hydrolysis of the substrate. These
 results suggested that the protease activity measured by this method
 is
 mainly attributable to cytoplasmic proteasome. The hydrolysis of the
 substrate was partially inhibited by bestatin, suggesting that the
 substrate was cleaved by aminopeptidase. Thus, the initial velocity
 of
 hydrolysis of the substrate (V0) by proteasome was assayed in a
 living
 oocyte after preinjection of bestatin. The values of V0 increased
 gradually after 1-methyladenine addn. and reached the max. level at
 the
 time corresponding to cyclin degrdn. The calcd. max. velocity of
 hydrolysis by a mature oocyte was approx. three times higher than
 that by
 an immature oocyte. The Michaelis-Menten const. value was also
 higher in
 mature than immature oocytes. These results suggest that
 proteasome-dependent proteolysis is regulated not only by
 ubiquitination
 of substrates, as is generally believed, but also by the proteasome
 activity itself.
 ST proteasome starfish oocyte maturation substrate
 IT Cytoplasm
 (cytosol; detection of in vivo proteasome activity in starfish oocyte
 using membrane-impermeant substrate)
 IT Asteroidea
 Oogenesis
 (detection of in vivo proteasome activity in starfish oocyte using
 membrane-impermeant substrate)
 IT Egg
 (oocyte; detection of in vivo proteasome activity in starfish oocyte
 using membrane-impermeant substrate)
 IT 140879-24-9, Multicatalytic proteinase
 RL: ANT (Analyte); BAC (Biological activity or effector, except
 adverse);
 BPR (Biological process); BSU (Biological study, unclassified);
 ANST
 (Analytical study); BIOL (Biological study); PROC (Process)
 (detection of in vivo proteasome activity in starfish oocyte using
 membrane-impermeant substrate)
 IT 197305-52-5
 RL: ARG (Analytical reagent use); BPR (Biological process); BSU
 (Biological study, unclassified); ANST (Analytical study); BIOL
 (Biological study); PROC (Process); USES (Uses)
 (detection of in vivo proteasome activity in starfish oocyte using
 membrane-impermeant substrate)

=> leucinyll?norval?
 LEUCINYLL?NORVAL? IS NOT A RECOGNIZED COMMAND
 The previous command name entered was not recognized by the system.
 For a list of commands available to you in the current file, enter
 "HELP COMMANDS" at an arrow prompt (=>).

=> s leucinyll?norval?
 "?" TRUNCATION SYMBOL NOT VALID WITHIN
 'LEUCINYLL?NORVAL?'
 The truncation symbol ? may be used only at the end of a search
 term. To specify a variable character within a word use '!', e.g.,
 'wom!n' to search for both 'woman' and 'women'. Enter "HELP
 TRUNCATION" at an arrow prompt (=>) for more information.

=> s leucinyll-l-norval?
 79 LEUCINYLL
 1214675 L
 2227 NORVAL?
 L11 1 LEUCINYLL-L-NORVAL?
 (LEUCINYLL(W)L(W)NORVAL?)

=> s leucinyll(w)norval?
 79 LEUCINYLL

2227 NORVAL?
L12 2 LEUCINYL(W)NORVAL?

=> d ti 1-2

L12 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS
TI Selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degradation in *Saccharomyces cerevisiae*

L12 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2002 ACS
TI Ubiquitin-proteasome pathway mediated intracellular degradation of apolipoprotein B

=> d all 1-2

L12 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS
AN 1996:681511 CAPLUS
DN 125:322631
TI Selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degradation in *Saccharomyces cerevisiae*
AU Lee, Do Hee; Goldberg, Alfred L.
CS Dep. Cell Biol., Harvard Med. Sch., Boston, MA, 02115, USA
SO J. Biol. Chem. (1996), 271(44), 27280-27284
CODEN: JBCHA3; ISSN: 0021-9258
DT Journal
LA English
CC 10-2 (Microbial, Algal, and Fungal Biochemistry)
AB We have studied whether various agents that inhibit purified yeast and mammalian 26 S proteasome can suppress the breakdown of different classes of proteins in *Saccharomyces cerevisiae*. The degrdn. of short-lived proteins was inhibited reversibly by peptide aldehyde inhibitors of proteasomes, carbobenzoxy-leuciny-leuciny-leucinal (MG132) and carbobenzoxy-leuciny-leuciny-norvalinal (MG115), in a yeast mutant with enhanced permeability, but not in wild-type strains.
Lactacystin, an irreversible proteasome inhibitor, had no effect, but the .beta.-lactone deriv. of lactacystin, which directly reacts with proteasomes, inhibited the degrdn. of short-lived proteins. These inhibitors also blocked the rapid ubiquitin-dependent breakdown of a .beta.-galactosidase fusion protein and caused accumulation of enzymically active mols. in cells. The degrdn. of the bulk of cell proteins, which are long-lived mols., was not blocked by proteasome inhibitors, but could be blocked by phenylmethylsulfonyl fluoride. This agent, which inhibits multiple vacuolar proteases, did not affect the proteasome or breakdown of short-lived proteins. These two classes of inhibitors can thus be used to distinguish the cytosolic and vacuolar proteolytic pathways and to increase the cellular content of short-lived proteins.
ST proteasome vacuole protease inhibitor *Saccharomyces* proteolysis
IT *Saccharomyces cerevisiae*
(selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degrdn. in *Saccharomyces cerevisiae*)
IT Proteins, specific or class
RL: BPR (Biological process); BIOL (Biological study); PROC (Process)
(abnormal, selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degrdn. in *Saccharomyces cerevisiae*)
IT Proteins, specific or class
RL: BPR (Biological process); BIOL (Biological study); PROC (Process)
(long-lived, selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degrdn. in *Saccharomyces cerevisiae*)
IT Biological transport

(permeation, differential effect of proteasome inhibitors on *Saccharomyces cerevisiae* wild-type and mutant strains in relation to)
IT Proteins, specific or class
RL: BPR (Biological process); BIOL (Biological study); PROC (Process)
(short-lived, selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degrdn. in *Saccharomyces cerevisiae*)
IT Organelle
(vacuole, selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degrdn. in *Saccharomyces cerevisiae*)
IT 140879-24-9, Proteasome
RL: BPR (Biological process); BIOL (Biological study); PROC (Process)
(26 S; selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degrdn. in *Saccharomyces cerevisiae*)
IT 329-98-6, Phenylmethylsulfonyl fluoride. 60267-61-0, Ubiquitin 133343-34-7, Lactacystin 133407-82-6 133407-86-0, MG115 154226-60-5
RL: BAC (Biological activity or effector, except adverse); BIOL (Biological study)
(selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degrdn. in *Saccharomyces cerevisiae*)
IT 37259-58-8, Serine proteinase
RL: BPR (Biological process); BIOL (Biological study); PROC (Process)
(selective inhibitors of the proteasome-dependent and vacuolar pathways of protein degrdn. in *Saccharomyces cerevisiae*)

L12 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2002 ACS
AN 1996:607542 CAPLUS
DN 125:241026
TI Ubiquitin-proteasome pathway mediated intracellular degradation of apolipoprotein B
AU Yeung, S. Jim; Chen, San Hwan; Chan, Lawrence
CS Department of Medicine, Baylor College of Medicine, Houston, TX, 77030, USA
SO Biochemistry (1996), 35(43), 13843-13848
CODEN: BICHAW; ISSN: 0006-2960
DT Journal
LA English
CC 6-1 (General Biochemistry)
AB Newly synthesized apolipoprotein B (apoB) is degraded by a proteolytic process in the pre-Golgi compartment that can be inhibited by N-acetyl-L-leuciny-L-leuciny-L-norleucinal (ALLN) but not by several other protease inhibitors. We have tested the hypothesis that the ubiquitin-proteasome pathway is involved in the intracellular degrdn. of apoB in liver cells. Inhibitors of proteasomes blocked the degrdn. of apoB in cultured human hepatoma (HepG2) cells. Protein degrdn. by proteasomes is ATP-dependent, and ATP depletion by dinitrophenol and 2-deoxyglucose also inhibited apoB degrdn. in these cells.
Furthermore, the intracellular human apoB isolated by immunopptn. was shown to react specifically with anti-ubiquitin antibody by immunoblotting. This result was corroborated by sequential immunopptn. of [35S]methionine-labeled proteins by anti-human apoB and anti-ubiquitin antisera. In contrast, secreted apoB was not ubiquitinated. The amt. of intracellular ubiquitinated apoB was increased by the proteasome inhibitors, ALLN and carbobenzoxy-leuciny-leuciny-norvalinal-H (MG115). Our findings suggest that the ubiquitin-proteasome pathway is one mechanism for the intracellular degrdn. of apoB.

ST apolipoprotein B degrdn liver ubiquitin proteasome
 IT Liver
 (ubiquitin-proteasome pathway mediated intracellular degrdn. of
 apolipoprotein B in liver cell)
 IT Lipoproteins
 RL: BPR (Biological process); BIOL (Biological study); PROC
 (Process)
 (apo-, B, ubiquitin-proteasome pathway mediated intracellular
 degrdn.
 of apolipoprotein B)
 IT 60267-61-0, Ubiquitin 140879-24-9, Proteasome
 RL: BPR (Biological process); BIOL (Biological study); PROC
 (Process)
 (ubiquitin-proteasome pathway mediated intracellular degrdn. of
 apolipoprotein B)

=> s ?norvalinal
 L13 16 ?NORVALINAL

=> d ti

L13 ANSWER 1 OF 16 CAPLUS COPYRIGHT 2002 ACS
 TI Role of proteasomal degradation in the cell cycle-dependent
 regulation of
 DNA topoisomerase II.alpha. expression

=> file registry

COST IN U.S. DOLLARS		SINCE FILE	TOTAL
	ENTRY	SESSION	
FULL ESTIMATED COST		56.84	101.85

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
 SINCE FILE TOTAL

	ENTRY	SESSION	
CA SUBSCRIBER PRICE		-6.20	-9.92

FILE 'REGISTRY' ENTERED AT 11:05:09 ON 18 JUN 2002
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER
 AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 16 JUN 2002 HIGHEST RN
 431035-49-3
 DICTIONARY FILE UPDATES: 16 JUN 2002 HIGHEST RN
 431035-49-3

TSCA INFORMATION NOW CURRENT THROUGH January 7, 2002

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for
 details.

Calculated physical property data is now available. See HELP
 PROPERTIES
 for more information. See STNote 27, Searching Properties in the CAS
 Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> E "?NORVALINAL"/CN 25

E1 1 ?? (PSEUDOMONAS STRAIN S-47 CLONE PCSP21
 GENE XYLL)/CN
 E2 1 ?H-CYCLOHEPTA(C)FURAN/CN
 E3 0 --> ?NORVALINAL/CN
 E4 1 A/CN
 E5 1 A (EC:5.99.1.-) (RICKETTSIA CONORI STRAIN
 MALISH 7 GENE PARC)/CN
 E6 1 A/G SPECIFIC ADENINE GLYCOSYLASE
 (PSEUDOMONAS AERUGINOSA STRAIN PAO1 GENE
 MUTY)/CN

E7 1 A 0/CN
 E8 1 A 0 (POLYAMIDE)/CN
 E9 1 A 002/CN
 E10 1 A 002 (POLYOL)/CN
 E11 1 A 002 (POLYOL), POLYMER WITH B 002
 (ISOCYANATE)/CN
 E12 2 A 007/CN
 E13 1 A 007 (URETHANE)/CN
 E14 1 A 008/CN
 E15 1 A 0089/CN
 E16 2 A 01/CN
 E17 1 A 01 (ADHESIVE)/CN
 E18 1 A 01 (DYE AUXILIARY)/CN
 E19 1 A 0111/CN
 E20 1 A 013/CN
 E21 1 A 01H/CN
 E22 1 A 01L/CN
 E23 1 A 01M/CN
 E24 1 A 02011-1/CN
 E25 1 A 02056/CN

=> file medline biosis caplus

COST IN U.S. DOLLARS		SINCE FILE	TOTAL
	ENTRY	SESSION	
FULL ESTIMATED COST		0.38	102.23

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
 SINCE FILE TOTAL

	ENTRY	SESSION	
CA SUBSCRIBER PRICE		0.00	-9.92

FILE 'MEDLINE' ENTERED AT 11:05:47 ON 18 JUN 2002

FILE 'BIOSIS' ENTERED AT 11:05:47 ON 18 JUN 2002
 COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'CAPLUS' ENTERED AT 11:05:47 ON 18 JUN 2002
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER
 AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

=> s ?norvalinal?
 L14 71 ?NORVALINAL?

=> dup rem l14
 PROCESSING COMPLETED FOR L14
 L15 40 DUP REM L14 (31 DUPLICATES REMOVED)

=> s ?leucinal?
 L16 1235 ?LEUCINAL?

=> s ?aav?
 "?AAV?" NOT LONG ENOUGH FOR LEFT TRUNCATION
 "?AAV?" NOT LONG ENOUGH FOR LEFT TRUNCATION
 "?AAV?" NOT LONG ENOUGH FOR LEFT TRUNCATION
 You have entered a truncated stem whose length is less than
 the minimum allowed for left truncation in the requested
 search field. You may increase the length of the stem to
 the minimum allowed and try again. Enter HELP SFIELDS to
 find the minimum stem length for left truncation in
 the requested search field.

=> s adeno-associated
 L17 5751 ADENO-ASSOCIATED

=> s l16 and l17
 L18 0 L16 AND L17

=> s l15 and l17
 L19 0 L15 AND L17

=> log hold

COST IN U.S. DOLLARS		SINCE FILE	TOTAL
----------------------	--	------------	-------

	ENTRY	SESSION	
FULL ESTIMATED COST	8.12	110.35	

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL

	ENTRY	SESSION	
CA SUBSCRIBER PRICE	0.00	-9.92	

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 11:08:12 ON 18 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Jan 25 BLAST(R) searching in REGISTRY available in STN on the Web
NEWS 3 Jan 29 FSTA has been reloaded and moves to weekly updates
NEWS 4 Feb 01 DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS 5 Feb 19 Access via Tymnet and SprintNet Eliminated Effective 3/31/02
NEWS 6 Mar 08 Gene Names now available in BIOSIS
NEWS 7 Mar 22 TOXLIT no longer available
NEWS 8 Mar 22 TRCTHERMO no longer available
NEWS 9 Mar 28 US Provisional Priorities searched with P in CA/Caplus and USPATFULL
NEWS 10 Mar 28 LIPINSKI/CALC added for property searching in REGISTRY
NEWS 11 Apr 02 PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead.
NEWS 12 Apr 08 "Ask CAS" for self-help around the clock
NEWS 13 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 14 Apr 09 ZDB will be removed from STN
NEWS 15 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS 16 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS 17 Apr 22 BIOSIS Gene Names now available in TOXCENTER
NEWS 18 Apr 22 Federal Research in Progress (FEDRIP) now available
NEWS 19 Jun 03 New e-mail delivery for search results now available
NEWS 20 Jun 10 MEDLINE Reload
NEWS 21 Jun 10 PCTFULL has been reloaded

NEWS EXPRESS February 1 CURRENT WINDOWS VERSION IS V6.0d,
CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),
AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN

NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 14:28:55 ON 19 JUN 2002

=>

	ENTRY	SINCE FILE	TOTAL
COST IN U.S. DOLLARS			
FULL ESTIMATED COST		0.21	0.21

FILE 'MEDLINE' ENTERED AT 14:29:05 ON 19 JUN 2002

FILE 'BIOSIS' ENTERED AT 14:29:05 ON 19 JUN 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC. (R)

FILE 'CAPLUS' ENTERED AT 14:29:05 ON 19 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

=> s adeno-associated

L1 5751 ADENO-ASSOCIATED

=> s liver

L2 1438993 LIVER

=> s l1(s)l2

L3 195 L1(S) L2

=> s l3 not py>1999

L4 87 L3 NOT PY>1999

=> dup rem l4

PROCESSING COMPLETED FOR L4

L5 47 DUP REM L4 (40 DUPLICATES REMOVED)

=> d ti so 30-47

L5 ANSWER 30 OF 47 MEDLINE DUPLICATE 21
TI Tissue-specific expression of herpes simplex virus thymidine kinase gene delivered by adeno-associated virus inhibits the growth of human hepatocellular carcinoma in athymic mice.
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1997 Dec 9) 94 (25) 13891-6.
Journal code: 7505876. ISSN: 0027-8424.

L5 ANSWER 31 OF 47 MEDLINE DUPLICATE 22
TI Persistent expression of human clotting factor IX from mouse liver after intravenous injection of adeno-associated virus vectors.
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1997 Feb 18) 94 (4) 1426-31.
Journal code: 7505876. ISSN: 0027-8424.

L5 ANSWER 32 OF 47 CAPLUS COPYRIGHT 2002 ACS
TI Defective adenoassociated viral-mediated transfection of insulin

gene by
direct injection into liver parenchyma decreases blood glucose of
diabetic
mice

SO Hormone and Metabolic Research (1997), 29(12), 599-603
CODEN: HMMRA2; ISSN: 0018-5043

L5 ANSWER 33 OF 47 CAPLUS COPYRIGHT 2002 ACS

TI Gene therapy strategies for genetic diseases

SO Studies in Stomatology and Craniofacial Biology (1997), 559-585.

Editor(s): Cohen, M. Michael, Jr.; Baum, Bruce J. Publisher: IOS
Press,
Amsterdam, Neth.
CODEN: 64SKAK

L5 ANSWER 34 OF 47 MEDLINE

DUPLICATE 23

TI Persistent and therapeutic concentrations of human factor IX in mice
after

hepatic gene transfer of recombinant AAV vectors.

SO NATURE GENETICS, (1997 Jul) 16 (3) 270-6.

Journal code: 9216904. ISSN: 1061-4036.

L5 ANSWER 35 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI Persistent expression to human coagulation Factor IX following
administration of AAV vectors to mouse muscle and liver.

SO Blood, (Nov. 15, 1997) Vol. 90, No. 10 SUPPL. 1 PART 1, pp.
240A.

Meeting Info.: 39th Annual Meeting of the American Society of
Hematology

San Diego, California, USA December 5-9, 1997 The American
Society of

Hematology

. ISSN: 0006-4971.

L5 ANSWER 36 OF 47 MEDLINE

DUPLICATE 24

TI Adeno-associated virus 2-mediated gene transfer in vivo: organ-
tropism and

expression of transduced sequences in mice.

SO GENE, (1997 Apr 29) 190 (1) 203-10.

Journal code: 7706761. ISSN: 0378-1119.

L5 ANSWER 37 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI Adeno-associated virus (AAV) as a gene delivery vector
for liver-cells.

SO Hepatology, (1997) Vol. 26, No. 4 PART 2, pp. 197A.

Meeting Info.: 48th Annual Meeting of the American Association for
the

Study of Liver Diseases Chicago, Illinois, USA November 7-11,
1997

ISSN: 0270-9139.

L5 ANSWER 38 OF 47 CAPLUS COPYRIGHT 2002 ACS

TI Use of a non-mammalian DNA virus to express an exogenous gene
in a

mammalian cell for gene therapy in treatment of gene deficiency
disorder

or liver cancer

SO PCT Int. Appl., 77 pp.

CODEN: PIXXD2

L5 ANSWER 39 OF 47 MEDLINE

DUPLICATE 25

TI Transduction with recombinant adeno-associated virus for gene
therapy is

limited by leading-strand synthesis.

SO JOURNAL OF VIROLOGY, (1996 Jan) 70 (1) 520-32.

Journal code: 0113724. ISSN: 0022-538X.

L5 ANSWER 40 OF 47 MEDLINE

TI Selective killing of AFP-positive hepatocellular carcinoma cells by
adeno-associated virus transfer of the herpes simplex virus thymidine
kinase gene.

SO HUMAN GENE THERAPY, (1996 Mar 1) 7 (4) 463-70.

Journal code: 9008950. ISSN: 1043-0342.

L5 ANSWER 41 OF 47 MEDLINE

DUPLICATE 26

TI Autonomous parvovirus transduction of a gene under control of
tissue-specific or inducible promoters.

SO GENE THERAPY, (1996 Jan) 3 (1) 28-36.

Journal code: 9421525. ISSN: 0969-7128.

L5 ANSWER 42 OF 47 MEDLINE

TI Drug management of noninfective complications of cystic fibrosis.

SO DRUGS, (1995 Oct) 50 (4) 626-35. Ref: 40

Journal code: 7600076. ISSN: 0012-6667.

L5 ANSWER 43 OF 47 MEDLINE

TI Gene transfer to the thymus. A means of abrogating the immune
response to

recombinant adenovirus.

SO ANNALS OF SURGERY, (1995 Sep) 222 (3) 229-39; discussion
239-42.

Journal code: 0372354. ISSN: 0003-4932.

L5 ANSWER 44 OF 47 MEDLINE

DUPLICATE 27

TI [Experimental infection of green monkeys with adenoassociated
virus].

Eksperimental'naia infektsiia zelenykh martyshek
adenoassotsirovannykh

virusom.

SO VOPROSY VIRUSOLOGII, (1981 Jan-Feb) (1) 82-9.

Journal code: 0417337. ISSN: 0507-4088.

L5 ANSWER 45 OF 47 MEDLINE

DUPLICATE 28

TI [Antigens of adeno-associated viruses in children dying from acute
respiratory disease].

Antigeny adenoassotsirovannykh virusov u detei, umershihkh ot
ostrogo

respiratornogo zabolevaniia.

SO VOPROSY VIRUSOLOGII, (1977) (1) 82-7.

Journal code: 0417337. ISSN: 0507-4088.

L5 ANSWER 46 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI SOME PROPERTIES OF AVIAN ADENOVIRUSES ISOLATED
FROM CHICKENS WITH

INCLUSION BODY HEPATITIS IN JAPAN.

SO AVIAN DIS, (1976) 20 (4), 693-705.

CODEN: AVDIAL. ISSN: 0005-2086.

L5 ANSWER 47 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI GROWTH OF ADENO ASSOCIATED SATELLITE VIRUS IN
DOGS IN THE PRESENCE OF

INFECTIOUS CANINE HEPATITIS VIRUS.

SO JPN J VET RES, (1975) 23 (3), 95-100.

CODEN: JJVRAE. ISSN: 0047-1917.

=> s transgene

L6 39542 TRANSGENE

=> d his

(FILE 'HOME' ENTERED AT 14:28:55 ON 19 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:29:05 ON
19 JUN 2002

L1 5751 S ADENO-ASSOCIATED

L2 1438993 S LIVER

L3 195 S L1(S)L2

L4 87 S L3 NOT PY>1999

L5 47 DUP REM L4 (40 DUPLICATES REMOVED)

L6 39542 S TRANSGENE

=> s l6 and l5

L7 12 L6 AND L5

=> d ti so 1-12

L7 ANSWER 1 OF 12 MEDLINE

TI Selective uptake and sustained expression of AAV vectors following subcutaneous delivery.

SO JOURNAL OF GENE MEDICINE, (1999 Jan-Feb) 1 (1) 31-42.
Journal code: 9815764. ISSN: 1099-498X.

L7 ANSWER 2 OF 12 MEDLINE

TI Gene transfer into the CNS using recombinant adeno-associated virus:

analysis of vector DNA forms resulting in sustained expression.

SO JOURNAL OF DRUG TARGETING, (1999 Dec) 7 (4) 269-83.
Journal code: 9312476. ISSN: 1061-186X.

L7 ANSWER 3 OF 12 MEDLINE

TI Intravenous angiotensinogen antisense in AAV-based vector decreases hypertension.

SO AMERICAN JOURNAL OF PHYSIOLOGY, (1999 Dec) 277 (6 Pt 2) H2392-9.
Journal code: 0370511. ISSN: 0002-9513.

L7 ANSWER 4 OF 12 MEDLINE

TI Isolation of recombinant **adeno-associated** virus vector-cellular DNA junctions from mouse **liver**.

SO JOURNAL OF VIROLOGY, (1999 Jul) 73 (7) 5438-47.
Journal code: 0113724. ISSN: 0022-538X.

L7 ANSWER 5 OF 12 MEDLINE

TI Liver-directed gene transfer vectors.

SO HUMAN GENE THERAPY, (1998 Sep 20) 9 (14) 1975-81. Ref: 96
Journal code: 9008950. ISSN: 1043-0342.

L7 ANSWER 6 OF 12 MEDLINE

TI **Adeno-associated** viral vector-mediated gene transfer of human blood coagulation factor IX into mouse **liver**.

SO BLOOD, (1998 Jun 15) 91 (12) 4600-7.
Journal code: 7603509. ISSN: 0006-4971.

L7 ANSWER 7 OF 12 MEDLINE

TI Transient immunosuppression allows **transgene** expression following readministration of adeno-associated viral vectors.

SO HUMAN GENE THERAPY, (1998 Mar 1) 9 (4) 477-85.
Journal code: 9008950. ISSN: 1043-0342.

L7 ANSWER 8 OF 12 MEDLINE

TI Adeno-associated virus type 2-mediated gene transfer: correlation of tyrosine phosphorylation of the cellular single-stranded D sequence-binding protein with **transgene** expression in human cells in vitro and murine tissues in vivo.

SO JOURNAL OF VIROLOGY, (1998 Feb) 72 (2) 1593-9.
Journal code: 0113724. ISSN: 0022-538X.

L7 ANSWER 9 OF 12 MEDLINE

TI Gene transfer to the thymus. A means of abrogating the immune response to recombinant adenovirus.

SO ANNALS OF SURGERY, (1995 Sep) 222 (3) 229-39; discussion 239-42.
Journal code: 0372354. ISSN: 0003-4932.

L7 ANSWER 10 OF 12 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Human **liver** cell-specific **transgene** expression mediated by recombinant **adeno-associated** virus 2 vectors.

SO Blood, (Nov. 15, 1998) Vol. 92, No. 10 SUPPL. 1 PART 1-2, pp. 149A.

Meeting Info.: 40th Annual Meeting of the American Society of Hematology
Miami Beach, Florida, USA December 4-8, 1998 The American

Society of
Hematology
. ISSN: 0006-4971.

L7 ANSWER 11 OF 12 CAPLUS COPYRIGHT 2002 ACS

TI Development of animal models for adeno-associated virus site-specific integration

SO Journal of Virology (1999), 73(3), 2517-2526
CODEN: JOVIAM; ISSN: 0022-538X

L7 ANSWER 12 OF 12 CAPLUS COPYRIGHT 2002 ACS

TI The kinetics of rAAV integration in the liver

SO Nature Genetics (1998), 19(1), 13-15
CODEN: NGENEC; ISSN: 1061-4036

=> s edta

L8 122109 EDTA

=> sl1 and l8

SL1 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> s l1 and l8

L9 7 L1 AND L8

=> dup rem l9

PROCESSING COMPLETED FOR L9

L10 5 DUP REM L9 (2 DUPLICATES REMOVED)

=> d ti so 1-5

L10 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2002 ACS

TI Method of inducing an immunological CTL response by lymphatic system

delivery of peptide vaccine

SO U.S. Pat. Appl. Publ., 48 pp., Cont.-in-part of U. S. Ser. No. 380,534.
CODEN: USXXCO

L10 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2002 ACS

TI Method of treating cells of the prostate prophylactically or therapeutically with a nucleic acid

SO PCT Int. Appl., 35 pp.
CODEN: PIXXD2

L10 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2002 ACS

TI Methods and compositions for increasing infectivity of retrovirus vectors

to epithelial tissues and treatment of epithelial disorders

SO Jpn. Kokai Tokkyo Koho, 113 pp.
CODEN: JKXXAF

L10 ANSWER 4 OF 5 MEDLINE

DUPLICATE 1

TI AlphaVbeta5 integrin: a co-receptor for **adeno-associated** virus type 2 infection.

SO NATURE MEDICINE, (1999 Jan) 5 (1) 78-82.
Journal code: 9502015. ISSN: 1078-8956.

L10 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2002 ACS

TI Complementation of **adeno-associated** virus by

temperature-sensitive mutants of human adenovirus and herpesvirus

SO Replication Mamm. Parvoviruses (1978), 109-18. Editor(s): Ward, David C.;

Tattersall, Peter. Publisher: Cold Spring Harbor Lab., Cold Spring Harbor, N. Y.
CODEN: 38WXA6

=> d ibib ab 17 7,6

L7 ANSWER 7 OF 12 MEDLINE
 ACCESSION NUMBER: 1998184221 MEDLINE
 DOCUMENT NUMBER: 98184221 PubMed ID: 9525309
 TITLE: Transient immunosuppression allows **transgene**
 expression following readministration of adeno-associated
 viral vectors.
 AUTHOR: Manning W C; Zhou S; Bland M P; Escobedo J A;
 Dwarki V
 CORPORATE SOURCE: Chiron Corporation, Emeryville, CA 94608,
 USA.
 SOURCE: HUMAN GENE THERAPY, (1998 Mar 1) 9 (4) 477-
 85.

Journal code: 9008950. ISSN: 1043-0342.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199804

ENTRY DATE: Entered STN: 19980507

Last Updated on STN: 19980507

Entered Medline: 19980429

AB **Adeno-associated viral (AAV)** vectors have much promise
 in gene therapy. Among the many properties that make AAV an ideal
 vector

for gene therapy are its ability to infect both dividing and nondividing
 cells and the longevity of expression in tissues such as brain, skeletal
 muscle, and **liver**. However, like other viral vectors,
 readministration of vector is limited because of the host's immune
 response to viral components of the vector. Using class I, class II, and
 CD40 ligand (CD40L)-deficient mice, we demonstrate that

neutralizing

antibodies to the viral capsid proteins prevent **transgene**
 expression following readministration of rAAV vectors. Transient
 immunosuppression of mice by treatment with antibody to CD4 at the
 time of

primary infection allowed **transgene** expression after
 readministration of rAAV vectors to animals. Transient

immunosuppression

with antibody to CD40L had only a modest effect on the efficacy of
 readministration. The ability to readminister virus was inversely
 correlated with both AAV capsid enzyme-linked immunosorbent

assay titers

and AAV neutralizing antibody titers. These studies demonstrate that
 readministration of rAAV can be accomplished by down regulating

the

anti-AAV immune response and suggest the use of repeated
 administration of

rAAV as a viable form of therapy for the treatment of chronic
 diseases.

L7 ANSWER 6 OF 12 MEDLINE
 ACCESSION NUMBER: 1998282203 MEDLINE
 DOCUMENT NUMBER: 98282203 PubMed ID: 9616156

TITLE: **Adeno-associated viral vector-mediated**
 gene transfer of human blood coagulation factor IX into
 mouse **liver**.

AUTHOR: Nakai H; Herzog R W; Hagstrom J N; Walter J;
 Kung S H; Yang
 E Y; Tai S J; Iwaki Y; Kurtzman G J; Fisher K J; Colosi P;
 Couto L B; High K A

CORPORATE SOURCE: Avigen, Inc, Alameda, CA, USA.

CONTRACT NUMBER: P50 HL54500 (NHLBI)
 R01 HL53668 (NHLBI)

SOURCE: BLOOD, (1998 Jun 15) 91 (12) 4600-7.

Journal code: 7603509. ISSN: 0006-4971.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Abridged Index Medicus Journals; Priority
 Journals

ENTRY MONTH: 199806

ENTRY DATE: Entered STN: 19980713

Last Updated on STN: 19980713

Entered Medline: 19980630

AB Recombinant **adeno-associated virus** vectors (AAV) were
 prepared in high titer (10¹² to 10¹³) particles/mL) for the
 expression
 of human factor IX after in vivo transduction of murine hepatocytes.
 Injection of AAV-CMV-F.IX (expression from the human
 cytomegalovirus IE

enhancer/promoter) into the portal vein of adult mice resulted in no
 detectable human factor IX in plasma, but in mice injected
 intravenously

as newborns with the same vector, expression was initially 55 to 110
 ng/mL. The expression in the **liver** was mostly transient, and
 plasma levels decreased to undetectable levels within 5 weeks.

However,

long-term expression of human F.IX was detected by
 immunofluorescence

staining in 0.25% of hepatocytes 8 to 10 months postinjection. The
 loss of

expression was likely caused by suppression of the CMV promoter,
 because

polymerase chain reaction data showed no substantial loss of vector
 DNA in

mouse **liver**. A second vector in which F.IX expression was
 controlled by the human EF1alpha promoter was constructed and
 injected

into the portal vein of adult C57BL/6 mice at a dose of 6.3 x 10¹⁰
 particles. This resulted in therapeutic plasma levels (200 to 320
 ng/mL)

for a period of at least 6 months, whereas no human F.IX was
 detected in

plasma of mice injected with AAV-CMV-F.IX. Doses of AAV-
 EF1alpha-F. IX of

2.7 x 10¹¹ particles resulted in plasma levels of 700 to 3, 200
 ng/mL.

Liver-derived expression of human F.IX from the AAV-EF1alpha-
 F.IX

vector was confirmed by immunofluorescence staining. We conclude
 that

recombinant AAV can efficiently transduce hepatocytes and direct
 stable

expression of an F.IX **transgene** in mouse **liver**, but
 sustained expression is critically dependent on the choice of
 promoter.

=> d ibib ab 110 3

L10 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2002 ACS
 ACCESSION NUMBER: 2000:344459 CAPLUS

DOCUMENT NUMBER: 132:343324

TITLE: Methods and compositions for increasing infectivity
 of

retrovirus vectors to epithelial tissues and treatment
 of epithelial disorders

INVENTOR(S): Maclay, Paul B., Jr.; Wang, Goshan; Davidson,
 Billy;

Bottner, Martykay; Herman, Steve M.; Jolly, Douglas J.
 PATENT ASSIGNEE(S): The University of Iowa Research
 Foundation, USA;

Chiron Corp.

SOURCE: Jpn. Kokai Tokkyo Koho, 113 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2000143548	A2	20000523	JP 1998-325721	19981116

AB Susceptibility of epithelial cells to viral infection, e.g. to retroviral
 vectors for gene therapy, is increased by contacting epithelial cells
 with

a tissue-permeabilizing agents such as a hypotonic soln., ion

chelators,
 cationic peptides, occludin peptide, cytoskeletal disruption agents,
 neurotransmitters, oxidants, inflammatory mediators, etc. The
 process
 also contains a step for proliferating the epithelial cell, e.g. by
 treatment with growth factors. Aerosol compns. contg.
 tissue-permeabilizing agents and cell growth factors are used for
 achieving the method. Also claimed are methods for treatment of
 epithelial disorders, e.g. lung cancer, bronchial cancer, asthma,
 surfactant protein B deficiency, alpha.1-antitrypsin deficiency, or
 cystic fibrosis using the method before contacting the tissues with
 viral
 vectors.

=> d his

(FILE 'HOME' ENTERED AT 14:28:55 ON 19 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:29:05 ON
 19 JUN 2002

L1 5751 S ADENO-ASSOCIATED
 L2 1438993 S LIVER
 L3 195 S L1(S)L2
 L4 87 S L3 NOT PY>1999
 L5 47 DUP REM L4 (40 DUPLICATES REMOVED)
 L6 39542 S TRANSGENE
 L7 12 S L6 AND L5
 L8 122109 S EDTA
 L9 7 S L1 AND L8
 L10 5 DUP REM L9 (2 DUPLICATES REMOVED)

=> s dog

L11 594168 DOG

=> s l1(s)l11

L12 48 L1(S) L11

=> dup rem l12

PROCESSING COMPLETED FOR L12

L13 31 DUP REM L12 (17 DUPLICATES REMOVED)

=> s l13 not py>1999

L14 10 L13 NOT PY>1999

=> d l13 1-10

L13 ANSWER 1 OF 31 MEDLINE DUPLICATE 1
 AN 2002210650 MEDLINE
 DN 21926810 PubMed ID: 11929752
 TI Sustained phenotypic correction of hemophilia B dogs with a factor
 IX null
 mutation by liver-directed gene therapy.
 AU Mount Jane D; Herzog Roland W; Tillson D Michael; Goodman
 Susan A;
 Robinson Nancy; McClelland Mark L; Bellinger Dwight; Nichols
 Timothy C;
 Arruda Valder R; Lothrop Clinton D Jr; High Katherine A
 CS Scott-Ritchey Research Center and Department of Clinical
 Sciences, College
 of Veterinary Sciences, Auburn University, AL, USA.
 NC R01 HL61921 (NHLBI)
 SO BLOOD, (2002 Apr 15) 99 (8) 2670-6.
 Journal code: 7603509. ISSN: 0006-4971.
 CY United States
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Abridged Index Medicus Journals; Priority Journals
 EM 200206
 ED Entered STN: 20020412
 Last Updated on STN: 20020618
 Entered Medline: 20020617

L13 ANSWER 2 OF 31 MEDLINE

AN 2002316209 IN-PROCESS
 DN 22054319 PubMed ID: 12058500
 TI [In Process Citation].

Fortschritte in der somatischen Gentherapie von
 Netzhautdegenerationen am
 Tiermodell.

AU Schlichtenbrede F C; Sarra G M; Ali R R; Wiedemann P; Reichel
 M B

CS Klinik und Poliklinik für Augenheilkunde, Universität Leipzig.

SO OPHTHALMOLOGE, (2002 Apr) 99 (4) 259-65.

Journal code: 9206148. ISSN: 0941-293X.

CY Germany: Germany, Federal Republic of

DT Journal; Article; (JOURNAL ARTICLE)

LA German

FS IN-PROCESS; NONINDEXED; Priority Journals

ED Entered STN: 20020613

Last Updated on STN: 20020613

L13 ANSWER 3 OF 31 MEDLINE

AN 2001574004 MEDLINE

DN 21538077 PubMed ID: 11681005

TI Possibility and future problems of gene therapy for gastric cancer.

AU Matsukura N; Onda M; Shimada T

CS First Department of Surgery, Nippon Medical School, Tokyo,
 Japan.

SO NIPPON GEKA GAKKAI ZASSHI. JOURNAL OF JAPAN

SURGICAL SOCIETY, (2001 Oct)

102 (10) 778-82.

Journal code: 0405405. ISSN: 0301-4894.

CY Japan

DT Journal; Article; (JOURNAL ARTICLE)

LA Japanese

FS Priority Journals

EM 200112

ED Entered STN: 20011030

Last Updated on STN: 20020123

Entered Medline: 20011207

L13 ANSWER 4 OF 31 BIOSIS COPYRIGHT 2002 BIOLOGICAL
 ABSTRACTS INC.

AN 2002:220520 BIOSIS

DN PREV200200220520

TI Induction of immunological tolerance to a coagulation factor antigen
 by

hepatic gene transfer.

AU Mingozzi, Federico (1); Arruda, Valder R. (1); Liu, Yi-Lin (1);
 Wang,

YuQuin (1); Liu, Jian Hua (1); Kaufhold, Antje (1); High, Katherine
 A.

(1); Herzog, Roland W. (1)

CS (1) Pediatrics and Pathology, Childrens Hospital of Philadelphia
 and

University of Pennsylvania Medical Center, Philadelphia, PA USA
 SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 694a.

http://www.bloodjournal.org/. print.

Meeting Info.: 43rd Annual Meeting of the American Society of
 Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001

ISSN: 0006-4971.

DT Conference

LA English

L13 ANSWER 5 OF 31 MEDLINE

AN 2001557795 MEDLINE

DN 21489918 PubMed ID: 11604045

TI Gene therapy for muscular dystrophies: current status and future
 prospects.

AU Takeda S; Miyagoe-Suzuki Y

CS Department of Molecular Therapy, National Institute of
 Neuroscience,

National Center of Neurology and Psychiatry, Tokyo, Japan..

takeda@ncnp.go.jp

SO BioDrugs, (2001) 15 (10) 635-44. Ref: 50

Journal code: 9705305. ISSN: 1173-8804.

CY New Zealand
DT Journal; Article; (JOURNAL ARTICLE)
General Review; (REVIEW)
(REVIEW LITERATURE)

LA English
FS Priority Journals
EM 200112
ED Entered STN: 20011018
Last Updated on STN: 20020122
Entered Medline: 20011227

L13 ANSWER 6 OF 31 MEDLINE DUPLICATE 2
AN 2001692519 MEDLINE
DN 21602945 PubMed ID: 11735343
TI Lack of germline transmission of vector sequences following systemic administration of recombinant AAV-2 vector in males.
AU Arruda V R; Fields P A; Milner R; Wainwright L; De Miguel M P; Donovan P
J; Herzog R W; Nichols T C; Biegel J A; Razavi M; Dake M; Huff D; Flake A
W; Couto L; Kay M A; High K A
CS The Children's Hospital of Philadelphia, and Department of Pediatrics, University of Pennsylvania School of Medicine, Philadelphia, Pennsylvania 19104, USA.
NC HL64274 (NHLBI)
P01 HL64190 (NHLBI)
SO MOLECULAR THERAPY, (2001 Dec) 4 (6) 586-92.
Journal code: 100890581. ISSN: 1525-0016.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 200202
ED Entered STN: 20011213
Last Updated on STN: 20020207
Entered Medline: 20020206

L13 ANSWER 7 OF 31 MEDLINE
AN 2001495995 MEDLINE
DN 21429707 PubMed ID: 11543874
TI Molecular pathophysiology and targeted therapeutics for muscular dystrophy.
AU Hoffman E P; Dressman D
CS Research Center for Genetic Medicine, Children's National Medical Center, Washington DC 20010, USA.. ehoffman@cnmc.org
SO TRENDS IN PHARMACOLOGICAL SCIENCES, (2001 Sep) 22 (9) 465-70. Ref: 58
Journal code: 7906158. ISSN: 0165-6147.
CY England: United Kingdom
DT Journal; Article; (JOURNAL ARTICLE)
General Review; (REVIEW)
(REVIEW, TUTORIAL)
LA English
FS Priority Journals
EM 200110
ED Entered STN: 20010910
Last Updated on STN: 20011029
Entered Medline: 20011025

L13 ANSWER 8 OF 31 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
AN 2001:321416 BIOSIS
DN PREV200100321416
TI Adeno-associated virus mediated gene transfer in the retinal pigment epithelium of the RPE65 mutant dog.
AU Ray, J. (1); Scarpino, V. (1); Hauswirth, W.; Pearce-Kelling, S. (1); Acland, G. (1); Aguirre, G. (1)
CS (1) J. A. Baker Institute for Animal Health, Cornell University, Ithaca, NY USA

SO IOVS, (March 15, 2001) Vol. 42, No. 4, pp. S346. print.
Meeting Info.: Annual Meeting of the Association for Research in Vision and Ophthalmology Fort Lauderdale, Florida, USA April 29-May 04, 2001
DT Conference
LA English
SL English

L13 ANSWER 9 OF 31 MEDLINE
AN 2001498386 MEDLINE
DN 21432000 PubMed ID: 11545609
TI Muscle-directed gene transfer and transient immune suppression result in sustained partial correction of canine hemophilia B caused by a null mutation.
AU Herzog R W; Mount J D; Arruda V R; High K A; Lothrop C D Jr
CS Department of Pediatrics, University of Pennsylvania Medical Center, Philadelphia, PA 19104, USA.
NC R01 HL61921 (NHLBI)
SO MOLECULAR THERAPY, (2001 Sep) 4 (3) 192-200.
Journal code: 100890581. ISSN: 1525-0016.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 200111
ED Entered STN: 20010910
Last Updated on STN: 20011105
Entered Medline: 20011101

L13 ANSWER 10 OF 31 MEDLINE DUPLICATE 3
AN 2001309385 MEDLINE
DN 21225294 PubMed ID: 11326284
TI Gene therapy restores vision in a canine model of childhood blindness.
AU Acland G M; Aguirre G D; Ray J; Zhang Q; Aleman T S; Cideciyan A V; Pearce-Kelling S E; Anand V; Zeng Y; Maguire A M; Jacobson S G; Hauswirth W W; Bennett J
CS James A. Baker Institute for Animal Health, College of Veterinary Medicine, Cornell University, Ithaca, New York, USA.
NC EY06855 (NEI)
EY10820 (NEI)
EY11123 (NEI)
EY11142 (NEI)
SO NATURE GENETICS, (2001 May) 28 (1) 92-5.
Journal code: 9216904. ISSN: 1061-4036.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 200105
ED Entered STN: 20010604
Last Updated on STN: 20010604
Entered Medline: 20010531

=> d ibib ab 9

L14 ANSWER 9 OF 10 MEDLINE
ACCESSION NUMBER: 76073180 MEDLINE
DOCUMENT NUMBER: 76073180 PubMed ID: 172685
TITLE: Growth of adeno-associated satellite virus in dogs in the presence of infectious canine hepatitis virus.
AUTHOR: Ishihara C; Yanagawa R
SOURCE: JAPANESE JOURNAL OF VETERINARY RESEARCH, (1975 Jul) 23 (3) 95-100.
Journal code: 0376567. ISSN: 0047-1917.
PUB. COUNTRY: Japan

Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 197602
 ENTRY DATE: Entered STN: 19900313
 Last Updated on STN: 19900313
 Entered Medline: 19760209

=> d ibib ab l13 9

L13 ANSWER 9 OF 31 MEDLINE
 ACCESSION NUMBER: 2001498386 MEDLINE
 DOCUMENT NUMBER: 21432000 PubMed ID: 11545609
 TITLE: Muscle-directed gene transfer and transient immune suppression result in sustained partial correction of canine hemophilia B caused by a null mutation.
 AUTHOR: Herzog R W; Mount J D; Arruda V R; High K A; Lothrop C D Jr
 CORPORATE SOURCE: Department of Pediatrics, University of Pennsylvania
 Medical Center, Philadelphia, PA 19104, USA.
 CONTRACT NUMBER: R01 HL61921 (NHLBI)
 SOURCE: MOLECULAR THERAPY, (2001 Sep) 4 (3) 192-200.

Journal code: 100890581. ISSN: 1525-0016.

PUB. COUNTRY: United States
 Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 200111
 ENTRY DATE: Entered STN: 20010910
 Last Updated on STN: 20011105
 Entered Medline: 20011101

AB The X-linked bleeding disorder hemophilia B is caused by absence of

functional blood coagulation factor IX (F9) and can be treated by **adeno-associated** viral (AAV) mediated gene transfer to skeletal muscle. The safety of this approach is currently being evaluated

in a phase I clinical trial. Efficacy of this and several other gene therapy strategies has been addressed in hemophilia B **dogs**, an important preclinical model of the disease. While previously published

data demonstrated sustained expression of canine F9 in **dogs** with a missense mutation in the gene F9, we show here that AAV-mediated canine

F9 gene transfer to skeletal muscle of hemophilia B **dogs** carrying a null mutation of F9 (causing an early stop codon and an unstable mRNA) results in induction of inhibitory anti-canine F9 at comparable vector doses (1 x 10¹² vector genomes/kg). Thus, the risk of

inhibitor formation following AAV-mediated F9 gene therapy may be

influenced by the nature of the underlying mutation in F9. Transient immune suppression with cyclophosphamide at the time of vector administration blocked formation of anti-canine F9 antibodies in the one

animal treated with this approach. Treatment with this combination of gene

transfer and transient immune modulation has resulted in sustained expression (>8 months) of canine F9 at levels sufficient for partial correction of coagulation parameters.

=> d ti so 1-10

L14 ANSWER 1 OF 10 MEDLINE
 TI Gene therapy for hemophilia.
 SO Curr Opin Mol Ther, (1999 Aug) 1 (4) 493-9. Ref: 52
 Journal code: 100891485. ISSN: 1464-8431.

L14 ANSWER 2 OF 10 MEDLINE
 TI Persistent expression of canine factor IX in hemophilia B canines.

SO GENE THERAPY, (1999 Oct) 6 (10) 1695-704.
 Journal code: 9421525. ISSN: 0969-7128.

L14 ANSWER 3 OF 10 MEDLINE
 TI Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV.
 SO VISION RESEARCH, (1999 Jul) 39 (15) 2545-53.
 Journal code: 0417402. ISSN: 0042-6989.

L14 ANSWER 4 OF 10 MEDLINE
 TI Correction of hemophilia B in canine and murine models using recombinant adeno-associated viral vectors.
 SO NATURE MEDICINE, (1999 Jan) 5 (1) 64-70.
 Journal code: 9502015. ISSN: 1078-8956.

L14 ANSWER 5 OF 10 MEDLINE
 TI Long-term correction of canine hemophilia B by gene transfer of blood coagulation factor IX mediated by adeno-associated viral vector.
 SO NATURE MEDICINE, (1999 Jan) 5 (1) 56-63.
 Journal code: 9502015. ISSN: 1078-8956.

L14 ANSWER 6 OF 10 MEDLINE
 TI Direct intramuscular injection with recombinant AAV vectors results in sustained expression in a dog model of hemophilia.
 SO GENE THERAPY, (1998 Jan) 5 (1) 40-9.
 Journal code: 9421525. ISSN: 0969-7128.

L14 ANSWER 7 OF 10 MEDLINE
 TI Persistent and therapeutic concentrations of human factor IX in mice after hepatic gene transfer of recombinant AAV vectors.
 SO NATURE GENETICS, (1997 Jul) 16 (3) 270-6.
 Journal code: 9216904. ISSN: 1061-4036.

L14 ANSWER 8 OF 10 MEDLINE
 TI Gene transfer into hematopoietic progenitor and stem cells: progress and problems.
 SO STEM CELLS, (1994 Nov) 12 (6) 563-76. Ref: 98
 Journal code: 9304532. ISSN: 1066-5099.

L14 ANSWER 9 OF 10 MEDLINE
 TI Growth of **adeno-associated** satellite virus in **dogs** in the presence of infectious canine hepatitis virus.
 SO JAPANESE JOURNAL OF VETERINARY RESEARCH, (1975 Jul) 23 (3) 95-100.
 Journal code: 0376567. ISSN: 0047-1917.

L14 ANSWER 10 OF 10 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI DISTRIBUTION OF ANTIBODIES IN **DOGS** AGAINST **ADENO ASSOCIATED SATELLITE VIRUS** ASSOCIATED WITH INFECTIOUS CANINE HEPATITIS VIRUS AND SEROLOGICAL TYPING OF THE SATELLITE VIRUS.
 SO Jpn. J. Vet. Res., (1971) 19 (1-2), 40-41.
 CODEN: JJVRAE. ISSN: 0047-1917.

=> d ibib ab 1

L14 ANSWER 1 OF 10 MEDLINE
 ACCESSION NUMBER: 2001668325 MEDLINE
 DOCUMENT NUMBER: 21570747 PubMed ID: 11713765
 TITLE: Gene therapy for hemophilia.
 AUTHOR: Lynch C M
 CORPORATE SOURCE: Targeted Genetics Corporation, Seattle, WA 98101 USA..
 lynchc@targen.com
 SOURCE: Curr Opin Mol Ther, (1999 Aug) 1 (4) 493-9. Ref: 52

Journal code: 100891485. ISSN: 1464-8431.

PUB. COUNTRY: England: United Kingdom

Journal; Article; (JOURNAL ARTICLE)

General Review; (REVIEW)

(REVIEW, TUTORIAL)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200201

ENTRY DATE: Entered STN: 20011121

Last Updated on STN: 20020124

Entered Medline: 20020102

AB Hemophilia is a genetically inherited bleeding disorder caused by a deficiency of the blood clotting factors VIII (hemophilia A) or IX (hemophilia B). Hemophiliacs suffer prolonged bleeding which can be life

threatening and often leads to chronic disabilities. Current hemophilia treatment involves infusions of plasma-derived or recombinant

clotting

factor in response to bleeding crises. Prophylactic treatment is not available and current treatments remain problematic. The

development of a

gene therapy for hemophilia has been under investigation for the past decade. An overview is presented of the initial efforts using retroviral and adenoviral vectors for ex vivo and in vivo gene delivery

strategies,

respectively. Recent progress in developing FIX and FVIII **adeno-associated** virus vectors is reviewed. Sustained expression of therapeutic levels of FIX and FVIII have been demonstrated in mice. Phenotypic correction of hemophilia B has been shown in the murine

and

dog models of disease. A phase I human clinical trial has been initiated involving intramuscular injection of FIX. Prospects for hemophilia gene therapy look bright and the hope for a cure has now moved

from the realm of the possible to the probable.

=> file registry

COST IN U.S. DOLLARS	ENTRY	SINCE FILE	TOTAL
----------------------	-------	------------	-------

	ENTRY	SESSION	
FULL ESTIMATED COST		58.45	58.66

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
------------	-------

	ENTRY	SESSION	
CA SUBSCRIBER PRICE		-0.62	-0.62

FILE 'REGISTRY' ENTERED AT 14:48:51 ON 19 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 17 JUN 2002 HIGHEST RN
431874-59-8

DICTIONARY FILE UPDATES: 17 JUN 2002 HIGHEST RN
431874-59-8

TSCA INFORMATION NOW CURRENT THROUGH January 7, 2002

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for
details.

Calculated physical property data is now available. See HELP
PROPERTIES

for more information. See STNote 27, Searching Properties in the CAS
Registry File, for complete details:

<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> E "MG132"/CN 25

E1	1	MG12LI1.5AL/CN
----	---	----------------

E2	1	MG12SC/CN
----	---	-----------

E3	0 -->	MG132/CN
----	-------	----------

E4	1	MG13AL7ZN/CN
----	---	--------------

E5	1	MG150D/CN
----	---	-----------

E6	1	MG15AL/CN
----	---	-----------

E7	1	MG15AL0.4ZN/CN
----	---	----------------

E8	1	MG15AL0.5ZN/CN
----	---	----------------

E9	1	MG15AL12ZN/CN
----	---	---------------

E10	1	MG15AL15ZN/CN
-----	---	---------------

E11	1	MG15AL1CA/CN
-----	---	--------------

E12	1	MG15AL3ZN/CN
-----	---	--------------

E13	1	MG15AL8ZN/CN
-----	---	--------------

E14	1	MG15LI1.5AL/CN
-----	---	----------------

E15	1	MG15ND2N12/CN
-----	---	---------------

E16	1	MG15NI2PR2/CN
-----	---	---------------

E17	1	MG16SC/CN
-----	---	-----------

E18	1	MG17ND2/CN
-----	---	------------

E19	1	MG17PR2/CN
-----	---	------------

E20	1	MG1AL10ZN/CN
-----	---	--------------

E21	1	MG2/CN
-----	---	--------

E22	1	MG2+/CN
-----	---	---------

E23	1	MG2+ ION TRANSPORTER (UREAPLASMA
-----	---	----------------------------------

		UREALYTICUM STRAIN SEROVAR_3 GENE MGTE)/CN
--	--	--------------------------------------------

E24	1	MG2+ TRANSPORT ATPASE (ESCHERICHIA COLI
-----	---	-----------------------------------------

		STRAIN O157:H7 GENE ECS5219)/CN
--	--	---------------------------------

E25	1	MG2+ TRANSPORT ATPASE, P-TYPE 1
-----	---	---------------------------------

		(ESCHERICHIA COLI O157:H7 STRAIN EDL933 GENE MGTA)/CN
--	--	-------------------------------------------------------

=> E "MG-132"/CN 25

E1	1	MG++/CITRATE COMPLEX TRANSPORTER
----	---	----------------------------------

		(XYLELLA FASTIDIOSA GENE XF0320)/CN
--	--	-------------------------------------

E2	1	MG-110-O/CN
----	---	-------------

E3	0 -->	MG-132/CN
----	-------	-----------

E4	1	MG-15AL-1/2ZN/CN
----	---	------------------

E5	1	MG-2/CN
----	---	---------

E6	1	MG-50/CN
----	---	----------

E7	1	MG-5V/C/CN
----	---	------------

E8	1	MG-9AL/CN
----	---	-----------

E9	1	MG-ADP/CN
----	---	-----------

E10	1	MG-AS/CN
-----	---	----------

E11	1	MG-CHELATASE (SOYBEAN GENE CHLH
-----	---	---------------------------------

		SUBUNIT CHLH PRECURSOR)/CN
--	--	----------------------------

E12	1	MG-CHELATASE SUBUNIT CHLI AND CHLD
-----	---	------------------------------------

		(MOXR-LIKE ATPASE AND VWF DOMAIN) (METHANOPYRUS
--	--	-------------------------------------------------

		KANDLERI STRAIN AV19 GENE CHLI/CHLD)/CN
--	--	-----------------------------------------

E13	1	MG-CP/CN
-----	---	----------

E14	1	MG-CTP/CN
-----	---	-----------

E15	1	MG-DATP/CN
-----	---	------------

E16	1	MG-DCTP/CN
-----	---	------------

E17	1	MG-DEPENDENT DNASE (METHANOPYRUS
-----	---	----------------------------------

		KANDLERI STRAIN AV19 GENE TATD)/CN
--	--	------------------------------------

E18	1	MG-DVP/CN
-----	---	-----------

E19	1	MG-GTP/CN
-----	---	-----------

E20	1	MG-O-PHENANTHROLINE/CN
-----	---	------------------------

E21	1	MG-PROTOPORPHYRIN IX METHYL
-----	---	-----------------------------

		TRANSFERASE (NOSTOC SP. PCC 7120 GENE ALR3201)/CN
--	--	---------------------------------------------------

E22	1	MG-PROTOPORPHYRIN IX
-----	---	----------------------

		METHYLTRANSFERASE/CN
--	--	----------------------

E23	1	MG-PROTOPORPHYRIN IX MONOMETHYL ESTER
-----	---	---------------------------------------

		OXIDATIVE CYCLASE (BACILLUS HALODURANS STRAIN C-
--	--	--------------------------------------------------

		125 GENE BH2952)/CN
--	--	---------------------

E24	1	MG-PROTOPORPHYRIN IX MONOMETHYL ESTER
-----	---	---------------------------------------

		OXIDATIVE CYCLASE (CLOSTRIDIUM PERFRINGENS STRAIN
--	--	---------------------------------------------------

		13 GENE CPE1645)/CN
--	--	---------------------

E25	1	MG-PROTOPORPHYRIN IX MONOMETHYL ESTER
-----	---	---------------------------------------

		OXIDATIVE CYCLASE BCHE (HELIOBACILLUS MOBILIS
--	--	-----------------------------------------------

		CLONE PHM6 GENE BCHE)/CN
--	--	--------------------------

=> E "CALPAIN INHIBITOR"/CN 25

E1	1	CALPAIN II (RAT CLONE 31-1 LARGE SUBUNIT)
----	---	-------------------------------------------

		(EC 3.4.22.17)/CN
--	--	-------------------

E2	1	CALPAIN II (RAT CLONE PT7-7F-21K SMALL
----	---	----------------------------------------

		SUBUNIT)/CN
--	--	-------------

E3	0 -->	CALPAIN INHIBITOR/CN
----	-------	----------------------

E4 1 CALPAIN INHIBITOR I/CN
 E5 1 CALPAIN INHIBITOR II/CN
 E6 1 CALPAIN INHIBITOR III/CN
 E7 1 CALPAIN P94/CN
 E8 1 CALPAIN, LARGE SUBUNIT, ISOFORM .MU. (RAT CLONE .LAMBDA.S14)/CN
 E9 1 CALPAIN, PRO-/CN
 E10 1 CALPAIN, SMALL SUBUNIT, ISOFORM .MU., C-TERMINAL FRAGMENT (RAT)/CN
 E11 1 CALPAIN-10/CN
 E12 1 CALPAIN-LIKE PROTEASE (MOUSE GENE CAPN10)/CN
 E13 1 CALPAIN-LIKE PROTEIN (TRYPANOSOMA BRUCEI STRAIN 427 784-AMINO-ACID)/CN
 E14 1 CALPAIN-MOTIF CONTAINING (DROSOPHILA MELANOGASTER STRAIN CANTONS GENE SMALL-OPTIC-LOBES)/CN
 E15 1 CALPANATE/CN
 E16 1 CALPASTATIN/CN
 E17 1 CALPASTATIN (CATTLE CLONE PBSA1)/CN
 E18 1 CALPASTATIN (CATTLE HEART CLONE 1/2 786-AMINO ACID ISOFORM)/CN
 E19 1 CALPASTATIN (CATTLE LEUKOCYTE GENE CAST FRAGMENT)/CN
 E20 1 CALPASTATIN (HUMAN CLONE C-2 TESTIS-SPECIFIC ISOENZYME)/CN
 E21 1 CALPASTATIN (HUMAN CLONE L-7 TESTIS-SPECIFIC ISOENZYME)/CN
 E22 1 CALPASTATIN (HUMAN CLONE Y-19 TESTIS-SPECIFIC ISOENZYME)/CN
 E23 1 CALPASTATIN (HUMAN)/CN
 E24 1 CALPASTATIN (OVIS ARIES STRAIN DORSET-DOWN LEUKOCYTE GENE CAST ALLELE A/M FRAGMENT)/CN
 E25 1 CALPASTATIN (RAT BRAIN CLONE RNCAST103)/CN

=> S E4 OR E5 OR E6

1 "CALPAIN INHIBITOR I"/CN
 1 "CALPAIN INHIBITOR II"/CN
 1 "CALPAIN INHIBITOR III"/CN

L15 3 "CALPAIN INHIBITOR I"/CN OR "CALPAIN INHIBITOR II"/CN OR "CALPAIN INHIBITOR III"/CN

=> DIS L15 1 SQIDE

THE ESTIMATED COST FOR THIS REQUEST IS 5.53 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y

L15 ANSWER 1 OF 3 REGISTRY COPYRIGHT 2002 ACS

RN 110115-07-6 REGISTRY

CN L-Leucinamide, N-acetyl-L-leucyl-N-[(1S)-1-formyl-3-(methylthio)propyl]-
 (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN L-Leucinamide, N-acetyl-L-leucyl-N-[1-formyl-3-(methylthio)propyl]-, (S)-
 OTHER NAMES:

CN **Calpain inhibitor II**

CN CI 2

CN SUAM 312

FS STEREOSEARCH


DR 105467-51-4

MF C19 H35 N3 O4 S

SR CA

LC STN Files: AGRICOLA, BIOSIS, CA, CANCERLIT, CAPLUS, CHEMCATS, CSCHM,
 MEDLINE, TOXCENTER, USPATFULL

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

58 REFERENCES IN FILE CA (1967 TO DATE)

2 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

59 REFERENCES IN FILE CAPLUS (1967 TO DATE)

=> DIS L15 2 SQIDE

THE ESTIMATED COST FOR THIS REQUEST IS 5.53 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y

L15 ANSWER 2 OF 3 REGISTRY COPYRIGHT 2002 ACS

RN 110044-82-1 REGISTRY

CN L-Leucinamide, N-acetyl-L-leucyl-N-[(1S)-1-formylpentyl]- (9CI)
 (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN L-Leucinamide, N-acetyl-L-leucyl-N-(1-formylpentyl)-, (S)-

OTHER NAMES:

CN 6: PN: WO0002548 PAGE: 30 claimed sequence

CN **Calpain inhibitor I**

CN CI-1 (peptide)

CN MG 101


FS STEREOSEARCH

MF C20 H37 N3 O4

SR CA

LC STN Files: AGRICOLA, BIOSIS, CA, CANCERLIT, CAPLUS, CHEMCATS, CSCHM,
 MEDLINE, TOXCENTER, USPATFULL

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

151 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

151 REFERENCES IN FILE CAPLUS (1967 TO DATE)

=> DIS L15 3 SQIDE


THE ESTIMATED COST FOR THIS REQUEST IS 5.53 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y

L15 ANSWER 3 OF 3 REGISTRY COPYRIGHT 2002 ACS

RN 88191-84-8 REGISTRY
 CN Carbamic acid, [(1S)-1-[[[(1S)-1-formyl-2-phenylethyl]amino]carbonyl]-2-methylpropyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Carbamic acid, [1-[[[(1-formyl-2-phenylethyl)amino]carbonyl]-2-methylpropyl]-, phenylmethyl ester, [S-(R*,R*)]-
 OTHER NAMES:
 CN Calpain Inhibitor III
 CN MDL 28170
 FS STEREOSEARCH
 MF C22 H26 N2 O4
 LC STN Files: BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CHEMCATS, CSCHEM, EMBASE, MEDLINE, TOXCENTER, USPATFULL

Absolute stereochemistry. Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

53 REFERENCES IN FILE CA (1967 TO DATE)
 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN
 FILE CA
 53 REFERENCES IN FILE CAPLUS (1967 TO DATE)

=> E "CALPAIN INHIBITOR"/CN 25
 E1 1 CALPAIN II (RAT CLONE 31-1 LARGE SUBUNIT) (EC 3.4.22.17)/CN
 E2 1 CALPAIN II (RAT CLONE PT7-7F-21K SMALL SUBUNIT)/CN
 E3 0 --> CALPAIN INHIBITOR/CN
 E4 1 CALPAIN INHIBITOR I/CN
 E5 1 CALPAIN INHIBITOR II/CN
 E6 1 CALPAIN INHIBITOR III/CN
 E7 1 CALPAIN P94/CN
 E8 1 CALPAIN, LARGE SUBUNIT, ISOFORM .MU. (RAT CLONE .LAMBDA.S14)/CN
 E9 1 CALPAIN, PRO-/CN
 E10 1 CALPAIN, SMALL SUBUNIT, ISOFORM .MU., C-TERMINAL FRAGMENT (RAT)/CN
 E11 1 CALPAIN-10/CN
 E12 1 CALPAIN-LIKE PROTEASE (MOUSE GENE CAPN10)/CN
 E13 1 CALPAIN-LIKE PROTEIN (TRYPANOSOMA BRUCEI STRAIN 427 784-AMINO-ACID)/CN
 E14 1 CALPAIN-MOTIF CONTAINING (DROSOPHILA MELANOGASTER STRAIN CANTONS GENE SMALL-OPTIC-LOBES)/CN
 E15 1 CALPANATE/CN
 E16 1 CALPASTATIN/CN
 E17 1 CALPASTATIN (CATTLE CLONE PBSA1)/CN
 E18 1 CALPASTATIN (CATTLE HEART CLONE 1/2 786-AMINO ACID ISOFORM)/CN
 E19 1 CALPASTATIN (CATTLE LEUKOCYTE GENE CAST FRAGMENT)/CN
 E20 1 CALPASTATIN (HUMAN CLONE C-2 TESTIS-SPECIFIC ISOENZYME)/CN
 E21 1 CALPASTATIN (HUMAN CLONE L-7 TESTIS-SPECIFIC ISOENZYME)/CN
 E22 1 CALPASTATIN (HUMAN CLONE Y-19 TESTIS-SPECIFIC ISOENZYME)/CN

E23 1 CALPASTATIN (HUMAN)/CN
 E24 1 CALPASTATIN (OVIS ARIES STRAIN DORSET-DOWN LEUKOCYTE GENE CAST ALLELE A/M FRAGMENT)/CN
 E25 1 CALPASTATIN (RAT BRAIN CLONE RNCAS103)/CN

=> E "LLNL"/CN 25
 E1 1 LLN/CN
 E2 1 LLN 1201/CN
 E3 0 --> LLNL/CN
 E4 1 LLOYD'S D/CN
 E5 1 LLOYD'S DH36/CN
 E6 1 LLOYD'S AH34S/CN
 E7 1 LLOYD'S DH32/CN
 E8 1 LLS 71040/CN
 E9 1 LLTX-G 2/CN
 E10 1 LLUMAR/CN
 E11 1 LLUNGIANIN A/CN
 E12 1 LLUNGIANIN B/CN
 E13 1 LLVVPAIKKDYGSQEDFTQV/CN
 E14 1 LLWP/CN
 E15 1 LLX/CN
 E16 1 LLYUA/CN
 E17 4 LM/CN
 E18 1 LM (CHINESE EMULSIFIER)/CN
 E19 1 LM (LUBRICANT)/CN
 E20 1 LM (SURFACTANT)/CN
 E21 1 LM 001/CN
 E22 2 LM 1/CN
 E23 1 LM 1 (HUMAN LENS FLUOROPHORE)/CN
 E24 1 LM 1 (STATIONARY PHASE)/CN
 E25 1 LM 10/CN

=> E "MG115"/CN 25
 E1 1 MG11/CN
 E2 1 MG11+/CN
 E3 0 --> MG115/CN
 E4 1 MG11A/CN
 E5 1 MG12+/CN
 E6 1 MG12AL15ZN/CN
 E7 1 MG12AL2CA/CN
 E8 1 MG12LI1.5AL/CN
 E9 1 MG12SC/CN
 E10 1 MG13AL7ZN/CN
 E11 1 MG150D/CN
 E12 1 MG15AL/CN
 E13 1 MG15AL0.4ZN/CN
 E14 1 MG15AL0.5ZN/CN
 E15 1 MG15AL12ZN/CN
 E16 1 MG15AL15ZN/CN
 E17 1 MG15AL1CA/CN
 E18 1 MG15AL3ZN/CN
 E19 1 MG15AL8ZN/CN
 E20 1 MG15LI1.5AL/CN
 E21 1 MG15ND2NI2/CN
 E22 1 MG15NI2PR2/CN
 E23 1 MG16SC/CN
 E24 1 MG17ND2/CN
 E25 1 MG17PR2/CN

=> E "N-BENZYLOXY-CARBONYL-ISO"/CN 25
 E1 1 N-BENZYLOXY-9-CYCLOPENTYLADENINE/CN
 E2 1 N-BENZYLOXY-9-ETHYLADENINE/CN
 E3 0 --> N-BENZYLOXY-CARBONYL-ISO/CN
 E4 1 N-BENZYLOXY-DL-LEUCINE/CN
 E5 1 N-BENZYLOXY-DL-PHENYLALANINE/CN
 E6 1 N-BENZYLOXY-DL-VALINE/CN
 E7 1 N-BENZYLOXY-L-ALANINE/CN
 E8 1 N-BENZYLOXY-L-ALANINE N-CARBOXYANHYDRIDE/CN
 E9 1 N-BENZYLOXY-L-VALINE/CN
 E10 1 N-BENZYLOXY-L-VALINE N-CARBOXYANHYDRIDE/CN
 E11 1 N-BENZYLOXY-N'-(3-CHLORO-4-

METHYLPHENYL)UREA/CN

E12 1 N-BENZYLOXY-N'-(4-CHLOROPHENYL)UREA/CN

E13 1 N-BENZYLOXY-N-(1-ETHYLPROPYL)AMINE/CN

E14 1 N-BENZYLOXY-N-(1-PHENYLETHYL)-4-

CARBOXYCINNAMAMIDE/CN

E15 1 N-BENZYLOXY-N-(2-METHYLPROPYL)AMINE/CN

E16 1 N-BENZYLOXY-N-METHOXY-N'-

METHYLUREA/CN

E17 1 N-BENZYLOXY-N-METHOXYAMINE/CN

E18 1 N-BENZYLOXY-N-METHYLAMINE/CN

E19 1 N-BENZYLOXYACETYL-5-AMINOINDOLINE/CN

E20 1 N-BENZYLOXYADENOSINE/CN

E21 1 N-BENZYLOXYCARBAMIC ACID

TRIMETHYLSILYL ESTER/CN

E22 1 N-BENZYLOXYCARBONYL-O-TERT-BUTYL-L-

THREONYL-L-TYROSYL-O-TERT-BUTYL-L-THREONYL-L-

GLUTAMINYL-.BETA.-TERT-BUTYL-L-

ASPARTYLPHENYLALANINE PHENYL ESTER/CN

E23 1 N-BENZYLOXYCARBONYL ASPARTIC ACID-

TRIETHYLENE GLYCOL COPOLYMER/CN

E24 1 N-BENZYLOXYCARBONYL GLYCINE 2-

NITROPHENYL ESTER/CN

E25 1 N-BENZYLOXYCARBONYL GLYCINE P-

PHENYLAZOPHENYL ESTER/CN

=> file medline biosis caplus

COST IN U.S. DOLLARS	ENTRY	SINCE FILE	SESSION	TOTAL
----------------------	-------	------------	---------	-------

FULL ESTIMATED COST		19.40		78.06
---------------------	--	-------	--	-------

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
------------	-------

CA SUBSCRIBER PRICE	0.00 -0.62
---------------------	------------

FILE 'MEDLINE' ENTERED AT 14:53:04 ON 19 JUN 2002

FILE 'BIOSIS' ENTERED AT 14:53:04 ON 19 JUN 2002

COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'CAPLUS' ENTERED AT 14:53:04 ON 19 JUN 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

=> s l-leucinamide

L16 366 L-LEUCINAMIDE

=> s calpain inhibitor I

L17 365 CALPAIN INHIBITOR I

=> s calpain inhibitor II

L18 119 CALPAIN INHIBITOR II

=> s calpain inhibitor III

L19 7 CALPAIN INHIBITOR III

=> s mg132

L20 727 MG132

=> s llnl

L21 952 LLNL

=> s mg115

L22 84 MG115

=> s psi

L23 67122 PSI

=> s n-benzyloxy-carbonyl

L24 192 N-BENZYLOXY-CARBONYL

=> d his

(FILE 'HOME' ENTERED AT 14:28:55 ON 19 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:29:05 ON 19 JUN 2002

L1 5751 S ADENO-ASSOCIATED

L2 1438993 S LIVER

L3 195 S L1(S)L2

L4 87 S L3 NOT PY>1999

L5 47 DUP REM L4 (40 DUPLICATES REMOVED)

L6 39542 S TRANSGENE

L7 12 S L6 AND L5

L8 122109 S EDTA

L9 7 S L1 AND L8

L10 5 DUP REM L9 (2 DUPLICATES REMOVED)

L11 594168 S DOG

L12 48 S L1(S)L11

L13 31 DUP REM L12 (17 DUPLICATES REMOVED)

L14 10 S L13 NOT PY>1999

FILE 'REGISTRY' ENTERED AT 14:48:51 ON 19 JUN 2002

E "MG132"/CN 25

E "MG-132"/CN 25

E "CALPAIN INHIBITOR"/CN 25

L15 3 S E4 OR E5 OR E6

E "CALPAIN INHIBITOR"/CN 25

E "LLNL"/CN 25

E "MG115"/CN 25

E "N-BENZYLOXY-CARBONYL-ISO"/CN 25

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:53:04 ON 19 JUN 2002

L16 366 S L-LEUCINAMIDE

L17 365 S CALPAIN INHIBITOR I

L18 119 S CALPAIN INHIBITOR II

L19 7 S CALPAIN INHIBITOR III

L20 727 S MG132

L21 952 S LLNL

L22 84 S MG115

L23 67122 S PSI

L24 192 S N-BENZYLOXY-CARBONYL

=> s l1 and l16

L25 0 L1 AND L16

=> s l1 and l17

L26 1 L1 AND L17

=> d ti so

L26 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS

T1 Endosomal processing limits gene transfer to polarized airway epithelia by

adeno-associated virus

SO Journal of Clinical Investigation (2000), 105(11), 1573-1587

CODEN: JCINAO; ISSN: 0021-9738

=> d l1 and l18

L18 IS NOT VALID HERE

For an explanation, enter "HELP DISPLAY".

=> s l1 and l18

L27 0 L1 AND L18

=> s l1 and l19

L28 0 L1 AND L19

=> s l1 and l20

L29 1 L1 AND L20

=> d ti so

L29 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS

T1 Endosomal processing limits gene transfer to polarized airway epithelia by

adeno-associated virus

SO Journal of Clinical Investigation (2000), 105(11), 1573-1587

CODEN: JCINAO; ISSN: 0021-9738

=> s l1 and l21

L30 0 L1 AND L21

=> s l1 and l22

L31 0 L1 AND L22

=> d l1 and l23

L23 IS NOT VALID HERE

For an explanation, enter "HELP DISPLAY".

=> s l1 and l23

L32 11 L1 AND L23

=> dup rem l32

PROCESSING COMPLETED FOR L32

L33 9 DUP REM L32 (2 DUPLICATES REMOVED)

=> d ti so 1-9

L33 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2002 ACS

T1 Modeling methods and applications for biological agent determination

SO PCT Int. Appl., 32 pp.

CODEN: PIXXD2

L33 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2002 ACS

T1 Methods for screening or evaluating the performance of a set of biological

agents in living target cells, and their uses

SO PCT Int. Appl., 32 pp.

CODEN: PIXXD2

L33 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2002 ACS

T1 Generation of a high-capacity hybrid vector: packaging of recombinant

adenoassociated virus replicative intermediates in adenovirus capsids overcomes the limited cloning capacity of adenoassociated virus vectors

SO Virology (2001), 288(2), 236-246

CODEN: VIRLAX; ISSN: 0042-6822

L33 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2002 ACS

T1 Method to decrease the titers of contaminating helper adenovirus during

the production of recombinant **adeno-associated virus**

SO BioTechniques (2000), 28(6), 1096,1098,1100

CODEN: BTNQDO; ISSN: 0736-6205

L33 ANSWER 5 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

T1 AAV Rep protein enhances the generation of a recombinant mini-adenovirus

utilizing an Ad/AAV hybrid virus.

SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 2, pp. 378b. print.

Meeting Info.: 42nd Annual Meeting of the American Society of Hematology

San Francisco, California, USA December 01-05, 2000 American Society of

Hematology

. ISSN: 0006-4971.

L33 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2002 ACS

T1 Expression of fusion proteins

SO PCT Int. Appl., 33 pp.

CODEN: PIXXD2

L33 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2002 ACS

T1 Method for producing viral vectors using baculovirus for provision of

complementing functions

SO PCT Int. Appl., 67 pp.

CODEN: PIXXD2

L33 ANSWER 8 OF 9 MEDLINE

DUPLICATE 1

T1 Construction and expression of a recombinant **adeno-associated virus** that harbors a human beta-globin-encoding cDNA.

SO GENE, (1991 Aug 15) 104 (2) 253-7.

Journal code: 7706761. ISSN: 0378-1119.

L33 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2002 ACS

T1 The recombinant human parvoviruses for gene therapy of hemoglobinopathies

SO SAAS Bull. Biochem. Biotechnol. (1990), 3, 63-8

CODEN: SBBBEF

=> d ibib ab 4

L33 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2000:419711 CAPLUS

DOCUMENT NUMBER: 133:306106

TITLE: Method to decrease the titers of contaminating helper adenovirus during the production of recombinant **adeno-associated virus**

AUTHOR(S): Zaratiegui, Mikel; Narvaiza, Inigo; Qian, Cheng; Novo,

Francisco J.

CORPORATE SOURCE: University of Navarra, Pamplona, 31080, Spain

SOURCE: BioTechniques (2000), 28(6), 1096,1098,1100

CODEN: BTNQDO; ISSN: 0736-6205

PUBLISHER: Eaton Publishing Co.

DOCUMENT TYPE: Journal

LANGUAGE: English

AB The Cre-expressing 298 cells (Cre8 cells) and the .PSI.5 helper virus which contains loxP sites flanking the packaging sites were used to

decrease the amt. of contaminating helper adenovirus during recombinant

adeno-assocd. virus (rAAV). The titers of contaminating helper adenovirus were .apprx.1 order of magnitude lower when the .PSI. helper was used in Cre8 cells instead of 298 cells. The rAAV produced by the .PSI. helper and the Cre8 cells was biol. active and could successfully transform 298 cells.

REFERENCE COUNT: 16 THERE ARE 16 CITED

REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE

RE FORMAT

=> s l1 and l24

L34 0 L1 AND L24

=> log hold

COST IN U.S. DOLLARS SINCE FILE TOTAL

ENTRY SESSION
FULL ESTIMATED COST 46.66 124.72

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL

ENTRY SESSION
CA SUBSCRIBER PRICE -0.62 -1.24

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 14:58:01 ON 19 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x::x

LOGINID:SSSPTA1636DXS

PASSWORD:

***** RECONNECTED TO STN INTERNATIONAL *****
SESSION RESUMED IN FILE 'MEDLINE, BIOSIS, CAPLUS' AT
15:00:05 ON 19 JUN 2002
FILE 'MEDLINE' ENTERED AT 15:00:05 ON 19 JUN 2002
FILE 'BIOSIS' ENTERED AT 15:00:05 ON 19 JUN 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)
FILE 'CAPLUS' ENTERED AT 15:00:05 ON 19 JUN 2002
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS	ENTRY	SINCE FILE	TOTAL
FULL ESTIMATED COST		46.66	124.72

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL

	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.62	-1.24

=> d his

(FILE 'HOME' ENTERED AT 14:28:55 ON 19 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:29:05 ON
19 JUN 2002

L1 5751 S ADENO-ASSOCIATED
L2 1438993 S LIVER
L3 195 S L1(S)L2
L4 87 S L3 NOT PY>1999
L5 47 DUP REM L4 (40 DUPLICATES REMOVED)
L6 39542 S TRANSGENE
L7 12 S L6 AND L5
L8 122109 S EDTA
L9 7 S L1 AND L8
L10 5 DUP REM L9 (2 DUPLICATES REMOVED)
L11 594168 S DOG
L12 48 S L1(S)L11
L13 31 DUP REM L12 (17 DUPLICATES REMOVED)
L14 10 S L13 NOT PY>1999

FILE 'REGISTRY' ENTERED AT 14:48:51 ON 19 JUN 2002

E "MG132"/CN 25
E "MG-132"/CN 25
E "CALPAIN INHIBITOR"/CN 25
L15 3 S E4 OR E5 OR E6
E "CALPAIN INHIBITOR"/CN 25
E "LLNL"/CN 25
E "MG115"/CN 25
E "N-BENZYLOXY-CARBONYL-ISO"/CN 25

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:53:04 ON
19 JUN 2002

L16 366 S L-LEUCINAMIDE
L17 365 S CALPAIN INHIBITOR I
L18 119 S CALPAIN INHIBITOR II
L19 7 S CALPAIN INHIBITOR III
L20 727 S MG132
L21 952 S LLNL
L22 84 S MG115
L23 67122 S PSI
L24 192 S N-BENZYLOXY-CARBONYL
L25 0 S L1 AND L16
L26 1 S L1 AND L17
L27 0 S L1 AND L18
L28 0 S L1 AND L19
L29 1 S L1 AND L20
L30 0 S L1 AND L21
L31 0 S L1 AND L22
L32 11 S L1 AND L23

L33 9 DUP REM L32 (2 DUPLICATES REMOVED)
L34 0 S L1 AND L24

=> s canine

L35 120514 CANINE

=> s l1 and l35

L36 90 L1 AND L35

=> s l36 and l6

L37 10 L36 AND L6

=> dup rem l37

PROCESSING COMPLETED FOR L37

L38 6 DUP REM L37 (4 DUPLICATES REMOVED)

=> d ti so l-6

L38 ANSWER 1 OF 6 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI Alternate AAV serotypes result in enhanced factor IX expression in
murine

and **canine** models of hemophilia B.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 745a.

<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of

Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001

ISSN: 0006-4971.

L38 ANSWER 2 OF 6 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI Sustained and complete phenotype correction of Hemophilia B mice
following

intramuscular injection of AAV1 serotype vectors.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 704a.

<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of

Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001

ISSN: 0006-4971.

L38 ANSWER 3 OF 6 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI Induction of immunological tolerance to a coagulation factor antigen
by

hepatic gene transfer.

SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 694a.

<http://www.bloodjournal.org/>. print.

Meeting Info.: 43rd Annual Meeting of the American Society of

Hematology,

Part 1 Orlando, Florida, USA December 07-11, 2001

ISSN: 0006-4971.

L38 ANSWER 4 OF 6 MEDLINE DUPLICATE 1

TI AAV-mediated gene transfer for hemophilia.

SO ANNALS OF THE NEW YORK ACADEMY OF SCIENCES,
(2001 Dec) 953 64-74. Ref: 29

Journal code: 7506858. ISSN: 0077-8923.

L38 ANSWER 5 OF 6 MEDLINE DUPLICATE 2

TI Several log increase in therapeutic **transgene** delivery by
distinct **adeno-associated** viral serotype vectors.

SO MOLECULAR THERAPY, (2000 Dec) 2 (6) 619-23.

Journal code: 100890581. ISSN: 1525-0016.

L38 ANSWER 6 OF 6 MEDLINE DUPLICATE 3

TI Persistent expression of **canine** factor IX in hemophilia B
canines.

SO GENE THERAPY, (1999 Oct) 6 (10) 1695-704.

Journal code: 9421525. ISSN: 0969-7128.

=> d ibib ab 4

L38 ANSWER 4 OF 6 MEDLINE DUPLICATE 1
 ACCESSION NUMBER: 2002069770 MEDLINE
 DOCUMENT NUMBER: 21653704 PubMed ID: 11795424
 TITLE: AAV-mediated gene transfer for hemophilia.
 AUTHOR: High K A
 CORPORATE SOURCE: Department of Pediatrics, University of Pennsylvania School of Medicine, The Children's Hospital of Philadelphia, 19104, USA.. high@email.chop.edu
 SOURCE: ANNALS OF THE NEW YORK ACADEMY OF SCIENCES, (2001 Dec) 953
 64-74. Ref: 29
 Journal code: 7506858. ISSN: 0077-8923.
 PUB. COUNTRY: United States
 Journal; Article; (JOURNAL ARTICLE)
 General Review; (REVIEW)
 (REVIEW, TUTORIAL)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 200202
 ENTRY DATE: Entered STN: 20020125
 Last Updated on STN: 20020205
 Entered Medline: 20020204
 AB Hemophilia is a particularly attractive model for developing a gene transfer approach for the treatment of disease. The protein is very well characterized, the genes are cloned and available, and there are large and small animal models of the disease. Moreover, in contrast to many diseases, there is no requirement for a specific target tissue for gene delivery, and the gene product itself does not require precise regulation of expression. Earlier efforts to establish a gene transfer approach to the treatment of hemophilia had failed to achieve the twin goals of long-term expression at levels that were adequate to result in phenotypic improvement of the disease. We have exploited advances in vector development that occurred in the mid-1990s to establish an experimental basis for an AAV (adeno-associated viral vector)-mediated gene transfer approach to the treatment of hemophilia B. Based on the observation that introduction of an AAV vector into skeletal muscle could result in sustained expression of beta-galactosidase, we engineered an AAV vector expressing human factor IX and demonstrated in immunodeficient mice that intramuscular injection of the vector resulted in long-term expression of the secreted transgene product factor IX. Subsequently, we generated an AAV vector expressing canine factor IX; intramuscular injection into dogs with severe hemophilia B resulted in a dose-dependent increase in circulating levels of factor IX. The animal treated at the highest dose showed prolonged expression (>3 years and still under observation) at a level (70 ng/ml, 1.4% of normal circulating levels of factor IX) likely to result in phenotypic improvement in humans. Detailed studies in tissue culture using human myotubes have shown that muscle cells are capable of executing the posttranslational modifications required for activity of factor IX, and that the specific activity of myotube-synthesized factor IX is similar to that of hepatocyte-synthesized material, although some details of posttranslational processing differ. Based on these and other safety and efficacy studies, a clinical trial of AAV-mediated, muscle-directed gene transfer for hemophilia B has been initiated. The study has a dose-escalation design, with three subjects to be enrolled in three dose

cohorts beginning with a dose of 2 x 10(11) vg/kg. Results in the initial dose cohort showed no evidence of toxicity associated with vector administration or transgene expression. Analysis of muscle biopsies done on injected tissue showed clear evidence of gene transfer by PCR and Southern blot and of gene expression by immunocytochemistry. The general characteristics of muscle transduction appear similar in humans and in other animal models. The goal of dose escalation is to find a dose that is nontoxic but that results in circulating levels of factor IX >1% in all patients.

=> s recombinant adeno-associated
 L39 1279 RECOMBINANT ADENO-ASSOCIATED

=> s adeno-associated(s)vector
 L40 3514 ADENO-ASSOCIATED(S) VECTOR

=> s l39 or l40
 L41 3731 L39 OR L40

=> d his

(FILE 'HOME' ENTERED AT 14:28:55 ON 19 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:29:05 ON 19 JUN 2002

L1 5751 S ADENO-ASSOCIATED
 L2 1438993 S LIVER
 L3 195 S L1(S)L2
 L4 87 S L3 NOT PY>1999
 L5 47 DUP REM L4 (40 DUPLICATES REMOVED)
 L6 39542 S TRANSGENE
 L7 12 S L6 AND L5
 L8 122109 S EDTA
 L9 7 S L1 AND L8
 L10 5 DUP REM L9 (2 DUPLICATES REMOVED)
 L11 594168 S DOG
 L12 48 S L1(S)L11
 L13 31 DUP REM L12 (17 DUPLICATES REMOVED)
 L14 10 S L13 NOT PY>1999

FILE 'REGISTRY' ENTERED AT 14:48:51 ON 19 JUN 2002

E "MG132"/CN 25
 E "MG-132"/CN 25
 E "CALPAIN INHIBITOR"/CN 25
 L15 3 S E4 OR E5 OR E6
 E "CALPAIN INHIBITOR"/CN 25
 E "LLNL"/CN 25
 E "MG115"/CN 25
 E "N-BENZYLOXY-CARBONYL-ISO"/CN 25

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:53:04 ON 19 JUN 2002

L16 366 S L-LEUCINAMIDE
 L17 365 S CALPAIN INHIBITOR I
 L18 119 S CALPAIN INHIBITOR II
 L19 7 S CALPAIN INHIBITOR III
 L20 727 S MG132
 L21 952 S LLNL
 L22 84 S MG115
 L23 67122 S PSI
 L24 192 S N-BENZYLOXY-CARBONYL
 L25 0 S L1 AND L16
 L26 1 S L1 AND L17
 L27 0 S L1 AND L18
 L28 0 S L1 AND L19
 L29 1 S L1 AND L20
 L30 0 S L1 AND L21
 L31 0 S L1 AND L22

L32 11 S L1 AND L23
 L33 9 DUP REM L32 (2 DUPLICATES REMOVED)
 L34 0 S L1 AND L24
 L35 120514 S CANINE
 L36 90 S L1 AND L35
 L37 10 S L36 AND L6
 L38 6 DUP REM L37 (4 DUPLICATES REMOVED)
 L39 1279 S RECOMBINANT ADENO-ASSOCIATED
 L40 3514 S ADENO-ASSOCIATED(S)VECTOR
 L41 3731 S L39 OR L40

=> s l11 or l35

L42 646328 L11 OR L35

=> s l41 and l42

L43 117 L41 AND L42

=> dup rem l43

PROCESSING COMPLETED FOR L43

L44 79 DUP REM L43 (38 DUPLICATES REMOVED)

=> s l44 not py>1999

L45 38 L44 NOT PY>1999

=> d ti so 1-38

L45 ANSWER 1 OF 38 MEDLINE

TI Gene therapy for hemophilia.

SO Curr Opin Mol Ther, (1999 Aug) 1 (4) 493-9. Ref: 52

Journal code: 100891485. ISSN: 1464-8431.

L45 ANSWER 2 OF 38 MEDLINE

TI Gene therapy using hematopoietic stem cells.

SO Curr Opin Mol Ther, (1999 Aug) 1 (4) 437-42. Ref: 53

Journal code: 100891485. ISSN: 1464-8431.

L45 ANSWER 3 OF 38 MEDLINE

TI [Natural infection with adeno-associated viruses].

Infection naturelle a virus adeno-associes.

SO ANNALES DE BIOLOGIE CLINIQUE, (1999 Nov-Dec) 57 (6) 667-75. Ref: 57

Journal code: 2984690R. ISSN: 0003-3898.

L45 ANSWER 4 OF 38 MEDLINE

TI Persistent expression of canine factor IX in hemophilia B canines.

SO GENE THERAPY, (1999 Oct) 6 (10) 1695-704.

Journal code: 9421525. ISSN: 0969-7128.

L45 ANSWER 5 OF 38 MEDLINE

TI Genetic capsid modifications allow efficient re-targeting of adeno-associated virus type 2.

SO NATURE MEDICINE, (1999 Sep) 5 (9) 1052-6.

Journal code: 9502015. ISSN: 1078-8956.

L45 ANSWER 6 OF 38 MEDLINE

TI Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV.

SO VISION RESEARCH, (1999 Jul) 39 (15) 2545-53.

Journal code: 0417402. ISSN: 0042-6989.

L45 ANSWER 7 OF 38 MEDLINE

TI Sustained correction of bleeding disorder in hemophilia B mice by gene therapy.

SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1999 Mar 30) 96 (7) 3906-10.

Journal code: 7505876. ISSN: 0027-8424.

L45 ANSWER 8 OF 38 MEDLINE

TI Correction of hemophilia B in canine and murine models using recombinant adeno-associated viral vectors.

SO NATURE MEDICINE, (1999 Jan) 5 (1) 64-70.

Journal code: 9502015. ISSN: 1078-8956.

L45 ANSWER 9 OF 38 MEDLINE

TI Long-term correction of canine hemophilia B by gene transfer of blood coagulation factor IX mediated by adeno-associated viral vector.

SO NATURE MEDICINE, (1999 Jan) 5 (1) 56-63.

Journal code: 9502015. ISSN: 1078-8956.

L45 ANSWER 10 OF 38 MEDLINE

TI Direct intramuscular injection with recombinant AAV vectors results in

sustained expression in a dog model of hemophilia.

SO GENE THERAPY, (1998 Jan) 5 (1) 40-9.

Journal code: 9421525. ISSN: 0969-7128.

L45 ANSWER 11 OF 38 MEDLINE

TI Membrane-associated heparan sulfate proteoglycan is a receptor for adeno-associated virus type 2 virions.

SO JOURNAL OF VIROLOGY, (1998 Feb) 72 (2) 1438-45.

Journal code: 0113724. ISSN: 0022-538X.

L45 ANSWER 12 OF 38 MEDLINE

TI Persistent and therapeutic concentrations of human factor IX in mice after

hepatic gene transfer of recombinant AAV vectors.

SO NATURE GENETICS, (1997 Jul) 16 (3) 270-6.

Journal code: 9216904. ISSN: 1061-4036.

L45 ANSWER 13 OF 38 MEDLINE

TI Gene therapy for haematopoietic and lymphoid disorders.

SO CLINICAL AND EXPERIMENTAL IMMUNOLOGY, (1997 Jan) 107 Suppl 1 54-7. Ref:

13

Journal code: 0057202. ISSN: 0009-9104.

L45 ANSWER 14 OF 38 MEDLINE

TI Gene transfer into hematopoietic progenitor and stem cells: progress and problems.

SO STEM CELLS, (1994 Nov) 12 (6) 563-76. Ref: 98

Journal code: 9304532. ISSN: 1066-5099.

L45 ANSWER 15 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Molecular characterization of AAV-mediated gene transfer of human factor IX to myotubes.

SO Blood, (Nov. 15, 1999) Vol. 94, No. 10 SUPPL. 1 PART 1, pp. 175a.

Meeting Info.: Forty-first Annual Meeting of the American Society of Hematology New Orleans, Louisiana, USA December 3-7, 1999 The American

Society of Hematology

. ISSN: 0006-4971.

L45 ANSWER 16 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Efficient retargeting of AAV2 by genetic modification of the viral capsid protein.

SO European Journal of Cancer, (Oct., 1999) Vol. 35, No. SUPPL. 5, pp. S37.

Meeting Info.: 5th International Symposium on the Biological Therapy of

Cancer: From Basic Research to Clinical Applications Munich, Germany

October 27-30, 1999 Biological Therapeutics Development Group of the

European Organisation for Research and Treatment of Cancer

. ISSN: 0959-8049.

L45 ANSWER 17 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL

ABSTRACTS INC.

TI Adeno-associated virus-mediated gene transfer of factor IX for treatment

of hemophilia B by gene therapy.

SO Thrombosis and Haemostasis, (Aug., 1999) Vol. 82, No. 2, pp. 540-546.

ISSN: 0340-6245.

L45 ANSWER 18 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Hepatic gene therapy using **adeno-associated virus vectors**.

SO Seminars in Liver Disease, (1999) Vol. 19, No. 1, pp. 61-69.

ISSN: 0272-8087.

L45 ANSWER 19 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Adeno-associated virus mediated gene transfer in ocular tissues of **canine** mucopolysaccharidosis type VII.

SO IOVS, (March 15, 1999) Vol. 40, No. 4, pp. S936.

Meeting Info.: Annual Meeting of the Association for Research in Vision

and Ophthalmology Fort Lauderdale, Florida, USA May 9-14, 1999 Association

for Research in Vision and Ophthalmology

L45 ANSWER 20 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Adeno- and adeno-associated virus mediated beta-glucuronidase cDNA

transfer to treat storage in mucopolysaccharidosis VII affected eyes.

SO IOVS, (March 15, 1999) Vol. 40, No. 4, pp. S936.

Meeting Info.: Annual Meeting of the Association for Research in Vision

and Ophthalmology Fort Lauderdale, Florida, USA May 9-14, 1999 Association

for Research in Vision and Ophthalmology

L45 ANSWER 21 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Factor IX synthesized in **dog** and human muscle cells has specific activity comparable to plasma-derived factor IX.

SO Blood, (Nov. 15, 1998) Vol. 92, No. 10 SUPPL. 1 PART 1-2, pp. 689A.

Meeting Info.: 40th Annual Meeting of the American Society of Hematology

Miami Beach, Florida, USA December 4-8, 1998 The American Society of

Hematology

. ISSN: 0006-4971.

L45 ANSWER 22 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Long-term phenotypic correction of hemophilia B in a large animal model by

AAV-mediated gene transfer.

SO Blood, (Nov. 15, 1998) Vol. 92, No. 10 SUPPL. 1 PART 1-2, pp. 153A.

Meeting Info.: 40th Annual Meeting of the American Society of Hematology

Miami Beach, Florida, USA December 4-8, 1998 The American Society of

Hematology

. ISSN: 0006-4971.

L45 ANSWER 23 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Characterization of immune responses to factor IX in small and large

animal models for gene therapy.

SO Blood, (Nov. 15, 1998) Vol. 92, No. 10 SUPPL. 1 PART 1-2, pp. 689A.

Meeting Info.: 40th Annual Meeting of the American Society of Hematology

Miami Beach, Florida, USA December 4-8, 1998 The American Society of

Hematology

. ISSN: 0006-4971.

L45 ANSWER 24 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Persistent expression of **canine** fix in the hemophilia B **canine** after direct intramuscular injection of rAAV.

SO Blood, (Nov. 15, 1998) Vol. 92, No. 10 SUPPL. 1 PART 1-2, pp. 690A.

Meeting Info.: 40th Annual Meeting of the American Society of Hematology

Miami Beach, Florida, USA December 4-8, 1998 The American Society of

Hematology

. ISSN: 0006-4971.

L45 ANSWER 25 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Gene transfer into hematopoietic cells: Progress, problems and prospects.

SO Turkish Journal of Pediatrics, (Sept., 1998) Vol. 40, No. 3, pp. 307-336.

ISSN: 0041-4301.

L45 ANSWER 26 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI AAV-mediated gene transfer in **dogs** with hemophilia B.

SO Journal of Investigative Medicine, (March, 1998) Vol. 46, No. 3, pp. 215A.

Meeting Info.: Annual Meeting of the Association of American Physicians,

American Society for Clinical Investigation, American Federation for Medical Research 1998 Biomedicine: Medical Research from Bench

to Bedside Washington, D.C., USA May 1-3, 1998 American Federation for

Medical

Research

. ISSN: 1081-5589.

L45 ANSWER 27 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI **Adeno-associated virus** as a gene delivery **vector** to treat storage in ocular tissues in **canine** mucopolysaccharidosis type VII.

SO IOVS, (March 15, 1998) Vol. 39, No. 4, pp. S719.

Meeting Info.: Annual Meeting of the Association for Research in Vision

and Ophthalmology Fort Lauderdale, Florida, USA May 10-15, 1998 Association for Research in Vision and Ophthalmology

L45 ANSWER 28 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Sustained expression of human factor IX in a hemophilic **canine** following direct intramuscular injection of an **adeno-associated virus (AAV) vector**.

SO Blood, (Nov. 15, 1997) Vol. 90, No. 10 SUPPL. 1 PART 1, pp. 240A.

Meeting Info.: 39th Annual Meeting of the American Society of Hematology

San Diego, California, USA December 5-9, 1997 The American Society of

Hematology

. ISSN: 0006-4971.

L45 ANSWER 29 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI New developments in the generation of Ad-free, high-titer rAAV gene therapy vectors.

SO Nature Medicine, (Nov., 1997) Vol. 3, No. 11, pp. 1295-1297.
ISSN: 1078-8956.

L45 ANSWER 30 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI Gene transfer by **adeno-associated virus**
vectors into the central nervous system.

SO Experimental Neurology, (1997) Vol. 144, No. 1, pp. 113-124.
ISSN: 0014-4886.

L45 ANSWER 31 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI Gene therapy of hereditary immune deficiencies.

SO Archives de Pediatrie, (1996) Vol. 3, No. SUPPL. 1, pp. 69S-76S.
Meeting Info.: Thirty-first Congress of the Association des Pediatres
de
Langue Francaise (Association of French Language Pediatricians)
Paris,
France May 1-4, 1996
ISSN: 0929-693X.

L45 ANSWER 32 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

TI A plasmid expression **vector** based on the **adeno-**
associated virus (AAV) containing muscle-specific transcription
elements for expression of therapeutic proteins.

SO American Journal of Human Genetics, (1995) Vol. 57, No. 4
SUPPL., pp.
A235.

Meeting Info.: 45th Annual Meeting of the American Society of
Human
Genetics Minneapolis, Minnesota, USA October 24-28, 1995
ISSN: 0002-9297.

L45 ANSWER 33 OF 38 CAPLUS COPYRIGHT 2002 ACS

TI Use of insulin-like growth factor I gene to increase muscle mass and
strength in vertebrates

SO PCT Int. Appl., 46 pp.
CODEN: PIXXD2

L45 ANSWER 34 OF 38 CAPLUS COPYRIGHT 2002 ACS

TI Thymidine kinase mutants with increased activity, vectors
expressing
mutants, and pharmacological uses

SO U.S., 72 pp., Cont.-in-part of U.S. Ser. No. 237,592, abandoned.
CODEN: USXXAM

L45 ANSWER 35 OF 38 CAPLUS COPYRIGHT 2002 ACS

TI Gene therapy for hemophilia

SO Expert Opinion on Investigational Drugs (1997), 6(11), 1685-1690
CODEN: EOIDER; ISSN: 0967-8298

L45 ANSWER 36 OF 38 CAPLUS COPYRIGHT 2002 ACS

TI Viral vectors encoding Gax protein and their use for treating
hyperproliferative disorders, in particular restenosis

SO PCT Int. Appl., 58 pp.
CODEN: PIXXD2

L45 ANSWER 37 OF 38 CAPLUS COPYRIGHT 2002 ACS

TI Gene therapy vectors carrying lipase genes for treatment of
lipoproteinemias

SO PCT Int. Appl., 40 pp.
CODEN: PIXXD2

L45 ANSWER 38 OF 38 CAPLUS COPYRIGHT 2002 ACS

TI A method for preparing **adeno-associated virus**
expression **vectors** for use in gene therapy

SO PCT Int. Appl., 32 pp.
CODEN: PIXXD2

=> d ibib ab 26

L45 ANSWER 26 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL

ABSTRACTS INC.

ACCESSION NUMBER: 1998:384830 BIOSIS

DOCUMENT NUMBER: PREV199800384830

TITLE: AAV-mediated gene transfer in **dogs** with
hemophilia B.

AUTHOR(S): Herzog, R. W. (1); Yang, E. Y.; Couto, L. B.;
Hagstrom, J.

N.; Elwell, D.; Chu, K.; Kung, S.-H.; Tai, S. J.;
McQuiston, S. A.; Colosi, P.; Podsakoff, G. M.; Read, M.
S.; Bellinger, D. A.; Brinkhous, K. M.; Nichols, T.;
Kurtzman, G. J.; High, K. A.

CORPORATE SOURCE: (1) Dep. Pathol., Univ. Pennsylvania,
Children's Hosp.

Philadelphia, Philadelphia, PA USA

SOURCE: Journal of Investigative Medicine, (March, 1998) Vol.
46,

No. 3, pp. 215A.

Meeting Info.: Annual Meeting of the Association of
American Physicians, American Society for Clinical
Investigation, American Federation for Medical Research
1998 Biomedicine: Medical Research from Bench to

Bedside

Washington, D.C., USA May 1-3, 1998 American

Federation for

Medical Research

ISSN: 1081-5589.

DOCUMENT TYPE: Conference

LANGUAGE: English

=> d ibib ab 18

L45 ANSWER 18 OF 38 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.

ACCESSION NUMBER: 1999:402333 BIOSIS

DOCUMENT NUMBER: PREV199900402333

TITLE: Hepatic gene therapy using **adeno-**
associated virus vectors.

AUTHOR(S): Patijn, Gijsbert A.; Kay, Mark A. (1)

CORPORATE SOURCE: (1) Dep. Pediatr. Genet., Univ. Sch.
Medicine, 300 Pasteur

Drive, Room G305, Stanford, A 94305 USA

SOURCE: Seminars in Liver Disease, (1999) Vol. 19, No. 1, pp.
61-69.

ISSN: 0272-8087.

DOCUMENT TYPE: General Review

LANGUAGE: English

=> s l45 and liver

L46 7 L45 AND LIVER

=> d ti so 1-7

L46 ANSWER 1 OF 7 MEDLINE

TI Gene therapy for hemophilia.

SO Curr Opin Mol Ther, (1999 Aug) 1 (4) 493-9. Ref: 52
Journal code: 100891485. ISSN: 1464-8431.

L46 ANSWER 2 OF 7 MEDLINE

TI Sustained correction of bleeding disorder in hemophilia B mice by
gene
therapy.

SO PROCEEDINGS OF THE NATIONAL ACADEMY OF
SCIENCES OF THE UNITED STATES OF
AMERICA, (1999 Mar 30) 96 (7) 3906-10.
Journal code: 7505876. ISSN: 0027-8424.

L46 ANSWER 3 OF 7 MEDLINE

TI Correction of hemophilia B in **canine** and murine models using
recombinant adeno-associated viral
vectors.

SO NATURE MEDICINE, (1999 Jan) 5 (1) 64-70.
Journal code: 9502015. ISSN: 1078-8956.

L46 ANSWER 4 OF 7 MEDLINE

TI Persistent and therapeutic concentrations of human factor IX in mice after

hepatic gene transfer of recombinant AAV vectors.

SO NATURE GENETICS, (1997 Jul) 16 (3) 270-6.

Journal code: 9216904. ISSN: 1061-4036.

L46 ANSWER 5 OF 7 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Adeno-associated virus-mediated gene transfer of factor IX for treatment

of hemophilia B by gene therapy.

SO Thrombosis and Haemostasis, (Aug., 1999) Vol. 82, No. 2, pp. 540-546.

ISSN: 0340-6245.

L46 ANSWER 6 OF 7 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Hepatic gene therapy using **adeno-associated virus vectors**.

SO Seminars in Liver Disease, (1999) Vol. 19, No. 1, pp. 61-69.

ISSN: 0272-8087.

L46 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2002 ACS

TI Gene therapy vectors carrying lipase genes for treatment of lipoproteinemias

SO PCT Int. Appl., 40 pp.

CODEN: PIXXD2

=> d ibib ab 3

L46 ANSWER 3 OF 7 MEDLINE

ACCESSION NUMBER: 1999098310 MEDLINE

DOCUMENT NUMBER: 99098310 PubMed ID: 9883841

TITLE: Correction of hemophilia B in **canine** and murine models using **recombinant adeno-associated viral vectors**.

COMMENT: Comment in: Nat Med. 1999 Jan;5(1):21-2

AUTHOR: Snyder R O; Miao C; Meuse L; Tubb J; Donahue B A; Lin H F;

Stafford D W; Patel S; Thompson A R; Nichols T; Read M S;

Bellinger D A; Brinkhous K M; Kay M A

CORPORATE SOURCE: Cell Genesys Inc., Foster City, California 94404, USA.

CONTRACT NUMBER: HL01648 (NHLBI)
HL53682 (NHLBI)

SOURCE: NATURE MEDICINE, (1999 Jan) 5 (1) 64-70.

Journal code: 9502015. ISSN: 1078-8956.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199902

ENTRY DATE: Entered STN: 19990223

Last Updated on STN: 19990223

Entered Medline: 19990208

AB Hemophilia B, or factor IX deficiency, is an X-linked recessive disorder

occurring in about 1 in 25,000 males. Affected individuals are at risk for

spontaneous bleeding into many organs; treatment mainly consists of the

transfusion of clotting factor concentrates prepared from human blood or

recombinant sources after bleeding has started. Small- and large-animal

models have been developed and/or characterized that closely mimic the

human disease state. As a preclinical model for gene therapy,

recombinant adeno-associated viral

vectors containing the human or **canine** factor IX cDNAs

were infused into the **livers** of murine and **canine** models of hemophilia B, respectively. There was no associated toxicity

with infusion in either animal model. Constitutive expression of factor IX

was observed, which resulted in the correction of the bleeding disorder

over a period of over 17 months in mice. Mice with a steady-state concentration of 25% of the normal human level of factor IX had normal

coagulation. In hemophilic **dogs**, a dose of rAAV that was approximately 1/10 per body weight that given to mice resulted in 1% of

normal **canine** factor IX levels, the absence of inhibitors, and a sustained partial correction of the coagulation defect for at least 8 months.

=> d his

(FILE 'HOME' ENTERED AT 14:28:55 ON 19 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:29:05 ON 19 JUN 2002

L1 5751 S ADENO-ASSOCIATED

L2 1438993 S LIVER

L3 195 S L1(S)L2

L4 87 S L3 NOT PY>1999

L5 47 DUP REM L4 (40 DUPLICATES REMOVED)

L6 39542 S TRANSGENE

L7 12 S L6 AND L5

L8 122109 S EDTA

L9 7 S L1 AND L8

L10 5 DUP REM L9 (2 DUPLICATES REMOVED)

L11 594168 S DOG

L12 48 S L1(S)L11

L13 31 DUP REM L12 (17 DUPLICATES REMOVED)

L14 10 S L13 NOT PY>1999

FILE 'REGISTRY' ENTERED AT 14:48:51 ON 19 JUN 2002

E "MG132"/CN 25

E "MG-132"/CN 25

E "CALPAIN INHIBITOR"/CN 25

L15 3 S E4 OR E5 OR E6

E "CALPAIN INHIBITOR"/CN 25

E "LLNL"/CN 25

E "MG115"/CN 25

E "N-BENZYLOXY-CARBONYL-ISO"/CN 25

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 14:53:04 ON 19 JUN 2002

L16 366 S L-LEUCINAMIDE

L17 365 S CALPAIN INHIBITOR I

L18 119 S CALPAIN INHIBITOR II

L19 7 S CALPAIN INHIBITOR III

L20 727 S MG132

L21 952 S LLNL

L22 84 S MG115

L23 67122 S PSI

L24 192 S N-BENZYLOXY-CARBONYL

L25 0 S L1 AND L16

L26 1 S L1 AND L17

L27 0 S L1 AND L18

L28 0 S L1 AND L19

L29 1 S L1 AND L20

L30 0 S L1 AND L21

L31 0 S L1 AND L22

L32 11 S L1 AND L23

L33 9 DUP REM L32 (2 DUPLICATES REMOVED)

L34 0 S L1 AND L24

L35 120514 S CANINE

L36 90 S L1 AND L35

L37 10 S L36 AND L6

L38 6 DUP REM L37 (4 DUPLICATES REMOVED)

L39 1279 S RECOMBINANT ADENO-ASSOCIATED
 L40 3514 S ADENO-ASSOCIATED(S)VECTOR
 L41 3731 S L39 OR L40
 L42 646328 S L11 OR L35
 L43 117 S L41 AND L42
 L44 79 DUP REM L43 (38 DUPLICATES REMOVED)
 L45 38 S L44 NOT PY>1999
 L46 7 S L45 AND LIVER

=> s rat

L47 3416653 RAT

=> s l47 and l41

L48 552 L47 AND L41

=> s (enhanc? or improv? or augment? or increas? or
 induc?)(s)transduction

L49 68324 (ENHANC? OR IMPROV? OR AUGMENT? OR
 INCREAS? OR INDUC?)(S) TRANSD
 UCTION

=> s l48 and l49

L50 96 L48 AND L49

=> dup rem l50

PROCESSING COMPLETED FOR L50

L51 55 DUP REM L50 (41 DUPLICATES REMOVED)

=> s l50 not py>1999

L52 47 L50 NOT PY>1999

=> d ti so l-47

L52 ANSWER 1 OF 47 MEDLINE

TI Gene therapy in the inner ear. Mechanisms and clinical implications.
 SO ANNALS OF THE NEW YORK ACADEMY OF SCIENCES,
 (1999 Nov 28) 884 345-60.

Ref: 27

Journal code: 7506858. ISSN: 0077-8923.

L52 ANSWER 2 OF 47 MEDLINE

TI Prevention of 6-hydroxydopamine-induced rotational behavior by
 BDNF

somatic gene transfer.

SO BRAIN RESEARCH, (1999 Nov 20) 847 (2) 314-20.

Journal code: 0045503. ISSN: 0006-8993.

L52 ANSWER 3 OF 47 MEDLINE

TI Neuronal-specific and nerve growth factor-inducible expression
 directed by

the preprotachykinin-A promoter delivered by an **adeno-
 associated virus vector**.

SO NEUROSCIENCE, (1999) 94 (3) 997-1003.

Journal code: 7605074. ISSN: 0306-4522.

L52 ANSWER 4 OF 47 MEDLINE

TI Gene transfer to the nigrostriatal system by hybrid herpes simplex
 virus/

adeno-associated virus amplicon vectors.

SO HUMAN GENE THERAPY, (1999 Oct 10) 10 (15) 2481-94.

Journal code: 9008950. ISSN: 1043-0342.

L52 ANSWER 5 OF 47 MEDLINE

TI bcl-2 gene therapy exacerbates excitotoxicity.

SO HUMAN GENE THERAPY, (1999 Jul 1) 10 (10) 1715-20.

Journal code: 9008950. ISSN: 1043-0342.

L52 ANSWER 6 OF 47 MEDLINE

TI Long-term restoration of striatal L-aromatic amino acid
 decarboxylase

activity using **recombinant adeno-associated
 viral vector** gene transfer in a rodent model of Parkinson's
 disease.

SO NEUROSCIENCE, (1999) 92 (1) 185-96.

Journal code: 7605074. ISSN: 0306-4522.

L52 ANSWER 7 OF 47 MEDLINE

TI Generation of aberrant sprouting in the adult **rat** brain by
 GAP-43 somatic gene transfer.

SO BRAIN RESEARCH, (1999 Jun 19) 832 (1-2) 136-44.

Journal code: 0045503. ISSN: 0006-8993.

L52 ANSWER 8 OF 47 MEDLINE

TI Stable restoration of the sarcoglycan complex in dystrophic muscle
 perfused with histamine and a **recombinant adeno-
 associated viral vector**.

SO NATURE MEDICINE, (1999 Apr) 5 (4) 439-43.

Journal code: 9502015. ISSN: 1078-8956.

L52 ANSWER 9 OF 47 MEDLINE

TI Disease-inducible transgene expression from a **recombinant
 adeno-associated virus vector** in a **rat**
 arthritis model.

SO JOURNAL OF VIROLOGY, (1999 Apr) 73 (4) 3410-7.

Journal code: 0113724. ISSN: 0022-538X.

L52 ANSWER 10 OF 47 MEDLINE

TI Antisense inhibition of AT1 receptor in vascular smooth muscle
 cells using

adeno-associated virus-based vector.

SO HYPERTENSION, (1999 Jan) 33 (1 Pt 2) 354-9.

Journal code: 7906255. ISSN: 0194-911X.

L52 ANSWER 11 OF 47 MEDLINE

TI Behavioral recovery in 6-hydroxydopamine-lesioned **rats** by
 cotransduction of striatum with tyrosine hydroxylase and aromatic L-
 amino
 acid decarboxylase genes using two separate **adeno-
 associated virus vectors**.

SO HUMAN GENE THERAPY, (1998 Nov 20) 9 (17) 2527-35.

Journal code: 9008950. ISSN: 1043-0342.

L52 ANSWER 12 OF 47 MEDLINE

TI Characterization of intrastratial **recombinant adeno-
 associated virus-mediated gene transfer** of human tyrosine
 hydroxylase and human GTP-cyclohydrolase I in a **rat** model of
 Parkinson's disease.

SO JOURNAL OF NEUROSCIENCE, (1998 Jun 1) 18 (11) 4271-84.

Journal code: 8102140. ISSN: 0270-6474.

L52 ANSWER 13 OF 47 MEDLINE

TI Factors influencing **recombinant adeno-
 associated virus** production.

SO HUMAN GENE THERAPY, (1998 Mar 20) 9 (5) 695-706.

Journal code: 9008950. ISSN: 1043-0342.

L52 ANSWER 14 OF 47 MEDLINE

TI Neuron-specific transduction in the **rat** septohippocampal or
 nigrostriatal pathway by **recombinant adeno-
 associated virus vectors**.

SO EXPERIMENTAL NEUROLOGY, (1998 Apr) 150 (2) 183-94.

Journal code: 0370712. ISSN: 0014-4886.

L52 ANSWER 15 OF 47 MEDLINE

TI Characterization of **recombinant adeno-
 associated virus-2** as a vehicle for gene delivery and expression
 into vascular cells.

SO JOURNAL OF INVESTIGATIVE MEDICINE, (1997 Feb) 45 (2)
 87-98.

Journal code: 9501229. ISSN: 1081-5589.

L52 ANSWER 16 OF 47 MEDLINE

TI **Adeno-associated virus vectors** for vascular
 gene delivery.

SO CIRCULATION RESEARCH, (1997 Apr) 80 (4) 497-505.

Journal code: 0047103. ISSN: 0009-7330.

L52 ANSWER 17 OF 47 MEDLINE

- TI Efficient transduction of green fluorescent protein in spinal cord neurons
using **adeno-associated virus vectors**
containing cell type-specific promoters.
SO GENE THERAPY, (1997 Jan) 4 (1) 16-24.
Journal code: 9421525. ISSN: 0969-7128.
- L52 ANSWER 18 OF 47 MEDLINE
TI Persistent expression of human clotting factor IX from mouse liver after
intravenous injection of **adeno-associated virus vectors**.
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1997 Feb 18) 94 (4) 1426-31.
Journal code: 7505876. ISSN: 0027-8424.
- L52 ANSWER 19 OF 47 MEDLINE
TI **Recombinant adeno-associated virus** mediates
a high level of gene transfer but less efficient integration in the K562 human hematopoietic cell line.
SO JOURNAL OF VIROLOGY, (1997 Mar) 71 (3) 1776-83.
Journal code: 0113724. ISSN: 0022-538X.
- L52 ANSWER 20 OF 47 MEDLINE
TI Effects of gamma irradiation on the transduction of dividing and nondividing cells in brain and muscle of **rats** by **adeno-associated virus vectors**.
SO HUMAN GENE THERAPY, (1996 May 1) 7 (7) 841-50.
Journal code: 9008950. ISSN: 1043-0342.
- L52 ANSWER 21 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Prevention of 6-hydroxydopamine-induced rotational behavior by BDNF
somatic gene transfer.
SO Brain Research, (Nov. 20, 1999) Vol. 847, No. 2, pp. 314-320.
ISSN: 0006-8993.
- L52 ANSWER 22 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Neuronal-specific and nerve growth factor-inducible expression directed by
the preprotachykinin-A promoter delivered by an **adeno-associated virus vector**.
SO Neuroscience, (Oct. 11, 1999) Vol. 94, No. 3, pp. 997-1003.
ISSN: 0306-4522.
- L52 ANSWER 23 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Gene transfer to the nigrostriatal system by hybrid herpes simplex virus/
adeno-associated virus amplicon vectors.
SO Human Gene Therapy, (Oct. 10, 1999) Vol. 10, No. 15, pp. 2481-2494.
ISSN: 1043-0342.
- L52 ANSWER 24 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI bcl-2 gene therapy exacerbates excitotoxicity.
SO Human Gene Therapy, (July 1, 1999) Vol. 10, No. 10, pp. 1715-1720.
ISSN: 1043-0342.
- L52 ANSWER 25 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Generation of aberrant sprouting in the adult **rat** brain by GAP-43 somatic gene transfer.
SO Brain Research, (June 19, 1999) Vol. 832, No. 1-2, pp. 136-144.
ISSN: 0006-8993.
- L52 ANSWER 26 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Long-term restoration of striatal L-aromatic amino acid decarboxylase
activity using **recombinant adeno-associated viral vector** gene transfer in a rodent model of Parkinson's disease.
SO Neuroscience, (May 20, 1999) Vol. 92, No. 1, pp. 185-196.
ISSN: 0306-4522.
- L52 ANSWER 27 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Cellular contaminants of **adeno-associated virus vector** stocks can **enhance transduction**.
SO Gene Therapy, (June, 1999) Vol. 6, No. 6, pp. 1045-1053.
ISSN: 0969-7128.
- L52 ANSWER 28 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Strategies for gene therapy of Parkinson's disease using **adeno-associated virus (AAV) vectors**.
SO Biogenic Amines, (1999) Vol. 15, No. 1, pp. 21-37.
ISSN: 0168-8561.
- L52 ANSWER 29 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Disease-inducible transgene expression from a **recombinant adeno-associated virus vector** in a **rat** arthritis model.
SO Journal of Virology, (April, 1999) Vol. 73, No. 4, pp. 3410-3417.
ISSN: 0022-538X.
- L52 ANSWER 30 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Antisense inhibition of AT1 receptor in vascular smooth muscle cells using
adeno-associated virus-based vector.
SO Hypertension (Baltimore), (Jan., 1999) Vol. 33, No. 1 PART 2, pp. 354-359.
ISSN: 0194-911X.
- L52 ANSWER 31 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Adeno-associated virus-mediated gene transfer to the brain: Duration and
modulation of expression.
SO Human Gene Therapy, (Jan. 20, 1999) Vol. 10, No. 2, pp. 201-213.
ISSN: 1043-0342.
- L52 ANSWER 32 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Adenoassociated virus-mediated transfer of a functional water channel into
salivary epithelial cells in vitro and in vivo.
SO Human Gene Therapy, (Dec. 10, 1998) Vol. 9, No. 18, pp. 2777-2785.
ISSN: 1043-0342.
- L52 ANSWER 33 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Behavioral recovery in 6-hydroxydopamine-lesioned **rats** by cotransduction of striatum with tyrosine hydroxylase and aromatic L-amino
acid decarboxylase genes using two separate **adeno-associated virus vectors**.
SO Human Gene Therapy, (Nov. 20, 1998) Vol. 9, No. 17, pp. 2527-2535.
ISSN: 1043-0342.
- L52 ANSWER 34 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Characterization of intrastratial **recombinant adeno-associated virus**-mediated gene transfer of human tyrosine hydroxylase and human GTP-cyclohydrolase I in a **rat** model of Parkinson's disease.
SO Journal of Neuroscience, (June 1, 1998) Vol. 18, No. 11, pp. 4271-4284.

ISSN: 0270-6474.

L52 ANSWER 35 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Neuron-specific transduction in the **rat** septohippocampal or nigrostriatal pathway by **recombinant adeno-associated virus vectors**.

SO Experimental Neurology, (April, 1998) Vol. 150, No. 2, pp. 183-194.

ISSN: 0014-4886.

L52 ANSWER 36 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Gene transfer by **adeno-associated virus vectors** into the central nervous system.

SO Experimental Neurology, (1997) Vol. 144, No. 1, pp. 113-124.

ISSN: 0014-4886.

L52 ANSWER 37 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Characterization of **recombinant adeno-associated virus-2** as a vehicle for gene delivery and expression into vascular cells.

SO Journal of Investigative Medicine, (1997) Vol. 45, No. 2, pp. 87-98. ISSN: 1081-5589.

L52 ANSWER 38 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI **Recombinant adeno-associated virus** mediates a high level of gene transfer but less efficient integration in the K562 human hematopoietic cell line.

SO Journal of Virology, (1997) Vol. 71, No. 3, pp. 1776-1783.

ISSN: 0022-538X.

L52 ANSWER 39 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Efficient transduction of green fluorescent protein in spinal cord neurons

using **adeno-associated virus vectors** containing cell type-specific promoters.

SO Gene Therapy, (1997) Vol. 4, No. 1, pp. 16-24.

ISSN: 0969-7128.

L52 ANSWER 40 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Comparison of promoter strengths on gene delivery into mammalian brain

cells using AAV vectors.

SO Gene Therapy, (1996) Vol. 3, No. 5, pp. 437-447.

ISSN: 0969-7128.

L52 ANSWER 41 OF 47 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI Sodium butyrate greatly **enhances** the efficiency of viral **transduction** in adult ventricular cardiomyocytes by **adeno-associated viral vectors**.

SO Circulation, (1995) Vol. 92, No. 8 SUPPL., pp. I296.

Meeting Info.: 68th Scientific Session of the American Heart Association

Anaheim, California, USA November 13-16, 1995

ISSN: 0009-7322.

L52 ANSWER 42 OF 47 CAPLUS COPYRIGHT 2002 ACS

TI Cellular contaminants of **adeno-associated virus vector** stocks can **enhance transduction**

SO Gene Therapy (1999), 6(6), 1045-1053

CODEN: GETHEC; ISSN: 0969-7128

L52 ANSWER 43 OF 47 CAPLUS COPYRIGHT 2002 ACS

TI Generation of aberrant sprouting in the adult **rat** brain by GAP-43 somatic gene transfer

SO Brain Research (1999), 832(1,2), 136-144

CODEN: BRREAP; ISSN: 0006-8993

L52 ANSWER 44 OF 47 CAPLUS COPYRIGHT 2002 ACS

TI Disease-inducible transgene expression from a **recombinant adeno-associated virus vector** in a **rat** arthritis model

SO Journal of Virology (1999), 73(4), 3410-3417

CODEN: JOVIAM; ISSN: 0022-538X

L52 ANSWER 45 OF 47 CAPLUS COPYRIGHT 2002 ACS

TI Adenoassociated virus-mediated transfer of a functional water channel into

salivary epithelial cells in vitro and in vivo

SO Human Gene Therapy (1998), 9(18), 2777-2785

CODEN: HGTHE3; ISSN: 1043-0342

L52 ANSWER 46 OF 47 CAPLUS COPYRIGHT 2002 ACS

TI Gene therapy of a rodent model of Parkinson's disease using **adeno-associated virus (AAV) vectors**

SO Advances in Behavioral Biology (1998), 49(Progress in Alzheimer's and

Parkinson's Diseases), 647-652

CODEN: ADBBBW; ISSN: 0099-6246

L52 ANSWER 47 OF 47 CAPLUS COPYRIGHT 2002 ACS

TI Effects of gamma irradiation on the transduction of dividing and nondividing cells in brain and muscle of **rats** by **adeno-associated virus vectors**

SO Hum. Gene Ther. (1996), 7(7), 841-850

CODEN: HGTHE3; ISSN: 1043-0342

=> dup rem l52

PROCESSING COMPLETED FOR L52

L53 28 DUP REM L52 (19 DUPLICATES REMOVED)

=> d ti so 1-28

L53 ANSWER 1 OF 28 MEDLINE DUPLICATE 1

TI Disease-inducible transgene expression from a **recombinant adeno-associated virus vector** in a **rat** arthritis model.

SO JOURNAL OF VIROLOGY, (1999 Apr) 73 (4) 3410-7.

Journal code: 0113724. ISSN: 0022-538X.

L53 ANSWER 2 OF 28 MEDLINE DUPLICATE 2

TI Gene transfer to the nigrostriatal system by hybrid herpes simplex virus/**adeno-associated virus amplicon vectors**.

SO HUMAN GENE THERAPY, (1999 Oct 10) 10 (15) 2481-94.

Journal code: 9008950. ISSN: 1043-0342.

L53 ANSWER 3 OF 28 MEDLINE DUPLICATE 3

TI bcl-2 gene therapy exacerbates excitotoxicity.

SO HUMAN GENE THERAPY, (1999 Jul 1) 10 (10) 1715-20.

Journal code: 9008950. ISSN: 1043-0342.

L53 ANSWER 4 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE 4

TI Cellular contaminants of **adeno-associated virus vector** stocks can **enhance transduction**.

SO Gene Therapy, (June, 1999) Vol. 6, No. 6, pp. 1045-1053.

ISSN: 0969-7128.

L53 ANSWER 5 OF 28 MEDLINE DUPLICATE 5

TI Neuronal-specific and nerve growth factor-inducible expression directed by

the preprotachykinin-A promoter delivered by an **adeno-associated virus vector**.

SO NEUROSCIENCE, (1999) 94 (3) 997-1003.

Journal code: 7605074. ISSN: 0306-4522.

L53 ANSWER 6 OF 28 MEDLINE

TI Stable restoration of the sarcoglycan complex in dystrophic muscle perfused with histamine and a **recombinant adeno-**

- associated viral vector.**
SO NATURE MEDICINE, (1999 Apr) 5 (4) 439-43.
Journal code: 9502015. ISSN: 1078-8956.
- L53 ANSWER 7 OF 28 MEDLINE DUPLICATE 6
TI Antisense inhibition of AT1 receptor in vascular smooth muscle cells using **adeno-associated virus-based vector.**
SO HYPERTENSION, (1999 Jan) 33 (1 Pt 2) 354-9.
Journal code: 7906255. ISSN: 0194-911X.
- L53 ANSWER 8 OF 28 MEDLINE
TI Gene therapy in the inner ear. Mechanisms and clinical implications.
SO ANNALS OF THE NEW YORK ACADEMY OF SCIENCES, (1999 Nov 28) 884 345-60.
Ref: 27
Journal code: 7506858. ISSN: 0077-8923.
- L53 ANSWER 9 OF 28 MEDLINE DUPLICATE 7
TI Prevention of 6-hydroxydopamine-induced rotational behavior by BDNF somatic gene transfer.
SO BRAIN RESEARCH, (1999 Nov 20) 847 (2) 314-20.
Journal code: 0045503. ISSN: 0006-8993.
- L53 ANSWER 10 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Adeno-associated virus-mediated gene transfer to the brain: Duration and modulation of expression.
SO Human Gene Therapy, (Jan. 20, 1999) Vol. 10, No. 2, pp. 201-213.
ISSN: 1043-0342.
- L53 ANSWER 11 OF 28 MEDLINE DUPLICATE 8
TI Long-term restoration of striatal L-aromatic amino acid decarboxylase activity using **recombinant adeno-associated viral vector** gene transfer in a rodent model of Parkinson's disease.
SO NEUROSCIENCE, (1999) 92 (1) 185-96.
Journal code: 7605074. ISSN: 0306-4522.
- L53 ANSWER 12 OF 28 MEDLINE DUPLICATE 9
TI Generation of aberrant sprouting in the adult **rat** brain by GAP-43 somatic gene transfer.
SO BRAIN RESEARCH, (1999 Jun 19) 832 (1-2) 136-44.
Journal code: 0045503. ISSN: 0006-8993.
- L53 ANSWER 13 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Strategies for gene therapy of Parkinson's disease using **adeno-associated virus (AAV) vectors.**
SO Biogenic Amines, (1999) Vol. 15, No. 1, pp. 21-37.
ISSN: 0168-8561.
- L53 ANSWER 14 OF 28 MEDLINE DUPLICATE 10
TI Characterization of intrastriatal **recombinant adeno-associated virus**-mediated gene transfer of human tyrosine hydroxylase and human GTP-cyclohydrolase I in a **rat** model of Parkinson's disease.
SO JOURNAL OF NEUROSCIENCE, (1998 Jun 1) 18 (11) 4271-84.
Journal code: 8102140. ISSN: 0270-6474.
- L53 ANSWER 15 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC. DUPLICATE 11
TI Adenoassociated virus-mediated transfer of a functional water channel into salivary epithelial cells in vitro and in vivo.
SO Human Gene Therapy, (Dec. 10, 1998) Vol. 9, No. 18, pp. 2777-2785.
ISSN: 1043-0342.
- L53 ANSWER 16 OF 28 MEDLINE DUPLICATE 12
TI Behavioral recovery in 6-hydroxydopamine-lesioned **rats** by cotransduction of striatum with tyrosine hydroxylase and aromatic L-amino acid decarboxylase genes using two separate **adeno-associated virus vectors.**
SO HUMAN GENE THERAPY, (1998 Nov 20) 9 (17) 2527-35.
Journal code: 9008950. ISSN: 1043-0342.
- L53 ANSWER 17 OF 28 MEDLINE
TI Factors influencing **recombinant adeno-associated virus** production.
SO HUMAN GENE THERAPY, (1998 Mar 20) 9 (5) 695-706.
Journal code: 9008950. ISSN: 1043-0342.
- L53 ANSWER 18 OF 28 CAPLUS COPYRIGHT 2002 ACS
TI Gene therapy of a rodent model of Parkinson's disease using **adeno-associated virus (AAV) vectors**
SO Advances in Behavioral Biology (1998), 49(Progress in Alzheimer's and Parkinson's Diseases), 647-652
CODEN: ADBBBW; ISSN: 0099-6246
- L53 ANSWER 19 OF 28 MEDLINE DUPLICATE 13
TI Neuron-specific transduction in the **rat** septohippocampal or nigrostriatal pathway by **recombinant adeno-associated virus vectors.**
SO EXPERIMENTAL NEUROLOGY, (1998 Apr) 150 (2) 183-94.
Journal code: 0370712. ISSN: 0014-4886.
- L53 ANSWER 20 OF 28 MEDLINE DUPLICATE 14
TI **Recombinant adeno-associated virus** mediates a high level of gene transfer but less efficient integration in the K562 human hematopoietic cell line.
SO JOURNAL OF VIROLOGY, (1997 Mar) 71 (3) 1776-83.
Journal code: 0113724. ISSN: 0022-538X.
- L53 ANSWER 21 OF 28 MEDLINE
TI Persistent expression of human clotting factor IX from mouse liver after intravenous injection of **adeno-associated virus vectors.**
SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1997 Feb 18) 94 (4) 1426-31.
Journal code: 7505876. ISSN: 0027-8424.
- L53 ANSWER 22 OF 28 MEDLINE
TI **Adeno-associated virus vectors** for vascular gene delivery.
SO CIRCULATION RESEARCH, (1997 Apr) 80 (4) 497-505.
Journal code: 0047103. ISSN: 0009-7330.
- L53 ANSWER 23 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
TI Gene transfer by **adeno-associated virus vectors** into the central nervous system.
SO Experimental Neurology, (1997) Vol. 144, No. 1, pp. 113-124.
ISSN: 0014-4886.
- L53 ANSWER 24 OF 28 MEDLINE DUPLICATE 15
TI Characterization of **recombinant adeno-associated virus-2** as a vehicle for gene delivery and expression into vascular cells.
SO JOURNAL OF INVESTIGATIVE MEDICINE, (1997 Feb) 45 (2) 87-98.
Journal code: 9501229. ISSN: 1081-5589.
- L53 ANSWER 25 OF 28 MEDLINE DUPLICATE 16
TI Efficient transduction of green fluorescent protein in spinal cord neurons using **adeno-associated virus vectors** containing cell type-specific promoters.
SO GENE THERAPY, (1997 Jan) 4 (1) 16-24.
Journal code: 9421525. ISSN: 0969-7128.

L53 ANSWER 26 OF 28 MEDLINE DUPLICATE 17
 TI Effects of gamma irradiation on the transduction of dividing and
 nondividing cells in brain and muscle of **rats** by **adeno**
-associated virus vectors.
 SO HUMAN GENE THERAPY, (1996 May 1) 7 (7) 841-50.
 Journal code: 9008950. ISSN: 1043-0342.

L53 ANSWER 27 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL
 ABSTRACTS INC.
 TI Comparison of promoter strengths on gene delivery into mammalian
 brain
 cells using AAV vectors.
 SO Gene Therapy, (1996) Vol. 3, No. 5, pp. 437-447.
 ISSN: 0969-7128.

L53 ANSWER 28 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL
 ABSTRACTS INC.
 TI Sodium butyrate greatly **enhances** the efficiency of viral
transduction in adult ventricular cardiomyocytes by **adeno**
-associated viral vectors.
 SO Circulation, (1995) Vol. 92, No. 8 SUPPL., pp. I296.
 Meeting Info.: 68th Scientific Session of the American Heart
 Association
 Anaheim, California, USA November 13-16, 1995
 ISSN: 0009-7322.

=> d ibib ab 28,17,4

L53 ANSWER 28 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL
 ABSTRACTS INC.
 ACCESSION NUMBER: 1996:11748 BIOSIS
 DOCUMENT NUMBER: PREV199698583883
 TITLE: Sodium butyrate greatly **enhances** the efficiency
 of viral **transduction** in adult ventricular
 cardiomyocytes by **adeno-associated**
viral vectors.
 AUTHOR(S): Kessler, Paul D. (1); Matelis, Laura A.; Wei, Shao-
 Kui;
 Silverman, Howard S.; Flotte, Terry R.; Kurtzman, Gary J.;
 Byrne, Barry J.
 CORPORATE SOURCE: (1) Dep. Med., Johns Hopkins Univ.,
 Baltimore, MD USA
 SOURCE: Circulation, (1995) Vol. 92, No. 8 SUPPL., pp. I296.
 Meeting Info.: 68th Scientific Session of the American
 Heart Association Anaheim, California, USA November 13-
 16,
 1995
 ISSN: 0009-7322.
 DOCUMENT TYPE: Conference
 LANGUAGE: English

L53 ANSWER 17 OF 28 MEDLINE
 ACCESSION NUMBER: 1998211339 MEDLINE
 DOCUMENT NUMBER: 98211339 PubMed ID: 9551617
 TITLE: Factors influencing **recombinant adeno-**
associated virus production.
 AUTHOR: Salvetti A; Orev S; Chadeuf G; Favre D; Cherel Y;
 Champion-Arnaud P; David-Ameline J; Moullier P
 CORPORATE SOURCE: Laboratoire de Therapie Genique, CHU
 Hotel-DIEU, Nantes,
 France.
 SOURCE: HUMAN GENE THERAPY, (1998 Mar 20) 9 (5)
 695-706.
 Journal code: 9008950. ISSN: 1043-0342.
 PUB. COUNTRY: United States
 Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 199805
 ENTRY DATE: Entered STN: 19980611
 Last Updated on STN: 19980611
 Entered Medline: 19980529

AB **Recombinant adeno-associated virus** (rAAV) is
 produced by transfecting cells with two constructs: the rAAV
vector plasmid and the rep-cap plasmid. After subsequent
 adenoviral infection, needed for rAAV replication and assembly, the
 virus

is purified from total cell lysates through CsCl gradients. Because
 this

is a long and complex procedure, the precise titration of rAAV
 stocks, as
 well as the measure of the level of contamination with adenovirus
 and

rep-positive AAV, are essential to evaluate the **transduction**
 efficiency of these **vectors** in vitro and in vivo. Our
vector core is in charge of producing rAAV for outside
 investigators as part of a national network promoted by the
 Association

Francaise contre les Myopathies/Genethon. We report here the
 characterization of 18 large-scale rAAV stocks produced during the
 past

year. Three major **improvements** were introduced and combined in
 the rAAV production procedure: (i) the titration and characterization
 of

rAAV stocks using a stable rep-cap HeLa cell line in a modified
 Replication Center Assay (RCA); (ii) the use of different rep-cap
 constructs to provide AAV regulatory and structural proteins; (iii) the
 use of an adenoviral plasmid to provide helper functions needed for
 rAAV

replication and assembly. Our results indicate that: (i) rAAV yields
 ranged between 10(11) to 5 x 10(12) total particles; (ii) the physical
 particle to infectious particle (measured by RCA) ratios were

consistently
 below 50 when using a rep-cap plasmid harboring an ITR-deleted
 AAV genome;

the physical particle to transducing particle ratios ranged between
 400

and 600; (iii) the use of an adenoviral plasmid instead of an infectious
 virion did not affect the particles or the infectious particles yields nor
 the above ratio. Most of large-scale rAAV stocks (7/9) produced
 using this

plasmid were free of detectable infectious adenovirus as determined
 by

RCA; (iv) all the rAAV stocks were contaminated with rep-positive
 AAV as

detected by RCA. In summary, this study describes a general method
 to
 titrate rAAV, independently of the transgene and its expression, and
 to

measure the level of contamination with adenovirus and rep-positive
 AAV.

Furthermore, we report a new production procedure using adenoviral
 plasmids instead of virions and resulting in rAAV stocks with
 undetectable
 adenovirus contamination.

L53 ANSWER 4 OF 28 BIOSIS COPYRIGHT 2002 BIOLOGICAL
 ABSTRACTS INC.DUPLICATE

4
 ACCESSION NUMBER: 1999:300229 BIOSIS
 DOCUMENT NUMBER: PREV199900300229

TITLE: Cellular contaminants of **adeno-associated**
virus vector stocks can **enhance**
transduction.

AUTHOR(S): Tenenbaum, L. (1); Hamdane, M.; Pouzet, M.;
 Avalosse, B.;
 Stathopoulos, A.; Jurysta, F.; Rosenbaum, C.; Hanemann,
 C.

O.; Levivier, M.; Velu, T.
 CORPORATE SOURCE: (1) IRIHBN, Universite Libre de Bruxelles
 808, Route de

Lennik, Bat C, Campus Erasme, B-1070, Brussels Belgium
 SOURCE: Gene Therapy, (June, 1999) Vol. 6, No. 6, pp. 1045-
 1053.

ISSN: 0969-7128.
 DOCUMENT TYPE: Article

LANGUAGE: English
SUMMARY LANGUAGE: English
AB **Transduction** efficiency of different types of recombinant (r)AAV-2 based vectors preparations markedly differed, with apparently no correlation with the replicative titers. Using HeLa cells as target for **transduction**, 105 and 30 infectious units were necessary to observe one transductant using respectively cesium-chloride-purified rAAV and crude lysates of producer cells obtained by sonication. The purified vectors were however able to transduce HEK-193 cells efficiently, but transgene expression was detected with some delay compared with crude lysates. The unexpected high **transduction** efficiency of sonicated crude lysates was due to virally mediated gene transfer, since similar sonicated crude lysates, but with no AAV rep and cap genes, did not lead to detection of transgene products after incubation with HeLa cells. Furthermore, sonicated cellular extracts of 293 or 293/T cells given in trans stimulate **transduction** of HeLa cells by purified rAAV. In contrast, neither extracts from the adenovirus E1-transformed 911 cell line, nor from other cell lines not harboring any adenovirus gene, had **enhancing** effect on rAAV-mediated **transduction**. These data suggest that 293 sonicated extracts contain factors which stimulate rAAV-mediated **transduction** of cells that are normally poorly transduced and offer a system to identify such factors and to characterize further the steps limiting the transfer of gene by AAV vectors.

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		218.94	297.00

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL

	ENTRY	SESSION	
CA SUBSCRIBER PRICE		-0.62	-1.24

STN INTERNATIONAL LOGOFF AT 15:40:57 ON 19 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Jan 25 BLAST(R) searching in REGISTRY available in STN on the Web
NEWS 3 Jan 29 FSTA has been reloaded and moves to weekly updates
NEWS 4 Feb 01 DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS 5 Feb 19 Access via Tymnet and SprintNet Eliminated Effective 3/31/02
NEWS 6 Mar 08 Gene Names now available in BIOSIS
NEWS 7 Mar 22 TOXLIT no longer available
NEWS 8 Mar 22 TRCTHERMO no longer available
NEWS 9 Mar 28 US Provisional Priorities searched with P in CA/Caplus and USPATFULL
NEWS 10 Mar 28 LIPINSKI/CALC added for property searching in REGISTRY
NEWS 11 Apr 02 PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead.
NEWS 12 Apr 08 "Ask CAS" for self-help around the clock
NEWS 13 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 14 Apr 09 ZDB will be removed from STN
NEWS 15 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS 16 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS 17 Apr 22 BIOSIS Gene Names now available in TOXCENTER
NEWS 18 Apr 22 Federal Research in Progress (FEDRIP) now available
NEWS 19 Jun 03 New e-mail delivery for search results now available
NEWS 20 Jun 10 MEDLINE Reload
NEWS 21 Jun 10 PCTFULL has been reloaded

NEWS EXPRESS February 1 CURRENT WINDOWS VERSION IS V6.0d,

CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),

AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

*****STN Columbus*****

FILE 'HOME' ENTERED AT 08:27:10 ON 20 JUN 2002

=> file caplus

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		0.21	0.21

FILE 'CAPLUS' ENTERED AT 08:27:21 ON 20 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Jun 2002 VOL 136 ISS 25
FILE LAST UPDATED: 18 Jun 2002 (20020618/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> s endosomal protease inhibitor
2694 ENDOSOMAL
70065 PROTEASE
25528 PROTEASES
81531 PROTEASE
(PROTEASE OR PROTEASES)
382334 INHIBITOR
403637 INHIBITORS
622534 INHIBITOR
(INHIBITOR OR INHIBITORS)
L1 1 ENDOSOMAL PROTEASE INHIBITOR
(ENDOSOMAL(W)PROTEASE(W)INHIBITOR)

=> d ti so

L1 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS
TI Processing of endogenously synthesized hen egg-white lysozyme retained in the endoplasmic reticulum or in secretory form gives rise to a similar but not identical set of epitopes recognized by class II-restricted T cells
SO J. Immunol. (1993), 151(7), 3576-86
CODEN: JOIMA3; ISSN: 0022-1767

=> d ibib ab

L1 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 1994:28871 CAPLUS
DOCUMENT NUMBER: 120:28871
TITLE: Processing of endogenously synthesized hen egg-white lysozyme retained in the endoplasmic reticulum or in secretory form gives rise to a similar but not identical set of epitopes recognized by class II-restricted T cells
AUTHOR(S): Adorini, Luciano; Guery, Jean Charles; Fuchs, Serge;
Ortiz-Navarrete, Vianney; Haemmerling, Gunter J.; Momburg, Frank
CORPORATE SOURCE: Preclin. Res., Sandoz Pharma Ltd., Basel, CH-4002, Switz.
SOURCE: J. Immunol. (1993), 151(7), 3576-86
CODEN: JOIMA3; ISSN: 0022-1767
DOCUMENT TYPE: Journal
LANGUAGE: English
AB To study the processing and presentation of endogenously

synthesized Ag to class II MHC-restricted T cells, hen egg lysozyme (HEL), either tagged with a peptide that confers retention in the endoplasmic reticulum (HEL.KDEL), or in the secretory form (HELs), was stably expressed in LK-35.2 B hybridoma cells. Presentation of HEL peptides bound to class II mols. was assessed by activation of specific T cell hybridomas recognizing seven different epitopes derived from exogenous HEL. The presentation of endogenously synthesized HEL was not caused by reuptake of secreted or shed Ag. All the HEL epitopes examd. were efficiently presented after processing of endogenous HEL by HELs-transfected LK-35.2 cells. Processing of HEL tagged with KDEL, however, gave rise to presentation of only six of the seven HEL epitopes. The epitope included in the HEL sequence 112-124 was not presented by HEL.KDEL-transfected B cells. In addn., two of the four T cell hybridomas recognizing HEL 116-129 together with I-Ak mols. were not activated by HEL.KDEL, and three other epitopes were presented with lower efficiency as compared with HELs. Thus, endogenously synthesized HEL in secretory form gives rise to a set of class II-binding epitopes indistinguishable from exogenous HEL, whereas endoplasmic reticulum-retained HEL generates a similar but not identical set of epitopes. The endosomal protease inhibitor leupeptin prevented presentation of the epitope 108-116, but not 46-61, both by HELs and HEL.KDEL transfected cells, indicating a requirement for endosomal processing in both cases. In addn., the presentation of peptides derived from endogenously synthesized, either secretory or endoplasmic reticulum-retained HEL, could be inhibited by lysosomotropic amines, further indicating that the intracellular route of class II mols. presenting peptides derived from endogenous Ag intersects the acidic endosomal compartment.

=> s endosomal protease
2694 ENDOSOMAL
70065 PROTEASE
25528 PROTEASES
81531 PROTEASE
(PROTEASE OR PROTEASES)
L2 20 ENDOSOMAL PROTEASE
(ENDOSOMAL(W)PROTEASE)

=> d ti so 1-20

L2 ANSWER 1 OF 20 CAPLUS COPYRIGHT 2002 ACS
TI Proteases, natural inhibitors of protease, and activation of antigen processing in dendritic cells
SO Pathologie Biologie (2001), 49(6), 494-495
CODEN: PTBIAN; ISSN: 0031-3009

L2 ANSWER 2 OF 20 CAPLUS COPYRIGHT 2002 ACS
TI LUV1p/RK11p/TCS3p/VPS54p, a yeast protein that localizes to the late golgi and early endosome, is required for normal vacuolar morphology
SO Molecular Biology of the Cell (2000), 11(7), 2429-2443
CODEN: MBCEEV; ISSN: 1059-1524

L2 ANSWER 3 OF 20 CAPLUS COPYRIGHT 2002 ACS

=> dup rem l5
PROCESSING COMPLETED FOR L5
L6 27 DUP REM L5 (38 DUPLICATES REMOVED)

=> d his

(FILE 'HOME' ENTERED AT 08:27:10 ON 20 JUN 2002)

FILE 'CAPLUS' ENTERED AT 08:27:21 ON 20 JUN 2002

L1 1 S ENDOSOMAL PROTEASE INHIBITOR
L2 20 S ENDOSOMAL PROTEASE

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 08:29:16 ON 20 JUN 2002

L3 3 S ENDOSOMAL PROTEASE INHIBITOR
L4 1 DUP REM L3 (2 DUPLICATES REMOVED)
L5 65 S ENDOSOMAL PROTEASE
L6 27 DUP REM L5 (38 DUPLICATES REMOVED)

=> log y

COST IN U.S. DOLLARS	ENTRY	SINCE FILE	SESSION	TOTAL
FULL ESTIMATED COST		9.74		41.63

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL

	ENTRY	SESSION	
CA SUBSCRIBER PRICE		0.00	-0.62

STN INTERNATIONAL LOGOFF AT 08:30:16 ON 20 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America

NEWS 2 Jan 25 BLAST(R) searching in REGISTRY available in STN on the Web

NEWS 3 Jan 29 FSTA has been reloaded and moves to weekly updates

NEWS 4 Feb 01 DKILIT now produced by FIZ Karlsruhe and has a new update

frequency

NEWS 5 Feb 19 Access via Tymnet and SprintNet Eliminated Effective 3/31/02

NEWS 6 Mar 08 Gene Names now available in BIOSIS

NEWS 7 Mar 22 TOXLIT no longer available

NEWS 8 Mar 22 TRCTHERMO no longer available

NEWS 9 Mar 28 US Provisional Priorities searched with P in CA/Caplus

and USPATFULL

NEWS 10 Mar 28 LIPINSKI/CALC added for property searching in REGISTRY

NEWS 11 Apr 02 PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead.

NEWS 12 Apr 08 "Ask CAS" for self-help around the clock

NEWS 13 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area

NEWS 14 Apr 09 ZDB will be removed from STN

NEWS 15 Apr 19 US Patent Applications available in IFICDB,

IFIPAT, and IFIUDB

NEWS 16 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS

NEWS 17 Apr 22 BIOSIS Gene Names now available in TOXCENTER

NEWS 18 Apr 22 Federal Research in Progress (FEDRIP) now available

NEWS 19 Jun 03 New e-mail delivery for search results now available

NEWS 20 Jun 10 MEDLINE Reload

NEWS 21 Jun 10 PCTFULL has been reloaded

NEWS EXPRESS February 1 CURRENT WINDOWS VERSION IS V6.0d,

CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),

AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS INTER General Internet Information

NEWS LOGIN Welcome Banner and News Items

NEWS PHONE Direct Dial and Telecommunication Network Access to STN

NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 11:20:30 ON 20 JUN 2002

=> s adeno-associated

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE
Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> file medline biosis caplus

COST IN U.S. DOLLARS	ENTRY	SINCE FILE	SESSION	TOTAL
FULL ESTIMATED COST		0.21		0.21

FILE 'MEDLINE' ENTERED AT 11:20:46 ON 20 JUN 2002

FILE 'BIOSIS' ENTERED AT 11:20:46 ON 20 JUN 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'CAPLUS' ENTERED AT 11:20:46 ON 20 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

=> s adeno-associated

L1 5758 ADENO-ASSOCIATED

=> s hepatocyt?

L2 145665 HEPATOCYT?

=> s l1 and l2

L3 127 L1 AND L2

=> s improv? or augment? or potentiat? or facilitat? or enhance? or

synergiz?
L4 3638007 IMPROV? OR AUGMENT? OR POTENTIAT? OR
FACILITAT? OR ENHANC? OR
SYNERGIZ?

=> s l4(s)transduc?
L5 27262 L4(S) TRANSDUC?

=> s transduc?
L6 357779 TRANSDUC?

=> s l6(s)l4
L7 27262 L6(S) L4

=> s l3 and l7
L8 22 L3 AND L7

=> dup rem l8
PROCESSING COMPLETED FOR L8
L9 13 DUP REM L8 (9 DUPLICATES REMOVED)

=> d ti so l-13

L9 ANSWER 1 OF 13 MEDLINE
TI Protamine sulfate **enhances** the **transduction** efficiency
of recombinant **adeno-associated** virus-mediated gene
delivery.
SO PHARMACEUTICAL RESEARCH, (2001 Jul) 18 (7) 922-7.
Journal code: 8406521. ISSN: 0724-8741.

L9 ANSWER 2 OF 13 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.
TI Recombinant **adeno-associated** viral vector mediated
transduction of murine liver but not skeletal muscle is heavily
influenced
by gender.
SO Blood, (November 16, 2001) Vol. 98, No. 11 Part 1, pp. 425a.
http://www.bloodjournal.org/. print.
Meeting Info.: 43rd Annual Meeting of the American Society of
Hematology,
Part 1 Orlando, Florida, USA December 07-11, 2001
ISSN: 0006-4971.

L9 ANSWER 3 OF 13 MEDLINE DUPLICATE 1
TI Efficient and selective AAV2-mediated gene transfer directed to
human
vascular endothelial cells.
SO MOLECULAR THERAPY, (2001 Sep) 4 (3) 174-81.
Journal code: 100890581. ISSN: 1525-0016.

L9 ANSWER 4 OF 13 MEDLINE DUPLICATE 2
TI Regulated secretion of proinsulin/insulin from human hepatoma
cells
transduced by recombinant **adeno-associated** virus.
SO BIOTECHNOLOGY AND APPLIED BIOCHEMISTRY, (2001
Apr) 33 (Pt 2) 133-40.
Journal code: 8609465. ISSN: 0885-4513.

L9 ANSWER 5 OF 13 MEDLINE
TI AAV-mediated gene transfer for hemophilia.
SO ANNALS OF THE NEW YORK ACADEMY OF SCIENCES,
(2001 Dec) 953 64-74. Ref: 29
Journal code: 7506858. ISSN: 0077-8923.

L9 ANSWER 6 OF 13 MEDLINE DUPLICATE 3
TI Recruitment of single-stranded recombinant **adeno-**
associated virus vector genomes and intermolecular recombination
are responsible for stable transduction of liver in vivo.
SO JOURNAL OF VIROLOGY, (2000 Oct) 74 (20) 9451-63.
Journal code: 0113724. ISSN: 0022-538X.

L9 ANSWER 7 OF 13 MEDLINE DUPLICATE 4
TI Nonrandom transduction of recombinant **adeno-associated**
virus vectors in mouse **hepatocytes** in vivo: cell cycling does

not influence **hepatocyte** transduction.
SO JOURNAL OF VIROLOGY, (2000 Apr) 74 (8) 3793-803.
Journal code: 0113724. ISSN: 0022-538X.

L9 ANSWER 8 OF 13 CAPLUS COPYRIGHT 2002 ACS
TI Increasing the size of rAAV-mediated expression cassettes in vivo
by
intermolecular joining of two complementary vectors
SO Nature Biotechnology (2000), 18(5), 527-532
CODEN: NABIF9; ISSN: 1087-0156

L9 ANSWER 9 OF 13 BIOSIS COPYRIGHT 2002 BIOLOGICAL
ABSTRACTS INC.DUPLICATE
5
TI Persistent hF.IX expression in mouse **hepatocytes** from episomal
rAAV circular intermediates does not rely on the presence of AAV-
ITR but
the structure of expression cassette itself.
SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 431a.
print.
Meeting Info.: 42nd Annual Meeting of the American Society of
Hematology
San Francisco, California, USA December 01-05, 2000 American
Society of
Hematology
. ISSN: 0006-4971.

L9 ANSWER 10 OF 13 CAPLUS COPYRIGHT 2002 ACS
TI **Adeno-associated** viral vector-mediated expression of
factor VIII activity
SO PCT Int. Appl., 38 pp.
CODEN: PIXXD2

L9 ANSWER 11 OF 13 MEDLINE DUPLICATE 6
TI Persistent, therapeutically relevant levels of human granulocyte
colony-stimulating factor in mice after systemic delivery of **adeno**-
associated virus vectors.
SO HUMAN GENE THERAPY, (1999 Sep 1) 10 (13) 2133-40.
Journal code: 9008950. ISSN: 1043-0342.

L9 ANSWER 12 OF 13 MEDLINE DUPLICATE 7
TI **Adeno-associated** viral vector-mediated gene transfer
of human blood coagulation factor IX into mouse liver.
SO BLOOD, (1998 Jun 15) 91 (12) 4600-7.
Journal code: 7603509. ISSN: 0006-4971.

L9 ANSWER 13 OF 13 MEDLINE DUPLICATE 8
TI Liver-directed gene transfer vectors.
SO HUMAN GENE THERAPY, (1998 Sep 20) 9 (14) 1975-81. Ref:
96
Journal code: 9008950. ISSN: 1043-0342.

=> d ibib ab 10

L9 ANSWER 10 OF 13 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 1999:764174 CAPLUS
DOCUMENT NUMBER: 132:9629
TITLE: **Adeno-associated** viral
vector-mediated expression of factor VIII activity
INVENTOR(S): Cohen, Lawrence K.; Spratt, S. Kaye; Couto,
Linda
PATENT ASSIGNEE(S): Cell Genesys, Inc., USA
SOURCE: PCT Int. Appl., 38 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9961595	A2	19991202	WO 1999-US10472	19990527
WO 9961595	A3	20000127		

W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH,
 CN, CU, CZ,
 DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
 IN, IS,
 JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD,
 MG, MK,
 MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,
 SL, TJ,
 TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY,
 KG, KZ, MD,
 RU, TJ, TM
 RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH,
 CY, DE, DK,
 ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
 CG,
 CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
 CA 2329143 AA 19991202 CA 1999-2329143 19990527
 AU 9941856 A1 19991213 AU 1999-41856 19990527
 EP 1082445 A2 20010314 EP 1999-925606 19990527
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE,
 MC, PT,
 IE, FI
 JP 2002516345 T2 20020604 JP 2000-550980 19990527
 PRIORITY APPLN. INFO.: US 1998-84423 A 19980527
 WO 1999-US10472 W 19990527

AB The invention demonstrates that recombinant AAV (rAAV) vectors
 may be used
 to deliver for effective expression a protein with Factor VIII function
 to
 treat hemophilia A. The invention provides methods and materials
 for
 expressing polypeptides with factor VIII activity comprising
 administering
 at least two rAAV vectors encoding different domains of human
 factor VIII
 and at least the heavy and light chains.

=> d his

(FILE 'HOME' ENTERED AT 11:20:30 ON 20 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 11:20:46 ON
 20 JUN 2002

L1 5758 S ADENO-ASSOCIATED
 L2 145665 S HEPATOCYT?
 L3 127 S L1 AND L2
 L4 3638007 S IMPROV? OR AUGMENT? OR POTENTIAT? OR
 FACILITAT? OR ENHANC? OR
 L5 27262 S L4(S)TRANSDUC?
 L6 357779 S TRANSDUC?
 L7 27262 S L6(S)L4
 L8 22 S L3 AND L7
 L9 13 DUP REM L8 (9 DUPLICATES REMOVED)

=> log hold

COST IN U.S. DOLLARS	ENTRY	SINCE FILE	SESSION	TOTAL
FULL ESTIMATED COST		32.20		32.41

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
 SINCE FILE TOTAL

ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.62 -0.62

SESSION WILL BE HELD FOR 60 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED AT 11:28:06 ON 20
 JUN 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1636DXS

PASSWORD:

***** RECONNECTED TO STN INTERNATIONAL *****
 SESSION RESUMED IN FILE 'MEDLINE, BIOSIS, CAPLUS' AT
 11:36:12 ON 20 JUN 2002
 FILE 'MEDLINE' ENTERED AT 11:36:12 ON 20 JUN 2002
 FILE 'BIOSIS' ENTERED AT 11:36:12 ON 20 JUN 2002
 COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)
 FILE 'CAPLUS' ENTERED AT 11:36:12 ON 20 JUN 2002
 COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS	ENTRY	SINCE FILE	SESSION	TOTAL
FULL ESTIMATED COST		32.20		32.41

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
 SINCE FILE TOTAL

ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.62 -0.62

=> d his

(FILE 'HOME' ENTERED AT 11:20:30 ON 20 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 11:20:46 ON
 20 JUN 2002

L1 5758 S ADENO-ASSOCIATED
 L2 145665 S HEPATOCYT?
 L3 127 S L1 AND L2
 L4 3638007 S IMPROV? OR AUGMENT? OR POTENTIAT? OR
 FACILITAT? OR ENHANC? OR
 L5 27262 S L4(S)TRANSDUC?
 L6 357779 S TRANSDUC?
 L7 27262 S L6(S)L4
 L8 22 S L3 AND L7
 L9 13 DUP REM L8 (9 DUPLICATES REMOVED)

=> dup rem l3

PROCESSING COMPLETED FOR L3

L10 83 DUP REM L3 (44 DUPLICATES REMOVED)

=> l10 not py>1999

L10 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.
 For a list of commands available to you in the current file, enter
 "HELP COMMANDS" at an arrow prompt (=>).

=> s l10 not py>1999

L11 27 L10 NOT PY>1999

=> d ti so l-27

L11 ANSWER 1 OF 27 MEDLINE

TI Persistent, therapeutically relevant levels of human granulocyte
 colony-stimulating factor in mice after systemic delivery of **adeno**
-associated virus vectors.

SO HUMAN GENE THERAPY, (1999 Sep 1) 10 (13) 2133-40.
 Journal code: 9008950. ISSN: 1043-0342.

L11 ANSWER 2 OF 27 MEDLINE

TI Detection of TTV DNA in hepatocellular carcinoma.
 SO NIPPON RINSHO. JAPANESE JOURNAL OF CLINICAL
 MEDICINE, (1999 Jun) 57 (6)
 1375-80. Ref: 11
 Journal code: 0420546. ISSN: 0047-1852.

L11 ANSWER 3 OF 27 MEDLINE

TI Development of animal models for **adeno-associated**
 virus site-specific integration.
 SO JOURNAL OF VIROLOGY, (1999 Mar) 73 (3) 2517-26.
 Journal code: 0113724. ISSN: 0022-538X.

L11 ANSWER 4 OF 27 MEDLINE
 TI **Adeno-associated** virus as a vector for liver-directed gene therapy.
 SO JOURNAL OF VIROLOGY, (1998 Dec) 72 (12) 10222-6.
 Journal code: 0113724. ISSN: 0022-538X.

L11 ANSWER 5 OF 27 MEDLINE
 TI Liver-directed gene transfer vectors.
 SO HUMAN GENE THERAPY, (1998 Sep 20) 9 (14) 1975-81. Ref: 96
 Journal code: 9008950. ISSN: 1043-0342.

L11 ANSWER 6 OF 27 MEDLINE
 TI Ribozyme gene therapy for hepatitis C virus infection.
 SO CLINICAL AND DIAGNOSTIC VIROLOGY, (1998 Jul 15) 10 (2-3) 163-71.
 Journal code: 9309653. ISSN: 0928-0197.

L11 ANSWER 7 OF 27 MEDLINE
 TI **Adeno-associated** viral vector-mediated gene transfer of human blood coagulation factor IX into mouse liver.
 SO BLOOD, (1998 Jun 15) 91 (12) 4600-7.
 Journal code: 7603509. ISSN: 0006-4971.

L11 ANSWER 8 OF 27 MEDLINE
 TI Site-specific integration in mammalian cells mediated by a new hybrid baculovirus-**adeno-associated** virus vector.
 SO JOURNAL OF VIROLOGY, (1998 Jun) 72 (6) 5025-34.
 Journal code: 0113724. ISSN: 0022-538X.

L11 ANSWER 9 OF 27 MEDLINE
 TI Persistent and therapeutic concentrations of human factor IX in mice after hepatic gene transfer of recombinant AAV vectors.
 SO NATURE GENETICS, (1997 Jul) 16 (3) 270-6.
 Journal code: 9216904. ISSN: 1061-4036.

L11 ANSWER 10 OF 27 MEDLINE
 TI **Adeno-associated** virus 2-mediated gene transfer in vivo: organ-tropism and expression of transduced sequences in mice.
 SO GENE, (1997 Apr 29) 190 (1) 203-10.
 Journal code: 7706761. ISSN: 0378-1119.

L11 ANSWER 11 OF 27 MEDLINE
 TI Persistent expression of human clotting factor IX from mouse liver after intravenous injection of **adeno-associated** virus vectors.
 SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1997 Feb 18) 94 (4) 1426-31.
 Journal code: 7505876. ISSN: 0027-8424.

L11 ANSWER 12 OF 27 MEDLINE
 TI Comparison of retroviral and **adeno-associated** viral vectors designed to express human clotting factor IX.
 SO HUMAN GENE THERAPY, (1997 Jan 20) 8 (2) 125-35.
 Journal code: 9008950. ISSN: 1043-0342.

L11 ANSWER 13 OF 27 MEDLINE
 TI The Rep68 protein of **adeno-associated** virus type 2 stimulates expression of the platelet-derived growth factor B c-sis proto-oncogene.
 SO JOURNAL OF VIROLOGY, (1996 Jul) 70 (7) 4783-6.
 Journal code: 0113724. ISSN: 0022-538X.

L11 ANSWER 14 OF 27 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI **Adeno-associated** virus(AAV)-mediated expression of ornithine transcarbamylase (OTC) in OTC deficient spf-ash mMice.
 SO Pediatric Research, (April, 1999) Vol. 45, No. 4 PART 2, pp. 142A.
 Meeting Info.: Annual Meeting of the American Pediatric Society

and the Society for Pediatric Research San Francisco, California, USA May 1-4, 1999
 ISSN: 0031-3998.

L11 ANSWER 15 OF 27 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI Defective adenoassociated viral-mediated transfection of insulin gene by direct injection into liver parenchyma decreases blood glucose of diabetic mice.
 SO Hormone and Metabolic Research, (Dec., 1997) Vol. 29, No. 12, pp. 599-603.
 ISSN: 0018-5043.

L11 ANSWER 16 OF 27 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI Gene transfer into **hepatocytes** mediated by helper virus-free HSV/AAV hybrid vectors.
 SO Molecular Medicine (New York), (Dec., 1997) Vol. 3, No. 12, pp. 813-825.
 ISSN: 1076-1551.

L11 ANSWER 17 OF 27 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI **Adeno-associated** virus (AAV) as a gene delivery vector for liver-cells.
 SO Hepatology, (1997) Vol. 26, No. 4 PART 2, pp. 197A.
 Meeting Info.: 48th Annual Meeting of the American Association for the Study of Liver Diseases Chicago, Illinois, USA November 7-11, 1997
 ISSN: 0270-9139.

L11 ANSWER 18 OF 27 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI Long-term expression of human factor IX from mouse **hepatocytes** after intravenous injection of AAV vectors.
 SO American Journal of Human Genetics, (1996) Vol. 59, No. 4 SUPPL., pp. A46.
 Meeting Info.: 46th Annual Meeting of the American Society of Human Genetics San Francisco, California, USA October 29-November 2, 1996
 ISSN: 0002-9297.

L11 ANSWER 19 OF 27 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI Transduction of **hepatocytes** in vivo with **adeno-associated** virus vectors as a model for hepatic gene therapy.
 SO American Journal of Human Genetics, (1995) Vol. 57, No. 4 SUPPL., pp. A43.
 Meeting Info.: 45th Annual Meeting of the American Society of Human Genetics Minneapolis, Minnesota, USA October 24-28, 1995
 ISSN: 0002-9297.

L11 ANSWER 20 OF 27 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI **ADENO-ASSOCIATED VIRUS-MEDIATED TRANSDUCTION OF ORNITHINE TRANSCARBAMYLASE ACTIVITY INTO PRIMARY HEPATOCYTES DERIVED FROM SPF MICE.**
 SO KEYSTONE SYMPOSIUM ON GENE TRANSFER, REPLACEMENT AND AUGMENTATION, COPPER MOUNTAIN, COLORADO, USA, APRIL 3-9, 1992. J CELL BIOCHEM SUPPL. (1992) 0 (16 PART F), 60.
 CODEN: JCBSD7.

L11 ANSWER 21 OF 27 CAPLUS COPYRIGHT 2002 ACS

TI Electrically mediated cellular expression of genetic material at a target

body area

SO PCT Int. Appl., 26 pp.

CODEN: PIXXD2

L11 ANSWER 22 OF 27 CAPLUS COPYRIGHT 2002 ACS

TI Hepatocyte transfection using bcl2 to protect transformed cells from selection with apoptotic agents

SO PCT Int. Appl., 39 pp.

CODEN: PIXXD2

L11 ANSWER 23 OF 27 CAPLUS COPYRIGHT 2002 ACS

TI Adeno-associated viral vector-mediated delivery of DNA to cells of the liver

SO PCT Int. Appl., 64 pp.

CODEN: PIXXD2

L11 ANSWER 24 OF 27 CAPLUS COPYRIGHT 2002 ACS

TI The kinetics of rAAV integration in the liver

SO Nature Genetics (1998), 19(1), 13-15

CODEN: NGENEC; ISSN: 1061-4036

L11 ANSWER 25 OF 27 CAPLUS COPYRIGHT 2002 ACS

TI Use of a non-mammalian DNA virus to express an exogenous gene in a

mammalian cell for gene therapy in treatment of gene deficiency disorder

or liver cancer

SO PCT Int. Appl., 77 pp.

CODEN: PIXXD2

L11 ANSWER 26 OF 27 CAPLUS COPYRIGHT 2002 ACS

TI Gene therapy vectors carrying lipase genes for treatment of lipoproteinemias

SO PCT Int. Appl., 40 pp.

CODEN: PIXXD2

L11 ANSWER 27 OF 27 CAPLUS COPYRIGHT 2002 ACS

TI Methods of suppressing autoimmune response

SO PCT Int. Appl., 44 pp.

CODEN: PIXXD2

=> d ibib ab 23

L11 ANSWER 23 OF 27 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1998:394246 CAPLUS

DOCUMENT NUMBER: 129:58783

TITLE: Adeno-associated viral

vector-mediated delivery of DNA to cells of the liver

INVENTOR(S): Snyder, Richard; Danos, Olivier; Cohen, Lawrence; Kay,

Mark; Thompson, Arthur R.

PATENT ASSIGNEE(S): Somatix Therapy Corporation, USA; University of

Washington; Snyder, Richard; Danos, Olivier; Cohen, Lawrence; Kay, Mark; Thompson, Arthur R.

SOURCE: PCT Int. Appl., 64 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

WO 9824479 A1 19980611 WO 1997-US21398 19971202

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE,

DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR,

KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ,

PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA,

UG,

US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ,

TM

RW: GH, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR,

GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM,

GA,

GN, ML, MR, NE, SN, TD, TG

AU 9855882 A1 19980629 AU 1998-55882 19971202
PRIORITY APPLN. INFO.: US 1996-32506P P 19961202

US 1997-882044 A 19970625

WO 1997-US21398 W 19971202

AB The instant invention provides methods of expressing polynucleotides in

the cells of the liver comprising administering viral particles comprising

a recombinant AAV vector into a mammal, preferably a human.

=> d his

(FILE 'HOME' ENTERED AT 11:20:30 ON 20 JUN 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 11:20:46 ON 20 JUN 2002

L1 5758 S ADENO-ASSOCIATED

L2 145665 S HEPATOCYT?

L3 127 S L1 AND L2

L4 3638007 S IMPROV? OR AUGMENT? OR POTENTIAT? OR FACILITAT? OR ENHANC? OR

L5 27262 S L4(S)TRANSDUC?

L6 357779 S TRANSDUC?

L7 27262 S L6(S)L4

L8 22 S L3 AND L7

L9 13 DUP REM L8 (9 DUPLICATES REMOVED)

L10 83 DUP REM L3 (44 DUPLICATES REMOVED)

L11 27 S L10 NOT PY>1999

=> log hold

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	57.93	58.14

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL

	ENTRY	SESSION
CA SUBSCRIBER PRICE	-1.24	-1.24

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 11:40:28 ON 20 JUN 2002